

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061719\
 Data File : PL049538.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Jun 2019 09:29
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 18 01:08:35 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL053019.M
 Quant Title : GC Extractables
 QLast Update : Fri May 31 01:35:35 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.324	3.935	545.1E6	149.0E6	49.470	51.572
28)	SA Decachlor...	7.990	8.970	527.1E6	145.2E6	41.455	43.485
Target Compounds							
2)	A alpha-BHC	3.752	4.323	920.4E6	214.2E6	51.087	53.442
3)	MA gamma-BHC...	4.028	4.607	846.9E6	197.7E6	49.967	52.798
4)	MA Heptachlor	4.312	5.110	861.9E6	203.1E6	48.671	50.545
5)	MB Aldrin	4.551	5.412	818.8E6	184.2E6	47.953	50.056
6)	B beta-BHC	4.282	4.782	346.9E6	88158321	49.922	51.182
7)	B delta-BHC	4.475	4.996	854.6E6	183.9E6	52.881	59.947
8)	B Heptachlo...	4.987	5.799	750.3E6	170.4E6	50.593	52.119
9)	A Endosulfan I	5.317	6.154	702.4E6	154.6E6	47.994	47.993
10)	B gamma-Chl...	5.209	6.033	777.4E6	171.9E6	48.696	49.682
11)	B alpha-Chl...	5.266	6.104	752.1E6	169.8E6	48.144	48.942
12)	B 4,4'-DDE	5.433	6.264	736.0E6	160.3E6	47.055	48.823
13)	MA Dieldrin	5.556	6.410	752.6E6	163.0E6	49.223	48.600
14)	MA Endrin	5.809	6.628	691.1E6	142.7E6	47.918	47.806
15)	B Endosulfa...	6.084	6.839	638.6E6	141.1E6	48.356	46.535
16)	A 4,4'-DDD	5.944	6.754	570.4E6	123.1E6	47.927	46.796
17)	MA 4,4'-DDT	6.178	7.052	583.8E6	130.0E6	47.413	46.353
18)	B Endrin al...	6.251	6.963	512.4E6	122.1E6	46.823	47.344
19)	B Endosulfa...	6.463	7.187	565.2E6	134.7E6	43.533	44.289
20)	A Methoxychlor	6.723	7.512	275.2E6	72280808	42.913	43.599
21)	B Endrin ke...	6.943	7.654	615.8E6	139.3E6	43.269	43.800
22)	Mirex	7.118	8.104	433.2E6	110.3E6	41.112	42.469



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061719\
Data File : PL049538.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Jun 2019 09:29
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 18 01:08:35 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL053019.M
Quant Title : GC Extractables
QLast Update : Fri May 31 01:35:35 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.324 min
Delta R.T.: 0.000 min
Response: 545095049
Conc: 49.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.935 min
Delta R.T.: -0.001 min
Response: 148994767
Conc: 51.57 ng/ml




#2 alpha-BHC

R.T.: 3.752 min
Delta R.T.: 0.000 min
Response: 920408460
Conc: 51.09 ng/ml



#2 alpha-BHC


R.T.: 4.323 min
Delta R.T.: -0.001 min
Response: 214209122
Conc: 53.44 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.028 min
Delta R.T.: 0.000 min
Response: 846875949
Conc: 49.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.607 min
Delta R.T.: -0.001 min
Response: 197654897
Conc: 52.80 ng/ml




#4 Heptachlor

R.T.: 4.312 min
Delta R.T.: 0.000 min
Response: 861871081
Conc: 48.67 ng/ml



#4 Heptachlor


R.T.: 5.110 min
Delta R.T.: -0.002 min
Response: 203114901
Conc: 50.54 ng/ml



#5 Aldrin


R.T.: 4.551 min
Delta R.T.: 0.000 min
Response: 818761969
Conc: 47.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.412 min
Delta R.T.: -0.002 min
Response: 184164855
Conc: 50.06 ng/ml




#6 beta-BHC

R.T.: 4.282 min
Delta R.T.: 0.000 min
Response: 346891025
Conc: 49.92 ng/ml



#6 beta-BHC


R.T.: 4.782 min
Delta R.T.: 0.000 min
Response: 88158321
Conc: 51.18 ng/ml



#7 delta-BHC


R.T.: 4.475 min
Delta R.T.: 0.000 min
Response: 854591429
Conc: 52.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.996 min
Delta R.T.: 0.000 min
Response: 183867205
Conc: 59.95 ng/ml




#8 Heptachlor epoxide

R.T.: 4.987 min
Delta R.T.: 0.000 min
Response: 750302584
Conc: 50.59 ng/ml



#8 Heptachlor epoxide


R.T.: 5.799 min
Delta R.T.: -0.002 min
Response: 170365640
Conc: 52.12 ng/ml



#9 Endosulfan I


R.T.: 5.317 min
Delta R.T.: -0.001 min
Response: 702367380
Conc: 47.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.154 min
Delta R.T.: -0.002 min
Response: 154576158
Conc: 47.99 ng/ml




#10 gamma-Chlordane

R.T.: 5.209 min
Delta R.T.: -0.001 min
Response: 777374407
Conc: 48.70 ng/ml



#10 gamma-Chlordane


R.T.: 6.033 min
Delta R.T.: -0.002 min
Response: 171859037
Conc: 49.68 ng/ml



#11 alpha-Chlordane


R.T.: 5.266 min
Delta R.T.: -0.001 min
Response: 752114142
Conc: 48.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.104 min
Delta R.T.: -0.003 min
Response: 169787927
Conc: 48.94 ng/ml




#12 4,4'-DDE

R.T.: 5.433 min
Delta R.T.: -0.001 min
Response: 736034652
Conc: 47.06 ng/ml



#12 4,4'-DDE


R.T.: 6.264 min
Delta R.T.: -0.002 min
Response: 160272898
Conc: 48.82 ng/ml



#13 Dieldrin


R.T.: 5.556 min
Delta R.T.: -0.002 min
Response: 752640073
Conc: 49.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.410 min
Delta R.T.: -0.003 min
Response: 162992690
Conc: 48.60 ng/ml




#14 Endrin

R.T.: 5.809 min
Delta R.T.: -0.002 min
Response: 691135143
Conc: 47.92 ng/ml



#14 Endrin


R.T.: 6.628 min
Delta R.T.: -0.002 min
Response: 142664139
Conc: 47.81 ng/ml



#15 Endosulfan II


R.T.: 6.084 min
Delta R.T.: -0.001 min
Response: 638562920
Conc: 48.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.839 min
Delta R.T.: -0.002 min
Response: 141146327
Conc: 46.53 ng/ml




#16 4,4'-DDD

R.T.: 5.944 min
Delta R.T.: -0.002 min
Response: 570370170
Conc: 47.93 ng/ml



#16 4,4'-DDD


R.T.: 6.754 min
Delta R.T.: -0.002 min
Response: 123087367
Conc: 46.80 ng/ml



#17 4,4'-DDT


R.T.: 6.178 min
Delta R.T.: -0.002 min
Response: 583782860
Conc: 47.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.052 min
Delta R.T.: -0.002 min
Response: 129957247
Conc: 46.35 ng/ml




#18 Endrin aldehyde

R.T.: 6.251 min
Delta R.T.: -0.001 min
Response: 512435322
Conc: 46.82 ng/ml



#18 Endrin aldehyde


R.T.: 6.963 min
Delta R.T.: -0.002 min
Response: 122110351
Conc: 47.34 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.463 min
Delta R.T.: -0.001 min
Response: 565210937
Conc: 43.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.187 min
Delta R.T.: -0.001 min
Response: 134675712
Conc: 44.29 ng/ml




#20 Methoxychlor

R.T.: 6.723 min
Delta R.T.: -0.002 min
Response: 275230913
Conc: 42.91 ng/ml



#20 Methoxychlor


R.T.: 7.512 min
Delta R.T.: -0.002 min
Response: 72280808
Conc: 43.60 ng/ml



#21 Endrin ketone


R.T.: 6.943 min
Delta R.T.: -0.002 min
Response: 615794623
Conc: 43.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.654 min
Delta R.T.: -0.002 min
Response: 139326085
Conc: 43.80 ng/ml




#22 Mirex

R.T.: 7.118 min
Delta R.T.: -0.002 min
Response: 433189695
Conc: 41.11 ng/ml



#22 Mirex


R.T.: 8.104 min
Delta R.T.: -0.003 min
Response: 110314780
Conc: 42.47 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.990 min
Delta R.T.: -0.003 min
Response: 527114576
Conc: 41.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.970 min
Delta R.T.: -0.002 min
Response: 145227662
Conc: 43.49 ng/ml