

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061919\
 Data File : PL049658.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 Jun 2019 20:27
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 20 01:09:16 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL053019.M
 Quant Title : GC Extractables
 QLast Update : Fri May 31 01:35:35 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.324	3.936	534.7E6	152.7E6	48.527	52.853
28)	SA Decachlor...	7.990	8.972	603.4E6	166.3E6	47.450	49.782
Target Compounds							
2)	A alpha-BHC	3.752	4.324	906.6E6	229.0E6	50.323	57.122
3)	MA gamma-BHC...	4.027	4.608	847.9E6	211.1E6	50.030	56.386
4)	MA Heptachlor	4.312	5.111	876.8E6	215.7E6	49.516	53.665
5)	MB Aldrin	4.550	5.413	829.1E6	194.4E6	48.559	52.827
6)	B beta-BHC	4.282	4.783	345.4E6	94520526	49.700	54.875
7)	B delta-BHC	4.475	4.997	862.1E6	195.7E6	53.347	63.818
8)	B Heptachlor...	4.987	5.800	759.8E6	181.4E6	51.234	55.498
9)	A Endosulfan I	5.317	6.156	725.3E6	165.3E6	49.564	51.318
10)	B gamma-Chl...	5.210	6.034	804.5E6	181.6E6	50.392	52.495
11)	B alpha-Chl...	5.265	6.106	777.1E6	179.0E6	49.744	51.590
12)	B 4,4'-DDE	5.433	6.266	778.9E6	169.1E6	49.795	51.504
13)	MA Dieldrin	5.556	6.412	788.9E6	173.8E6	51.595	51.820
14)	MA Endrin	5.809	6.629	716.2E6	146.3E6	49.655	49.018
15)	B Endosulfa...	6.084	6.840	672.3E6	151.4E6	50.910	49.917
16)	A 4,4'-DDD	5.944	6.756	605.3E6	131.4E6	50.860	49.963
17)	MA 4,4'-DDT	6.178	7.054	615.9E6	136.3E6	50.020	48.614
18)	B Endrin al...	6.251	6.965	549.0E6	130.2E6	50.160	50.475
19)	B Endosulfa...	6.463	7.188	597.3E6	141.3E6	46.004	46.453
20)	A Methoxychlor	6.723	7.514	295.9E6	75916319	46.135	45.792
21)	B Endrin ke...	6.944	7.656	673.8E6	153.3E6	47.343	48.204
22)	Mirex	7.119	8.106	454.5E6	114.6E6	43.133	44.109


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL061919\
Data File : PL049658.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 Jun 2019 20:27
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 20 01:09:16 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL053019.M
Quant Title : GC Extractables
QLast Update : Fri May 31 01:35:35 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.324 min
Delta R.T.: 0.000 min
Response: 534708834
Conc: 48.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.936 min
Delta R.T.: 0.000 min
Response: 152694280
Conc: 52.85 ng/ml




#2 alpha-BHC

R.T.: 3.752 min
Delta R.T.: 0.000 min
Response: 906646875
Conc: 50.32 ng/ml



#2 alpha-BHC


R.T.: 4.324 min
Delta R.T.: 0.000 min
Response: 228961418
Conc: 57.12 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.027 min
Delta R.T.: 0.000 min
Response: 847937349
Conc: 50.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.608 min
Delta R.T.: 0.000 min
Response: 211088827
Conc: 56.39 ng/ml




#4 Heptachlor

R.T.: 4.312 min
Delta R.T.: 0.000 min
Response: 876841090
Conc: 49.52 ng/ml



#4 Heptachlor


R.T.: 5.111 min
Delta R.T.: 0.000 min
Response: 215655666
Conc: 53.67 ng/ml



#5 Aldrin


R.T.: 4.550 min
Delta R.T.: 0.000 min
Response: 829112676
Conc: 48.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.413 min
Delta R.T.: 0.000 min
Response: 194359232
Conc: 52.83 ng/ml




#6 beta-BHC

R.T.: 4.282 min
Delta R.T.: 0.000 min
Response: 345351431
Conc: 49.70 ng/ml



#6 beta-BHC


R.T.: 4.783 min
Delta R.T.: 0.000 min
Response: 94520526
Conc: 54.88 ng/ml



#7 delta-BHC


R.T.: 4.475 min
Delta R.T.: 0.000 min
Response: 862112049
Conc: 53.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.997 min
Delta R.T.: 0.000 min
Response: 195740301
Conc: 63.82 ng/ml




#8 Heptachlor epoxide

R.T.: 4.987 min
Delta R.T.: -0.001 min
Response: 759820015
Conc: 51.23 ng/ml



#8 Heptachlor epoxide


R.T.: 5.800 min
Delta R.T.: 0.000 min
Response: 181411529
Conc: 55.50 ng/ml



#9 Endosulfan I


R.T.: 5.317 min
Delta R.T.: -0.002 min
Response: 725349105
Conc: 49.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.156 min
Delta R.T.: 0.000 min
Response: 165284972
Conc: 51.32 ng/ml




#10 gamma-Chlordane

R.T.: 5.210 min
Delta R.T.: 0.000 min
Response: 804464363
Conc: 50.39 ng/ml



#10 gamma-Chlordane


R.T.: 6.034 min
Delta R.T.: 0.000 min
Response: 181588811
Conc: 52.49 ng/ml



#11 alpha-Chlordane


R.T.: 5.265 min
Delta R.T.: -0.002 min
Response: 777113174
Conc: 49.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.106 min
Delta R.T.: -0.001 min
Response: 178972831
Conc: 51.59 ng/ml




#12 4,4'-DDE

R.T.: 5.433 min
Delta R.T.: -0.001 min
Response: 778892142
Conc: 49.80 ng/ml



#12 4,4'-DDE


R.T.: 6.266 min
Delta R.T.: 0.000 min
Response: 169072670
Conc: 51.50 ng/ml



#13 Dielldrin


R.T.: 5.556 min
Delta R.T.: -0.002 min
Response: 788911211
Conc: 51.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dielldrin

R.T.: 6.412 min
Delta R.T.: 0.000 min
Response: 173792802
Conc: 51.82 ng/ml




#14 Endrin

R.T.: 5.809 min
Delta R.T.: -0.002 min
Response: 716192076
Conc: 49.66 ng/ml



#14 Endrin


R.T.: 6.629 min
Delta R.T.: 0.000 min
Response: 146282151
Conc: 49.02 ng/ml



#15 Endosulfan II


R.T.: 6.084 min
Delta R.T.: 0.000 min
Response: 672283748
Conc: 50.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.840 min
Delta R.T.: 0.000 min
Response: 151404706
Conc: 49.92 ng/ml




#16 4,4'-DDD

R.T.: 5.944 min
Delta R.T.: -0.002 min
Response: 605268779
Conc: 50.86 ng/ml



#16 4,4'-DDD


R.T.: 6.756 min
Delta R.T.: 0.000 min
Response: 131418001
Conc: 49.96 ng/ml



#17 4,4'-DDT


R.T.: 6.178 min
Delta R.T.: -0.002 min
Response: 615874018
Conc: 50.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.054 min
Delta R.T.: 0.000 min
Response: 136296567
Conc: 48.61 ng/ml




#18 Endrin aldehyde

R.T.: 6.251 min
Delta R.T.: -0.001 min
Response: 548950475
Conc: 50.16 ng/ml



#18 Endrin aldehyde


R.T.: 6.965 min
Delta R.T.: 0.000 min
Response: 130185575
Conc: 50.47 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.463 min
Delta R.T.: -0.001 min
Response: 597293242
Conc: 46.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.188 min
Delta R.T.: 0.000 min
Response: 141256415
Conc: 46.45 ng/ml




#20 Methoxychlor

R.T.: 6.723 min
Delta R.T.: -0.001 min
Response: 295894479
Conc: 46.13 ng/ml



#20 Methoxychlor


R.T.: 7.514 min
Delta R.T.: 0.000 min
Response: 75916319
Conc: 45.79 ng/ml



#21 Endrin ketone


R.T.: 6.944 min
Delta R.T.: -0.001 min
Response: 673772293
Conc: 47.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.656 min
Delta R.T.: 0.000 min
Response: 153335085
Conc: 48.20 ng/ml




#22 Mirex

R.T.: 7.119 min
Delta R.T.: -0.001 min
Response: 454480612
Conc: 43.13 ng/ml



#22 Mirex


R.T.: 8.106 min
Delta R.T.: 0.000 min
Response: 114573254
Conc: 44.11 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.990 min
Delta R.T.: -0.003 min
Response: 603350587
Conc: 47.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.972 min
Delta R.T.: 0.000 min
Response: 166256070
Conc: 49.78 ng/ml