

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062019\
 Data File : PL049681.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Jun 2019 14:41
 Operator : SM\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 21 03:27:19 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062019.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 21 02:23:20 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.323	3.935	235.8E6	63204550	20.910	20.643
28)	SA Decachlor...	7.991	8.973	265.3E6	71950938	20.881	21.433
Target Compounds							
2)	A alpha-BHC	3.751	4.324	179.5E6	40288243	9.555	9.000
3)	MA gamma-BHC...	4.027	4.607	181.9E6	39185614	10.258	9.447
6)	B beta-BHC	4.282	4.783	81592913	20655984	11.155	10.664
14)	MA Endrin	5.810	6.629	807.6E6	159.1E6	50.431	50.382
17)	MA 4,4'-DDT	6.179	7.054	1407.8E6	308.4E6	106.042	105.305
20)	A Methoxychlor	6.724	7.515	1581.0E6	400.5E6	242.549	240.306



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062019\
Data File : PL049681.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Jun 2019 14:41
Operator : SM\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 21 03:27:19 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062019.M
Quant Title : GC Extractables
QLast Update : Fri Jun 21 02:23:20 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.323 min
Delta R.T.: 0.000 min
Response: 235817759
Conc: 20.91 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.935 min
Delta R.T.: 0.000 min
Response: 63204550
Conc: 20.64 ng/ml




#2 alpha-BHC

R.T.: 3.751 min
Delta R.T.: 0.000 min
Response: 179520414
Conc: 9.56 ng/ml



#2 alpha-BHC


R.T.: 4.324 min
Delta R.T.: 0.000 min
Response: 40288243
Conc: 9.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.027 min
Delta R.T.: 0.000 min
Response: 181873979
Conc: 10.26 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.607 min
Delta R.T.: 0.000 min
Response: 39185614
Conc: 9.45 ng/ml




#6 beta-BHC

R.T.: 4.282 min
Delta R.T.: 0.000 min
Response: 81592913
Conc: 11.15 ng/ml



#6 beta-BHC


R.T.: 4.783 min
Delta R.T.: 0.000 min
Response: 20655984
Conc: 10.66 ng/ml



#14 Endrin


R.T.: 5.810 min
Delta R.T.: 0.000 min
Response: 807645915
Conc: 50.43 ng/ml

Instrument :
ECD_L
ClientSampleId :




#14 Endrin

R.T.: 6.629 min
Delta R.T.: 0.000 min
Response: 159066054
Conc: 50.38 ng/ml




#17 4,4'-DDT

R.T.: 6.179 min
Delta R.T.: 0.000 min
Response: 1407786361
Conc: 106.04 ng/ml



#17 4,4'-DDT


R.T.: 7.054 min
Delta R.T.: 0.000 min
Response: 308413895
Conc: 105.30 ng/ml



#20 Methoxychlor


R.T.: 6.724 min
Delta R.T.: 0.000 min
Response: 1580996470
Conc: 242.55 ng/ml

Instrument :
ECD_L
ClientSampleId :




#20 Methoxychlor

R.T.: 7.515 min
Delta R.T.: 0.000 min
Response: 400537113
Conc: 240.31 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.991 min
Delta R.T.: 0.000 min
Response: 265327260
Conc: 20.88 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.973 min
Delta R.T.: 0.000 min
Response: 71950938
Conc: 21.43 ng/ml