

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062019\
 Data File : PL049693.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Jun 2019 17:42
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 21 03:48:36 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062019.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 21 02:23:20 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.323	3.935	597.9E6	162.3E6	53.015	53.011
28)	SA Decachlor...	7.991	8.974	663.3E6	172.7E6	52.202	51.456
Target Compounds							
2)	A alpha-BHC	3.751	4.324	1015.2E6	243.9E6	54.038	54.474
3)	MA gamma-BHC...	4.027	4.608	954.8E6	225.4E6	53.848	54.331
4)	MA Heptachlor	4.312	5.111	985.6E6	229.9E6	54.220	53.114
5)	MB Aldrin	4.550	5.413	939.8E6	210.4E6	54.424	53.721
6)	B beta-BHC	4.282	4.783	385.4E6	101.1E6	52.689	52.180
7)	B delta-BHC	4.475	4.997	974.4E6	206.5E6	54.485	52.436
8)	B Heptachlor...	4.987	5.801	868.9E6	191.8E6	53.979	52.750
9)	A Endosulfan I	5.318	6.156	830.4E6	179.5E6	53.670	52.848
10)	B gamma-Chl...	5.209	6.035	920.1E6	197.3E6	53.845	52.958
11)	B alpha-Chl...	5.266	6.106	890.7E6	195.4E6	53.658	52.825
12)	B 4,4'-DDE	5.433	6.266	911.9E6	185.5E6	54.737	53.449
13)	MA Dieldrin	5.557	6.413	908.3E6	189.1E6	54.527	53.293
14)	MA Endrin	5.810	6.630	861.1E6	168.0E6	53.767	53.207
15)	B Endosulfa...	6.085	6.841	789.5E6	166.4E6	54.180	51.666
16)	A 4,4'-DDD	5.945	6.757	697.1E6	138.9E6	55.224	53.132
17)	MA 4,4'-DDT	6.179	7.054	738.2E6	156.2E6	55.607	53.323
18)	B Endrin al...	6.252	6.965	634.4E6	143.0E6	53.711	52.064
19)	B Endosulfa...	6.463	7.188	696.4E6	157.5E6	53.712	52.318
20)	A Methoxychlor	6.724	7.514	349.5E6	87123183	53.621	52.270
21)	B Endrin ke...	6.946	7.656	761.1E6	166.6E6	54.151	53.468
22)	Mirex	7.119	8.106	542.0E6	129.2E6	52.432	51.107


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062019\
Data File : PL049693.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Jun 2019 17:42
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 21 03:48:36 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062019.M
Quant Title : GC Extractables
QLast Update : Fri Jun 21 02:23:20 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.323 min
Delta R.T.: 0.000 min
Response: 597885083
Conc: 53.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.935 min
Delta R.T.: 0.000 min
Response: 162308143
Conc: 53.01 ng/ml




#2 alpha-BHC

R.T.: 3.751 min
Delta R.T.: 0.000 min
Response: 1015222738
Conc: 54.04 ng/ml



#2 alpha-BHC


R.T.: 4.324 min
Delta R.T.: 0.000 min
Response: 243856627
Conc: 54.47 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.027 min
Delta R.T.: 0.000 min
Response: 954759441
Conc: 53.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.608 min
Delta R.T.: 0.000 min
Response: 225353640
Conc: 54.33 ng/ml




#4 Heptachlor

R.T.: 4.312 min
Delta R.T.: 0.000 min
Response: 985556959
Conc: 54.22 ng/ml



#4 Heptachlor


R.T.: 5.111 min
Delta R.T.: 0.000 min
Response: 229902278
Conc: 53.11 ng/ml



#5 Aldrin


R.T.: 4.550 min
Delta R.T.: -0.001 min
Response: 939787743
Conc: 54.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.413 min
Delta R.T.: 0.000 min
Response: 210428942
Conc: 53.72 ng/ml




#6 beta-BHC

R.T.: 4.282 min
Delta R.T.: 0.000 min
Response: 385412029
Conc: 52.69 ng/ml



#6 beta-BHC


R.T.: 4.783 min
Delta R.T.: 0.000 min
Response: 101074091
Conc: 52.18 ng/ml



#7 delta-BHC


R.T.: 4.475 min
Delta R.T.: -0.001 min
Response: 974399757
Conc: 54.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.997 min
Delta R.T.: 0.000 min
Response: 206538325
Conc: 52.44 ng/ml




#8 Heptachlor epoxide

R.T.: 4.987 min
Delta R.T.: -0.001 min
Response: 868917053
Conc: 53.98 ng/ml



#8 Heptachlor epoxide


R.T.: 5.801 min
Delta R.T.: 0.000 min
Response: 191787463
Conc: 52.75 ng/ml



#9 Endosulfan I


R.T.: 5.318 min
Delta R.T.: -0.001 min
Response: 830410687
Conc: 53.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.156 min
Delta R.T.: 0.000 min
Response: 179544622
Conc: 52.85 ng/ml




#10 gamma-Chlordane

R.T.: 5.209 min
Delta R.T.: 0.000 min
Response: 920141575
Conc: 53.84 ng/ml



#10 gamma-Chlordane


R.T.: 6.035 min
Delta R.T.: 0.000 min
Response: 197343927
Conc: 52.96 ng/ml



#11 alpha-Chlordane


R.T.: 5.266 min
Delta R.T.: 0.000 min
Response: 890659168
Conc: 53.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.106 min
Delta R.T.: 0.000 min
Response: 195369215
Conc: 52.82 ng/ml




#12 4,4'-DDE

R.T.: 5.433 min
Delta R.T.: 0.000 min
Response: 911861836
Conc: 54.74 ng/ml



#12 4,4'-DDE


R.T.: 6.266 min
Delta R.T.: 0.000 min
Response: 185475199
Conc: 53.45 ng/ml



#13 Dielldrin


R.T.: 5.557 min
Delta R.T.: 0.000 min
Response: 908302387
Conc: 54.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dielldrin

R.T.: 6.413 min
Delta R.T.: 0.000 min
Response: 189059612
Conc: 53.29 ng/ml




#14 Endrin

R.T.: 5.810 min
Delta R.T.: -0.001 min
Response: 861069871
Conc: 53.77 ng/ml



#14 Endrin


R.T.: 6.630 min
Delta R.T.: 0.000 min
Response: 167985801
Conc: 53.21 ng/ml



#15 Endosulfan II


R.T.: 6.085 min
Delta R.T.: 0.000 min
Response: 789478101
Conc: 54.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.841 min
Delta R.T.: 0.000 min
Response: 166410461
Conc: 51.67 ng/ml




#16 4,4'-DDD

R.T.: 5.945 min
Delta R.T.: 0.000 min
Response: 697145056
Conc: 55.22 ng/ml



#16 4,4'-DDD


R.T.: 6.757 min
Delta R.T.: 0.000 min
Response: 138899032
Conc: 53.13 ng/ml



#17 4,4'-DDT


R.T.: 6.179 min
Delta R.T.: -0.001 min
Response: 738229747
Conc: 55.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.054 min
Delta R.T.: 0.000 min
Response: 156169793
Conc: 53.32 ng/ml




#18 Endrin aldehyde

R.T.: 6.252 min
Delta R.T.: 0.000 min
Response: 634419158
Conc: 53.71 ng/ml



#18 Endrin aldehyde


R.T.: 6.965 min
Delta R.T.: 0.000 min
Response: 142987135
Conc: 52.06 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.463 min
Delta R.T.: 0.000 min
Response: 696406722
Conc: 53.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.188 min
Delta R.T.: 0.000 min
Response: 157455685
Conc: 52.32 ng/ml




#20 Methoxychlor

R.T.: 6.724 min
Delta R.T.: 0.000 min
Response: 349512494
Conc: 53.62 ng/ml



#20 Methoxychlor


R.T.: 7.514 min
Delta R.T.: 0.000 min
Response: 87123183
Conc: 52.27 ng/ml



#21 Endrin ketone


R.T.: 6.946 min
Delta R.T.: 0.000 min
Response: 761098790
Conc: 54.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.656 min
Delta R.T.: 0.000 min
Response: 166615399
Conc: 53.47 ng/ml




#22 Mirex

R.T.: 7.119 min
Delta R.T.: 0.000 min
Response: 541981474
Conc: 52.43 ng/ml



#22 Mirex


R.T.: 8.106 min
Delta R.T.: 0.000 min
Response: 129233732
Conc: 51.11 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.991 min
Delta R.T.: 0.000 min
Response: 663302920
Conc: 52.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.974 min
Delta R.T.: 0.001 min
Response: 172741448
Conc: 51.46 ng/ml