

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062121\
 Data File : PL067695.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Jun 2021 01:07
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 22 08:08:45 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL061021.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 11 02:00:12 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.478	5.528	28330002	52254331	51.529	55.429
2)	SA Decachlor...	10.220	11.427	33926625	51060179	47.873	51.262
Target Compounds							
2)	A alpha-BHC	5.177	6.109	40676333	70968462	55.304	57.396
3)	MA gamma-BHC...	5.597	6.504	38941976	67179494	51.962	56.982
4)	MA Heptachlor	6.008	7.152	39902109	64364915	52.899	57.715
5)	MB Aldrin	6.330	7.522	38369316	59671314	52.147	55.131
6)	B beta-BHC	5.981	6.760	18498212	30726104	51.699	56.585
7)	B delta-BHC	6.237	7.026	38945638	66789595	52.730	56.817
8)	B Heptachlo...	6.903	7.988	35975935	55760704	51.419	55.662
9)	A Endosulfan I	7.302	8.393	34126111	49495039	50.763	54.204
10)	B gamma-Chl...	7.182	8.258	36899682	54326123	50.896	53.806
11)	B alpha-Chl...	7.250	8.338	37166514	54002868	50.766	53.488
12)	B 4,4'-DDE	7.468	8.527	34120034	49515042	51.284	54.657
13)	MA Dieldrin	7.587	8.682	33073399	50116357	47.180	55.180
14)	MA Endrin	7.874	8.921	32739845	40747877	49.935	53.272
15)	B Endosulfa...	8.184	9.155	30808226	42954960	50.024	53.876
16)	A 4,4'-DDD	8.050	9.066	30189132	40277860	51.936	56.634
17)	MA 4,4'-DDT	8.309	9.383	29054033	39739623	49.931	54.204
18)	B Endrin al...	8.372	9.290	25051532	34386102	49.482	53.844
19)	B Endosulfa...	8.604	9.527	31433668	42173115	49.517	53.103
20)	A Methoxychlor	8.903	9.870	17380256	21442745	48.894	55.151
21)	B Endrin ke...	9.113	10.024	38610216	49518075	50.712	54.633
22)	Mirex	9.300	10.490	30931043	38935766	49.114	51.502



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062121\
Data File : PL067695.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 22 Jun 2021 01:07
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 22 08:08:45 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL061021.M
Quant Title : GC Extractables
QLast Update : Fri Jun 11 02:00:12 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.478 min
Delta R.T.: -0.003 min
Response: 28330002
Conc: 51.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 5.528 min
Delta R.T.: -0.003 min
Response: 52254331
Conc: 55.43 ng/ml




#2 alpha-BHC

R.T.: 5.177 min
Delta R.T.: -0.003 min
Response: 40676333
Conc: 55.30 ng/ml



#2 alpha-BHC


R.T.: 6.109 min
Delta R.T.: -0.002 min
Response: 70968462
Conc: 57.40 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.597 min
Delta R.T.: -0.003 min
Response: 38941976
Conc: 51.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 6.504 min
Delta R.T.: -0.003 min
Response: 67179494
Conc: 56.98 ng/ml




#4 Heptachlor

R.T.: 6.008 min
Delta R.T.: -0.004 min
Response: 39902109
Conc: 52.90 ng/ml



#4 Heptachlor


R.T.: 7.152 min
Delta R.T.: -0.003 min
Response: 64364915
Conc: 57.71 ng/ml



#5 Aldrin


R.T.: 6.330 min
Delta R.T.: -0.004 min
Response: 38369316
Conc: 52.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 7.522 min
Delta R.T.: -0.003 min
Response: 59671314
Conc: 55.13 ng/ml




#6 beta-BHC

R.T.: 5.981 min
Delta R.T.: -0.002 min
Response: 18498212
Conc: 51.70 ng/ml



#6 beta-BHC


R.T.: 6.760 min
Delta R.T.: -0.002 min
Response: 30726104
Conc: 56.58 ng/ml



#7 delta-BHC


R.T.: 6.237 min
Delta R.T.: -0.004 min
Response: 38945638
Conc: 52.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 7.026 min
Delta R.T.: -0.002 min
Response: 66789595
Conc: 56.82 ng/ml




#8 Heptachlor epoxide

R.T.: 6.903 min
Delta R.T.: -0.004 min
Response: 35975935
Conc: 51.42 ng/ml



#8 Heptachlor epoxide


R.T.: 7.988 min
Delta R.T.: -0.003 min
Response: 55760704
Conc: 55.66 ng/ml



#9 Endosulfan I


R.T.: 7.302 min
Delta R.T.: -0.005 min
Response: 34126111
Conc: 50.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 8.393 min
Delta R.T.: -0.003 min
Response: 49495039
Conc: 54.20 ng/ml




#10 gamma-Chlordane

R.T.: 7.182 min
Delta R.T.: -0.004 min
Response: 36899682
Conc: 50.90 ng/ml



#10 gamma-Chlordane


R.T.: 8.258 min
Delta R.T.: -0.004 min
Response: 54326123
Conc: 53.81 ng/ml



#11 alpha-Chlordane


R.T.: 7.250 min
Delta R.T.: -0.005 min
Response: 37166514
Conc: 50.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 8.338 min
Delta R.T.: -0.004 min
Response: 54002868
Conc: 53.49 ng/ml




#12 4,4'-DDE

R.T.: 7.468 min
Delta R.T.: -0.004 min
Response: 34120034
Conc: 51.28 ng/ml



#12 4,4'-DDE


R.T.: 8.527 min
Delta R.T.: -0.004 min
Response: 49515042
Conc: 54.66 ng/ml



#13 Dieldrin


R.T.: 7.587 min
Delta R.T.: -0.005 min
Response: 33073399
Conc: 47.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 8.682 min
Delta R.T.: -0.003 min
Response: 50116357
Conc: 55.18 ng/ml




#14 Endrin

R.T.: 7.874 min
Delta R.T.: -0.004 min
Response: 32739845
Conc: 49.93 ng/ml



#14 Endrin


R.T.: 8.921 min
Delta R.T.: -0.003 min
Response: 40747877
Conc: 53.27 ng/ml



#15 Endosulfan II


R.T.: 8.184 min
Delta R.T.: -0.005 min
Response: 30808226
Conc: 50.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 9.155 min
Delta R.T.: -0.003 min
Response: 42954960
Conc: 53.88 ng/ml




#16 4,4'-DDD

R.T.: 8.050 min
Delta R.T.: -0.005 min
Response: 30189132
Conc: 51.94 ng/ml



#16 4,4'-DDD


R.T.: 9.066 min
Delta R.T.: -0.003 min
Response: 40277860
Conc: 56.63 ng/ml



#17 4,4'-DDT


R.T.: 8.309 min
Delta R.T.: -0.005 min
Response: 29054033
Conc: 49.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 9.383 min
Delta R.T.: -0.003 min
Response: 39739623
Conc: 54.20 ng/ml




#18 Endrin aldehyde

R.T.: 8.372 min
Delta R.T.: -0.005 min
Response: 25051532
Conc: 49.48 ng/ml



#18 Endrin aldehyde


R.T.: 9.290 min
Delta R.T.: -0.003 min
Response: 34386102
Conc: 53.84 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.604 min
Delta R.T.: -0.005 min
Response: 31433668
Conc: 49.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 9.527 min
Delta R.T.: -0.003 min
Response: 42173115
Conc: 53.10 ng/ml




#20 Methoxychlor

R.T.: 8.903 min
Delta R.T.: -0.005 min
Response: 17380256
Conc: 48.89 ng/ml



#20 Methoxychlor


R.T.: 9.870 min
Delta R.T.: -0.002 min
Response: 21442745
Conc: 55.15 ng/ml



#21 Endrin ketone


R.T.: 9.113 min
Delta R.T.: -0.005 min
Response: 38610216
Conc: 50.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 10.024 min
Delta R.T.: -0.002 min
Response: 49518075
Conc: 54.63 ng/ml




#22 Mirex

R.T.: 9.300 min
Delta R.T.: -0.006 min
Response: 30931043
Conc: 49.11 ng/ml



#22 Mirex


R.T.: 10.490 min
Delta R.T.: -0.003 min
Response: 38935766
Conc: 51.50 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.220 min
Delta R.T.: -0.004 min
Response: 33926625
Conc: 47.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 11.427 min
Delta R.T.: -0.002 min
Response: 51060179
Conc: 51.26 ng/ml