

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062325\
 Data File : PL096136.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Jun 2025 10:54
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 24 10:52:44 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062325.M
 Quant Title : GC Extractables
 QLast Update : Mon Jun 23 14:48:31 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.571	2.881	68497688	86280373	19.898	19.665
28)	SA Decachlor...	9.113	8.062	58148929	117.8E6	21.812	21.900
Target Compounds							
2)	A alpha-BHC	4.022	3.389	53554228	64174674	9.995	9.696
3)	MA gamma-BHC...	4.353	3.723	48374719	60734897	9.660	9.652
6)	B beta-BHC	4.541	4.018	21441999	27286525	10.024	9.895
7)	B delta-BHC	0.000	4.276f	0	5559148	N.D.	0.884 #
9)	A Endosulfan I	0.000	5.226	0	37693266	N.D.	6.342 #
10)	B gamma-Chl...	0.000	5.141f	0	5323572	N.D.	0.884 #
14)	MA Endrin	6.598	5.775	183.4E6	287.2E6	51.457	52.551
17)	MA 4,4'-DDT	7.048	6.175	333.3E6	579.0E6	101.963	105.479
20)	A Methoxychlor	7.523	6.747	397.0E6	690.2E6	241.108	235.132
25)	Chlordane-3	0.000	5.141f	0	5323572	N.D.	7.397 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062325\
Data File : PL096136.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Jun 2025 10:54
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 24 10:52:44 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062325.M
Quant Title : GC Extractables
QLast Update : Mon Jun 23 14:48:31 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.571 min
Delta R.T.: -0.006 min
Response: 68497688
Conc: 19.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 2.881 min
Delta R.T.: 0.001 min
Response: 86280373
Conc: 19.66 ng/ml




#2 alpha-BHC

R.T.: 4.022 min
Delta R.T.: -0.006 min
Response: 53554228
Conc: 9.99 ng/ml



#2 alpha-BHC


R.T.: 3.389 min
Delta R.T.: 0.000 min
Response: 64174674
Conc: 9.70 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.353 min
Delta R.T.: -0.006 min
Response: 48374719
Conc: 9.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 3.723 min
Delta R.T.: 0.000 min
Response: 60734897
Conc: 9.65 ng/ml




#6 beta-BHC

R.T.: 4.541 min
Delta R.T.: -0.006 min
Response: 21441999
Conc: 10.02 ng/ml



#6 beta-BHC


R.T.: 4.018 min
Delta R.T.: 0.000 min
Response: 27286525
Conc: 9.90 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.795 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PEM




#7 delta-BHC

R.T.: 4.276 min
Delta R.T.: 0.024 min
Response: 5559148
Conc: 0.88 ng/ml




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T.: 6.104 min
Response: 0
Conc: N.D.



#9 Endosulfan I


R.T.: 5.226 min
Delta R.T.: -0.009 min
Response: 37693266
Conc: 6.34 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.975 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PEM




#10 gamma-Chlordane

R.T.: 5.141 min
Delta R.T.: 0.026 min
Response: 5323572
Conc: 0.88 ng/ml




#14 Endrin

R.T.: 6.598 min
Delta R.T.: -0.006 min
Response: 183370286
Conc: 51.46 ng/ml



#14 Endrin


R.T.: 5.775 min
Delta R.T.: -0.002 min
Response: 287192125
Conc: 52.55 ng/ml



#17 4,4'-DDT


R.T.: 7.048 min
Delta R.T.: -0.009 min
Response: 333326415
Conc: 101.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#17 4,4'-DDT

R.T.: 6.175 min
Delta R.T.: -0.002 min
Response: 579047757
Conc: 105.48 ng/ml




#20 Methoxychlor

R.T.: 7.523 min
Delta R.T.: -0.013 min
Response: 397021055
Conc: 241.11 ng/ml



#20 Methoxychlor


R.T.: 6.747 min
Delta R.T.: -0.002 min
Response: 690192591
Conc: 235.13 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 5.968 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PEM




#25 Chlordane-3

R.T.: 5.141 min
Delta R.T.: 0.028 min
Response: 5323572
Conc: 7.40 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.113 min
Delta R.T.: -0.008 min
Response: 58148929
Conc: 21.81 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.062 min
Delta R.T.: -0.002 min
Response: 117849481
Conc: 21.90 ng/ml