

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062422\
 Data File : PL075995.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Jun 2022 20:26
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 24 22:48:10 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062222.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 24 02:17:51 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	5.640	4.633	41058222	103.5E6	54.287	54.576
28)	SA Decachlor...	11.632	10.373	33083874	77439073	52.575	50.420
Target Compounds							
2)	A alpha-BHC	6.224	5.334	54842478	137.8E6	55.522	56.394
3)	MA gamma-BHC...	6.622	5.755	51157430	127.6E6	55.259	55.173
4)	MA Heptachlor	7.277	6.162	47412962	117.3E6	51.686	51.713
5)	MB Aldrin	7.650	6.485	45566627	113.7E6	54.895	55.077
6)	B beta-BHC	6.875	6.133	23500339	54971798	53.658	52.699
7)	B delta-BHC	7.145	6.393	47923486	124.8E6	61.377	55.232
8)	B Heptachlo...	8.118	7.058	42235449	104.0E6	53.045	54.211
9)	A Endosulfan I	8.526	7.460	38781407	95247106	53.648	54.247
10)	B gamma-Chl...	8.389	7.335	41995561	105.5E6	54.030	54.869
11)	B alpha-Chl...	8.470	7.404	41589130	103.3E6	53.554	53.977
12)	B 4,4'-DDE	8.656	7.616	36847762	93278224	54.516	54.956
13)	MA Dieldrin	8.816	7.745	39700923	97520593	54.078	54.194
14)	MA Endrin	9.058	8.036	33134278	85954738	53.142	56.561
15)	B Endosulfa...	9.291	8.345	33226306	78992876	52.369	52.262
16)	A 4,4'-DDD	9.197	8.199	31250399	77025193	55.113	55.533
17)	MA 4,4'-DDT	9.517	8.460	30174813	72095088	49.429	48.746
18)	B Endrin al...	9.426	8.533	26741960	61681971	51.773	51.668
19)	B Endosulfa...	9.665	8.763	33371847	80089933	52.055	52.202
20)	A Methoxychlor	10.002	9.051	16504013	39623622	48.115	46.530
21)	B Endrin ke...	10.166	9.281	37646779	87553002	52.231	52.994
22)	Mirex	10.639	9.467	27916661	68022462	51.904	50.832



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062422\
Data File : PL075995.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Jun 2022 20:26
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 24 22:48:10 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062222.M
Quant Title : GC Extractables
QLast Update : Fri Jun 24 02:17:51 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 5.640 min
Delta R.T.: 0.000 min
Response: 41058222
Conc: 54.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 4.633 min
Delta R.T.: -0.001 min
Response: 103510119
Conc: 54.58 ng/ml




#2 alpha-BHC

R.T.: 6.224 min
Delta R.T.: 0.000 min
Response: 54842478
Conc: 55.52 ng/ml



#2 alpha-BHC


R.T.: 5.334 min
Delta R.T.: -0.001 min
Response: 137840540
Conc: 56.39 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 6.622 min
Delta R.T.: 0.000 min
Response: 51157430
Conc: 55.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 5.755 min
Delta R.T.: -0.001 min
Response: 127552525
Conc: 55.17 ng/ml




#4 Heptachlor

R.T.: 7.277 min
Delta R.T.: 0.000 min
Response: 47412962
Conc: 51.69 ng/ml



#4 Heptachlor


R.T.: 6.162 min
Delta R.T.: -0.002 min
Response: 117323799
Conc: 51.71 ng/ml



#5 Aldrin


R.T.: 7.650 min
Delta R.T.: 0.000 min
Response: 45566627
Conc: 54.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 6.485 min
Delta R.T.: -0.002 min
Response: 113709859
Conc: 55.08 ng/ml




#6 beta-BHC

R.T.: 6.875 min
Delta R.T.: 0.000 min
Response: 23500339
Conc: 53.66 ng/ml



#6 beta-BHC


R.T.: 6.133 min
Delta R.T.: -0.001 min
Response: 54971798
Conc: 52.70 ng/ml



#7 delta-BHC


R.T.: 7.145 min
Delta R.T.: 0.000 min
Response: 47923486
Conc: 61.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 6.393 min
Delta R.T.: -0.002 min
Response: 124762008
Conc: 55.23 ng/ml




#8 Heptachlor epoxide

R.T.: 8.118 min
Delta R.T.: 0.000 min
Response: 42235449
Conc: 53.05 ng/ml



#8 Heptachlor epoxide


R.T.: 7.058 min
Delta R.T.: -0.003 min
Response: 104000303
Conc: 54.21 ng/ml



#9 Endosulfan I


R.T.: 8.526 min
Delta R.T.: 0.000 min
Response: 38781407
Conc: 53.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 7.460 min
Delta R.T.: -0.002 min
Response: 95247106
Conc: 54.25 ng/ml




#10 gamma-Chlordane

R.T.: 8.389 min
Delta R.T.: 0.000 min
Response: 41995561
Conc: 54.03 ng/ml



#10 gamma-Chlordane


R.T.: 7.335 min
Delta R.T.: -0.002 min
Response: 105472257
Conc: 54.87 ng/ml



#11 alpha-Chlordane


R.T.: 8.470 min
Delta R.T.: 0.000 min
Response: 41589130
Conc: 53.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 7.404 min
Delta R.T.: -0.002 min
Response: 103311234
Conc: 53.98 ng/ml




#12 4,4'-DDE

R.T.: 8.656 min
Delta R.T.: 0.000 min
Response: 36847762
Conc: 54.52 ng/ml



#12 4,4'-DDE


R.T.: 7.616 min
Delta R.T.: -0.002 min
Response: 93278224
Conc: 54.96 ng/ml



#13 Dieldrin


R.T.: 8.816 min
Delta R.T.: -0.001 min
Response: 39700923
Conc: 54.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 7.745 min
Delta R.T.: -0.002 min
Response: 97520593
Conc: 54.19 ng/ml




#14 Endrin

R.T.: 9.058 min
Delta R.T.: 0.000 min
Response: 33134278
Conc: 53.14 ng/ml



#14 Endrin


R.T.: 8.036 min
Delta R.T.: -0.003 min
Response: 85954738
Conc: 56.56 ng/ml



#15 Endosulfan II


R.T.: 9.291 min
Delta R.T.: 0.000 min
Response: 33226306
Conc: 52.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 8.345 min
Delta R.T.: -0.003 min
Response: 78992876
Conc: 52.26 ng/ml




#16 4,4'-DDD

R.T.: 9.197 min
Delta R.T.: 0.000 min
Response: 31250399
Conc: 55.11 ng/ml



#16 4,4'-DDD


R.T.: 8.199 min
Delta R.T.: -0.003 min
Response: 77025193
Conc: 55.53 ng/ml



#17 4,4'-DDT


R.T.: 9.517 min
Delta R.T.: 0.000 min
Response: 30174813
Conc: 49.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 8.460 min
Delta R.T.: -0.003 min
Response: 72095088
Conc: 48.75 ng/ml




#18 Endrin aldehyde

R.T.: 9.426 min
Delta R.T.: 0.000 min
Response: 26741960
Conc: 51.77 ng/ml



#18 Endrin aldehyde


R.T.: 8.533 min
Delta R.T.: -0.003 min
Response: 61681971
Conc: 51.67 ng/ml



#19 Endosulfan Sulfate


R.T.: 9.665 min
Delta R.T.: 0.000 min
Response: 33371847
Conc: 52.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 8.763 min
Delta R.T.: -0.003 min
Response: 80089933
Conc: 52.20 ng/ml




#20 Methoxychlor

R.T.: 10.002 min
Delta R.T.: 0.000 min
Response: 16504013
Conc: 48.12 ng/ml



#20 Methoxychlor


R.T.: 9.051 min
Delta R.T.: -0.003 min
Response: 39623622
Conc: 46.53 ng/ml



#21 Endrin ketone


R.T.: 10.166 min
Delta R.T.: -0.001 min
Response: 37646779
Conc: 52.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 9.281 min
Delta R.T.: -0.003 min
Response: 87553002
Conc: 52.99 ng/ml




#22 Mirex

R.T.: 10.639 min
Delta R.T.: 0.000 min
Response: 27916661
Conc: 51.90 ng/ml



#22 Mirex


R.T.: 9.467 min
Delta R.T.: -0.003 min
Response: 68022462
Conc: 50.83 ng/ml



#28 Decachlorobiphenyl

R.T.: 11.632 min
Delta R.T.: -0.001 min
Response: 33083874
Conc: 52.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 10.373 min
Delta R.T.: -0.003 min
Response: 77439073
Conc: 50.42 ng/ml