

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062518\
 Data File : PL037347.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Jun 2018 12:28
 Operator : UA\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 26 04:12:08 2018
 Quant Method : Z:\PESTPCBSRV\HPCHEM1\ECD_L\methods\PL062018.M
 Quant Title : GC Extractables
 QLast Update : Thu Jun 21 02:27:11 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.337	3.936	145.9E6	51497965	18.444	18.613
28)	SA Decachlor...	8.019	8.947	129.1E6	41317038	21.389	20.826
Target Compounds							
2)	A alpha-BHC	3.768	4.315	111.3E6	32185300	9.090	8.295
3)	MA gamma-BHC...	4.044	4.595	101.0E6	30374565	9.796	8.795
4)	MA Heptachlor	4.298	0.000	44702357	0	4.363	N.D. #
6)	B beta-BHC	4.298	4.756	44702357	14433624	9.801	8.950
10)	B gamma-Chl...	5.166f	0.000	13706664	0	1.463	N.D. #
14)	MA Endrin	5.834	6.610	330.6E6	95827016	41.968	41.677
16)	A 4,4'-DDD	5.969	6.732	22749182	7253669	3.464	3.534
17)	MA 4,4'-DDT	6.204	7.031	627.9E6	192.7E6	97.249	90.986
20)	A Methoxychlor	6.754	7.486	737.3E6	245.1E6	216.929	218.982
21)	B Endrin ke...	6.972	0.000	15434112	0	2.170	N.D. #
25)	Chlordane-3	5.166	0.000	13706664	0	12.895	N.D. #
27)	Chlordane-5	5.834	0.000	330.6E6	0	2526.237	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062518\
Data File : PL037347.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Jun 2018 12:28
Operator : UA\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 26 04:12:08 2018
Quant Method : Z:\PESTPCBSRV\HPCHEM1\ECD_L\methods\PL062018.M
Quant Title : GC Extractables
QLast Update : Thu Jun 21 02:27:11 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.337 min
Delta R.T.: 0.000 min
Response: 145897730
Conc: 18.44 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.936 min
Delta R.T.: -0.002 min
Response: 51497965
Conc: 18.61 ng/ml




#2 alpha-BHC

R.T.: 3.768 min
Delta R.T.: 0.000 min
Response: 111283940
Conc: 9.09 ng/ml



#2 alpha-BHC


R.T.: 4.315 min
Delta R.T.: -0.002 min
Response: 32185300
Conc: 8.29 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.044 min
Delta R.T.: 0.000 min
Response: 101044587
Conc: 9.80 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.595 min
Delta R.T.: -0.002 min
Response: 30374565
Conc: 8.79 ng/ml




#4 Heptachlor

R.T.: 4.298 min
Delta R.T.: -0.032 min
Response: 44702357
Conc: 4.36 ng/ml



#4 Heptachlor


R.T.: 0.000 min
Exp R.T.: 5.108 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 4.298 min
Delta R.T.: 0.000 min
Response: 44702357
Conc: 9.80 ng/ml

Instrument :
ECD_L
ClientSampleId :




#6 beta-BHC

R.T.: 4.756 min
Delta R.T.: -0.002 min
Response: 14433624
Conc: 8.95 ng/ml




#10 gamma-Chlordane

R.T.: 5.166 min
Delta R.T.: -0.007 min
Response: 13706664
Conc: 1.46 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 6.023 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 5.834 min
Delta R.T.: -0.001 min
Response: 330604171
Conc: 41.97 ng/ml

Instrument :
ECD_L
ClientSampleId :




#14 Endrin

R.T.: 6.610 min
Delta R.T.: -0.002 min
Response: 95827016
Conc: 41.68 ng/ml




#16 4,4'-DDD

R.T.: 5.969 min
Delta R.T.: -0.001 min
Response: 22749182
Conc: 3.46 ng/ml



#16 4,4'-DDD


R.T.: 6.732 min
Delta R.T.: -0.002 min
Response: 7253669
Conc: 3.53 ng/ml



#17 4,4'-DDT


R.T.: 6.204 min
Delta R.T.: 0.000 min
Response: 627869615
Conc: 97.25 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 7.031 min
Delta R.T.: -0.001 min
Response: 192724282
Conc: 90.99 ng/ml




#20 Methoxychlor

R.T.: 6.754 min
Delta R.T.: 0.000 min
Response: 737338865
Conc: 216.93 ng/ml



#20 Methoxychlor


R.T.: 7.486 min
Delta R.T.: -0.001 min
Response: 245116930
Conc: 218.98 ng/ml



#21 Endrin ketone


R.T.: 6.972 min
Delta R.T.: -0.002 min
Response: 15434112
Conc: 2.17 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T. : 7.623 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.166 min
Delta R.T.: -0.067 min
Response: 13706664
Conc: 12.90 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T. : 6.022 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.834 min
Delta R.T.: -0.063 min
Response: 330604171
Conc: 2526.24 ng/ml

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.889 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.019 min
Delta R.T.: -0.002 min
Response: 129059592
Conc: 21.39 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.947 min
Delta R.T.: -0.004 min
Response: 41317038
Conc: 20.83 ng/ml