

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062625\
 Data File : PL096176.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Jun 2025 12:21
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 26 12:39:24 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062625.M
 Quant Title : GC Extractables
 QLast Update : Thu Jun 26 12:39:04 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.569	2.880	163.5E6	224.8E6	50.000	50.000
28)	SA Decachlor...	9.127	8.066	125.4E6	284.5E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	4.020	3.389	247.6E6	332.5E6	50.000	50.000
3)	MA gamma-BHC...	4.352	3.722	230.2E6	314.2E6	50.000	50.000
4)	MA Heptachlor	4.949	4.074	209.7E6	313.8E6	50.000	50.000
5)	MB Aldrin	5.291	4.358	214.7E6	297.7E6	50.000	50.000
6)	B beta-BHC	4.539	4.018	97743930	136.0E6	50.000	50.000
7)	B delta-BHC	4.788	4.252	219.7E6	314.3E6	50.000	50.000
8)	B Heptachlo...	5.712	4.860	190.8E6	275.8E6	50.000	50.000
9)	A Endosulfan I	6.095	5.233	178.0E6	275.4E6	50.000	50.000
10)	B gamma-Chl...	5.967	5.113	192.0E6	301.0E6	50.000	50.000
11)	B alpha-Chl...	6.048	5.177	190.9E6	297.0E6	50.000	50.000
12)	B 4,4'-DDE	6.219	5.366	179.1E6	292.4E6	50.000	50.000
13)	MA Dieldrin	6.369	5.499	191.3E6	291.8E6	50.000	50.000
14)	MA Endrin	6.596	5.775	157.3E6	265.1E6	50.000	50.000
15)	B Endosulfa...	6.810	6.068	168.6E6	261.4E6	50.000	50.000
16)	A 4,4'-DDD	6.730	5.921	146.9E6	243.0E6	50.000	50.000
17)	MA 4,4'-DDT	7.047	6.176	146.6E6	260.0E6	50.000	50.000
18)	B Endrin al...	6.940	6.247	119.0E6	198.9E6	50.000	50.000
19)	B Endosulfa...	7.175	6.471	150.0E6	252.1E6	50.000	50.000
20)	A Methoxychlor	7.524	6.750	74251777	143.9E6	50.000	50.000
21)	B Endrin ke...	7.658	6.978	161.1E6	294.9E6	50.000	50.000
22)	Mirex	8.141	7.172	120.7E6	235.8E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062625\
Data File : PL096176.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Jun 2025 12:21
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 26 12:39:24 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062625.M
Quant Title : GC Extractables
QLast Update : Thu Jun 26 12:39:04 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.569 min
Delta R.T.: 0.000 min
Response: 163492168
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 2.880 min
Delta R.T.: 0.000 min
Response: 224784000
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 4.020 min
Delta R.T.: 0.000 min
Response: 247600287
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 3.389 min
Delta R.T.: 0.000 min
Response: 332477297
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.352 min
Delta R.T.: 0.000 min
Response: 230171577
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 3.722 min
Delta R.T.: 0.000 min
Response: 314248035
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.949 min
Delta R.T.: 0.000 min
Response: 209653095
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 4.074 min
Delta R.T.: 0.000 min
Response: 313767453
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 5.291 min
Delta R.T.: 0.000 min
Response: 214741852
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 4.358 min
Delta R.T.: 0.000 min
Response: 297733553
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.539 min
Delta R.T.: 0.000 min
Response: 97743930
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.018 min
Delta R.T.: 0.000 min
Response: 135951144
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.788 min
Delta R.T.: 0.000 min
Response: 219733833
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 4.252 min
Delta R.T.: 0.000 min
Response: 314255865
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.712 min
Delta R.T.: 0.000 min
Response: 190812331
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 4.860 min
Delta R.T.: 0.000 min
Response: 275808794
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 6.095 min
Delta R.T.: 0.000 min
Response: 177967578
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 5.233 min
Delta R.T.: 0.000 min
Response: 275421940
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.967 min
Delta R.T.: 0.000 min
Response: 192022951
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 5.113 min
Delta R.T.: 0.000 min
Response: 301047392
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 190876915
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 5.177 min
Delta R.T.: 0.000 min
Response: 297011840
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 6.219 min
Delta R.T.: 0.000 min
Response: 179125947
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 5.366 min
Delta R.T.: 0.000 min
Response: 292425369
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 6.369 min
Delta R.T.: 0.000 min
Response: 191293716
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 5.499 min
Delta R.T.: 0.000 min
Response: 291755539
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.596 min
Delta R.T.: 0.000 min
Response: 157341655
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 5.775 min
Delta R.T.: 0.000 min
Response: 265068025
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.810 min
Delta R.T.: 0.000 min
Response: 168572627
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 6.068 min
Delta R.T.: 0.000 min
Response: 261429228
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.730 min
Delta R.T.: 0.000 min
Response: 146910357
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 5.921 min
Delta R.T.: 0.000 min
Response: 242996547
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 7.047 min
Delta R.T.: 0.000 min
Response: 146570416
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 6.176 min
Delta R.T.: 0.000 min
Response: 259974134
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.940 min
Delta R.T.: 0.000 min
Response: 118974850
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.247 min
Delta R.T.: 0.000 min
Response: 198890508
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.175 min
Delta R.T.: 0.000 min
Response: 149989680
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 6.471 min
Delta R.T.: 0.000 min
Response: 252050720
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.524 min
Delta R.T.: 0.000 min
Response: 74251777
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 6.750 min
Delta R.T.: 0.000 min
Response: 143906124
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.658 min
Delta R.T.: 0.000 min
Response: 161062772
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 6.978 min
Delta R.T.: 0.000 min
Response: 294898938
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 8.141 min
Delta R.T.: 0.000 min
Response: 120685050
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 7.172 min
Delta R.T.: 0.000 min
Response: 235804527
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.127 min
Delta R.T.: 0.000 min
Response: 125439890
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050



#28 Decachlorobiphenyl

R.T.: 8.066 min
Delta R.T.: 0.000 min
Response: 284465693
Conc: 50.00 ng/ml