

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062722\
 Data File : PL076042.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Jun 2022 12:47
 Operator : AR\AJ
 Sample : PB145847BS
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB145847BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 27 15:39:53 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062222.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 24 02:17:51 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	5.640	4.632	12324339	29733611	16.295	15.677
28)	SA Decachlor...	11.633	10.373	12524987	26642517	19.904	17.347
Target Compounds							
2)	A alpha-BHC	6.224	5.333	48673869	118.8E6	49.277	48.593
3)	MA gamma-BHC...	6.622	5.754	45405479	110.5E6	49.046	47.796
4)	MA Heptachlor	7.277	6.161	43212098	102.9E6	47.106	45.349
5)	MB Aldrin	7.650	6.485	42020393	102.1E6	50.622	49.442
6)	B beta-BHC	6.875	6.133	20449130	47627372	46.691	45.658
7)	B delta-BHC	7.145	6.393	42789651	108.5E6	54.802	48.042
8)	B Heptachlo...	8.118	7.059	38524866	92308467	48.385	48.117
9)	A Endosulfan I	8.527	7.460	35035036	84133249	48.465	47.917
10)	B gamma-Chl...	8.389	7.335	38301303	93230246	49.277	48.500
11)	B alpha-Chl...	8.470	7.403	37921373	91171563	48.831	47.634
12)	B 4,4'-DDE	8.656	7.616	34746139	84799817	51.407	49.961
13)	MA Dieldrin	8.817	7.745	36560192	88478246	49.800	49.169
14)	MA Endrin	9.058	8.036	29424424	75399559	47.192	49.615
15)	B Endosulfa...	9.291	8.345	31538076	74983959	49.708	49.609
16)	A 4,4'-DDD	9.198	8.199	28875174	70235654	50.924	50.638
17)	MA 4,4'-DDT	9.517	8.459	26440662	62790626	43.312	42.455
18)	B Endrin al...	9.426	8.533	26261190	61019402	50.842	51.113
19)	B Endosulfa...	9.664	8.763	30742788	73040981	47.954	47.607
20)	A Methoxychlor	10.003	9.052	14849560	34431066	43.292	40.432
21)	B Endrin ke...	10.167	9.281	35339884	80396269	49.030	48.662
22)	Mirex	10.639	9.467	26073686	62228384	48.478	46.502



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062722\
Data File : PL076042.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Jun 2022 12:47
Operator : AR\AJ
Sample : PB145847BS
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB145847BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 27 15:39:53 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062222.M
Quant Title : GC Extractables
QLast Update : Fri Jun 24 02:17:51 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 5.640 min
Delta R.T.: 0.000 min
Response: 12324339
Conc: 16.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145847BS




#1 Tetrachloro-m-xylene

R.T.: 4.632 min
Delta R.T.: -0.002 min
Response: 29733611
Conc: 15.68 ng/ml




#2 alpha-BHC

R.T.: 6.224 min
Delta R.T.: 0.000 min
Response: 48673869
Conc: 49.28 ng/ml



#2 alpha-BHC


R.T.: 5.333 min
Delta R.T.: -0.002 min
Response: 118773039
Conc: 48.59 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 6.622 min
Delta R.T.: 0.000 min
Response: 45405479
Conc: 49.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145847BS




#3 gamma-BHC (Lindane)

R.T.: 5.754 min
Delta R.T.: -0.002 min
Response: 110497563
Conc: 47.80 ng/ml




#4 Heptachlor

R.T.: 7.277 min
Delta R.T.: 0.000 min
Response: 43212098
Conc: 47.11 ng/ml



#4 Heptachlor


R.T.: 6.161 min
Delta R.T.: -0.002 min
Response: 102884460
Conc: 45.35 ng/ml



#5 Aldrin


R.T.: 7.650 min
Delta R.T.: 0.000 min
Response: 42020393
Conc: 50.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145847BS




#5 Aldrin

R.T.: 6.485 min
Delta R.T.: -0.002 min
Response: 102075778
Conc: 49.44 ng/ml




#6 beta-BHC

R.T.: 6.875 min
Delta R.T.: 0.000 min
Response: 20449130
Conc: 46.69 ng/ml



#6 beta-BHC


R.T.: 6.133 min
Delta R.T.: -0.002 min
Response: 47627372
Conc: 45.66 ng/ml



#7 delta-BHC


R.T.: 7.145 min
Delta R.T.: 0.000 min
Response: 42789651
Conc: 54.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145847BS




#7 delta-BHC

R.T.: 6.393 min
Delta R.T.: -0.002 min
Response: 108521371
Conc: 48.04 ng/ml




#8 Heptachlor epoxide

R.T.: 8.118 min
Delta R.T.: -0.001 min
Response: 38524866
Conc: 48.38 ng/ml



#8 Heptachlor epoxide


R.T.: 7.059 min
Delta R.T.: -0.002 min
Response: 92308467
Conc: 48.12 ng/ml



#9 Endosulfan I


R.T.: 8.527 min
Delta R.T.: 0.000 min
Response: 35035036
Conc: 48.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145847BS




#9 Endosulfan I

R.T.: 7.460 min
Delta R.T.: -0.003 min
Response: 84133249
Conc: 47.92 ng/ml




#10 gamma-Chlordane

R.T.: 8.389 min
Delta R.T.: 0.000 min
Response: 38301303
Conc: 49.28 ng/ml



#10 gamma-Chlordane


R.T.: 7.335 min
Delta R.T.: -0.002 min
Response: 93230246
Conc: 48.50 ng/ml



#11 alpha-Chlordane


R.T.: 8.470 min
Delta R.T.: 0.000 min
Response: 37921373
Conc: 48.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145847BS




#11 alpha-Chlordane

R.T.: 7.403 min
Delta R.T.: -0.003 min
Response: 91171563
Conc: 47.63 ng/ml




#12 4,4'-DDE

R.T.: 8.656 min
Delta R.T.: 0.000 min
Response: 34746139
Conc: 51.41 ng/ml



#12 4,4'-DDE


R.T.: 7.616 min
Delta R.T.: -0.002 min
Response: 84799817
Conc: 49.96 ng/ml



#13 Dieldrin


R.T.: 8.817 min
Delta R.T.: 0.000 min
Response: 36560192
Conc: 49.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145847BS




#13 Dieldrin

R.T.: 7.745 min
Delta R.T.: -0.003 min
Response: 88478246
Conc: 49.17 ng/ml




#14 Endrin

R.T.: 9.058 min
Delta R.T.: 0.000 min
Response: 29424424
Conc: 47.19 ng/ml



#14 Endrin


R.T.: 8.036 min
Delta R.T.: -0.003 min
Response: 75399559
Conc: 49.62 ng/ml



#15 Endosulfan II


R.T.: 9.291 min
Delta R.T.: 0.000 min
Response: 31538076
Conc: 49.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145847BS




#15 Endosulfan II

R.T.: 8.345 min
Delta R.T.: -0.003 min
Response: 74983959
Conc: 49.61 ng/ml




#16 4,4'-DDD

R.T.: 9.198 min
Delta R.T.: 0.000 min
Response: 28875174
Conc: 50.92 ng/ml



#16 4,4'-DDD


R.T.: 8.199 min
Delta R.T.: -0.003 min
Response: 70235654
Conc: 50.64 ng/ml



#17 4,4'-DDT


R.T.: 9.517 min
Delta R.T.: 0.000 min
Response: 26440662
Conc: 43.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145847BS




#17 4,4'-DDT

R.T.: 8.459 min
Delta R.T.: -0.003 min
Response: 62790626
Conc: 42.45 ng/ml




#18 Endrin aldehyde

R.T.: 9.426 min
Delta R.T.: 0.000 min
Response: 26261190
Conc: 50.84 ng/ml



#18 Endrin aldehyde


R.T.: 8.533 min
Delta R.T.: -0.003 min
Response: 61019402
Conc: 51.11 ng/ml



#19 Endosulfan Sulfate


R.T.: 9.664 min
Delta R.T.: 0.000 min
Response: 30742788
Conc: 47.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145847BS




#19 Endosulfan Sulfate

R.T.: 8.763 min
Delta R.T.: -0.002 min
Response: 73040981
Conc: 47.61 ng/ml




#20 Methoxychlor

R.T.: 10.003 min
Delta R.T.: 0.000 min
Response: 14849560
Conc: 43.29 ng/ml



#20 Methoxychlor


R.T.: 9.052 min
Delta R.T.: -0.003 min
Response: 34431066
Conc: 40.43 ng/ml



#21 Endrin ketone


R.T.: 10.167 min
Delta R.T.: 0.000 min
Response: 35339884
Conc: 49.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145847BS




#21 Endrin ketone

R.T.: 9.281 min
Delta R.T.: -0.003 min
Response: 80396269
Conc: 48.66 ng/ml




#22 Mirex

R.T.: 10.639 min
Delta R.T.: 0.000 min
Response: 26073686
Conc: 48.48 ng/ml



#22 Mirex


R.T.: 9.467 min
Delta R.T.: -0.002 min
Response: 62228384
Conc: 46.50 ng/ml



#28 Decachlorobiphenyl

R.T.: 11.633 min
Delta R.T.: 0.000 min
Response: 12524987
Conc: 19.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145847BS



#28 Decachlorobiphenyl

R.T.: 10.373 min
Delta R.T.: -0.003 min
Response: 26642517
Conc: 17.35 ng/ml