

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062722\
 Data File : PL076045.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Jun 2022 13:41
 Operator : AR\AJ
 Sample : PB145740BS
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB145740BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 27 15:37:36 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062222.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 24 02:17:51 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	5.641	4.633	11866289	29616013	15.690	15.615
28)	SA Decachlor...	11.633	10.373	10621038	23743854	16.878	15.459
Target Compounds							
2)	A alpha-BHC	6.225	5.334	48407801	119.5E6	49.007	48.879
3)	MA gamma-BHC...	6.623	5.754	44942123	111.1E6	48.546	48.044
4)	MA Heptachlor	7.277	6.162	42758492	103.7E6	46.612	45.691
5)	MB Aldrin	7.651	6.485	40957516	102.5E6	49.342	49.634
6)	B beta-BHC	6.875	6.133	20408926	47799470	46.599	45.823
7)	B delta-BHC	7.145	6.393	41470840	108.9E6	53.113	48.189
8)	B Heptachlo...	8.118	7.059	37854947	92037424	47.544	47.976
9)	A Endosulfan I	8.527	7.460	34137903	82374585	47.224	46.915
10)	B gamma-Chl...	8.389	7.335	37281929	91454724	47.965	47.576
11)	B alpha-Chl...	8.470	7.404	36937532	89607106	47.565	46.817
12)	B 4,4'-DDE	8.657	7.616	32341470	80388678	47.849	47.362
13)	MA Dieldrin	8.817	7.746	35275422	85564880	48.050	47.550
14)	MA Endrin	9.058	8.036	28545782	73809355	45.783	48.569
15)	B Endosulfa...	9.292	8.346	30438035	70854590	47.974	46.877
16)	A 4,4'-DDD	9.198	8.200	27505998	66627556	48.509	48.037
17)	MA 4,4'-DDT	9.518	8.460	25966849	59976998	42.536	40.552
18)	B Endrin al...	9.427	8.534	25208362	57311985	48.804	48.008
19)	B Endosulfa...	9.665	8.764	29912921	69106484	46.660	45.043
20)	A Methoxychlor	10.004	9.052	14800143	33682150	43.148	39.553
21)	B Endrin ke...	10.167	9.281	34154200	76042781	47.385	46.027
22)	Mirex	10.640	9.468	25791166	59610254	47.952	44.546



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062722\
Data File : PL076045.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Jun 2022 13:41
Operator : AR\AJ
Sample : PB145740BS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB145740BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 27 15:37:36 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062222.M
Quant Title : GC Extractables
QLast Update : Fri Jun 24 02:17:51 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 5.641 min
Delta R.T.: 0.000 min
Response: 11866289
Conc: 15.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145740BS




#1 Tetrachloro-m-xylene

R.T.: 4.633 min
Delta R.T.: -0.001 min
Response: 29616013
Conc: 15.62 ng/ml




#2 alpha-BHC

R.T.: 6.225 min
Delta R.T.: 0.000 min
Response: 48407801
Conc: 49.01 ng/ml



#2 alpha-BHC


R.T.: 5.334 min
Delta R.T.: -0.001 min
Response: 119471822
Conc: 48.88 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 6.623 min
Delta R.T.: 0.000 min
Response: 44942123
Conc: 48.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145740BS




#3 gamma-BHC (Lindane)

R.T.: 5.754 min
Delta R.T.: -0.002 min
Response: 111069858
Conc: 48.04 ng/ml




#4 Heptachlor

R.T.: 7.277 min
Delta R.T.: 0.000 min
Response: 42758492
Conc: 46.61 ng/ml



#4 Heptachlor


R.T.: 6.162 min
Delta R.T.: -0.001 min
Response: 103660817
Conc: 45.69 ng/ml



#5 Aldrin


R.T.: 7.651 min
Delta R.T.: 0.000 min
Response: 40957516
Conc: 49.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145740BS




#5 Aldrin

R.T.: 6.485 min
Delta R.T.: -0.002 min
Response: 102472678
Conc: 49.63 ng/ml




#6 beta-BHC

R.T.: 6.875 min
Delta R.T.: 0.000 min
Response: 20408926
Conc: 46.60 ng/ml



#6 beta-BHC


R.T.: 6.133 min
Delta R.T.: -0.001 min
Response: 47799470
Conc: 45.82 ng/ml



#7 delta-BHC


R.T.: 7.145 min
Delta R.T.: 0.000 min
Response: 41470840
Conc: 53.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145740BS




#7 delta-BHC

R.T.: 6.393 min
Delta R.T.: -0.002 min
Response: 108854080
Conc: 48.19 ng/ml




#8 Heptachlor epoxide

R.T.: 8.118 min
Delta R.T.: 0.000 min
Response: 37854947
Conc: 47.54 ng/ml



#8 Heptachlor epoxide


R.T.: 7.059 min
Delta R.T.: -0.002 min
Response: 92037424
Conc: 47.98 ng/ml



#9 Endosulfan I


R.T.: 8.527 min
Delta R.T.: 0.000 min
Response: 34137903
Conc: 47.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145740BS




#9 Endosulfan I

R.T.: 7.460 min
Delta R.T.: -0.002 min
Response: 82374585
Conc: 46.92 ng/ml




#10 gamma-Chlordane

R.T.: 8.389 min
Delta R.T.: 0.000 min
Response: 37281929
Conc: 47.97 ng/ml



#10 gamma-Chlordane


R.T.: 7.335 min
Delta R.T.: -0.002 min
Response: 91454724
Conc: 47.58 ng/ml



#11 alpha-Chlordane


R.T.: 8.470 min
Delta R.T.: 0.000 min
Response: 36937532
Conc: 47.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145740BS




#11 alpha-Chlordane

R.T.: 7.404 min
Delta R.T.: -0.002 min
Response: 89607106
Conc: 46.82 ng/ml




#12 4,4'-DDE

R.T.: 8.657 min
Delta R.T.: 0.000 min
Response: 32341470
Conc: 47.85 ng/ml



#12 4,4'-DDE


R.T.: 7.616 min
Delta R.T.: -0.002 min
Response: 80388678
Conc: 47.36 ng/ml



#13 Dieldrin


R.T.: 8.817 min
Delta R.T.: 0.000 min
Response: 35275422
Conc: 48.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145740BS




#13 Dieldrin

R.T.: 7.746 min
Delta R.T.: -0.002 min
Response: 85564880
Conc: 47.55 ng/ml




#14 Endrin

R.T.: 9.058 min
Delta R.T.: 0.000 min
Response: 28545782
Conc: 45.78 ng/ml



#14 Endrin


R.T.: 8.036 min
Delta R.T.: -0.002 min
Response: 73809355
Conc: 48.57 ng/ml



#15 Endosulfan II


R.T.: 9.292 min
Delta R.T.: 0.000 min
Response: 30438035
Conc: 47.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145740BS




#15 Endosulfan II

R.T.: 8.346 min
Delta R.T.: -0.002 min
Response: 70854590
Conc: 46.88 ng/ml




#16 4,4'-DDD

R.T.: 9.198 min
Delta R.T.: 0.000 min
Response: 27505998
Conc: 48.51 ng/ml



#16 4,4'-DDD


R.T.: 8.200 min
Delta R.T.: -0.002 min
Response: 66627556
Conc: 48.04 ng/ml



#17 4,4'-DDT


R.T.: 9.518 min
Delta R.T.: 0.000 min
Response: 25966849
Conc: 42.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145740BS




#17 4,4'-DDT

R.T.: 8.460 min
Delta R.T.: -0.003 min
Response: 59976998
Conc: 40.55 ng/ml




#18 Endrin aldehyde

R.T.: 9.427 min
Delta R.T.: 0.001 min
Response: 25208362
Conc: 48.80 ng/ml



#18 Endrin aldehyde


R.T.: 8.534 min
Delta R.T.: -0.002 min
Response: 57311985
Conc: 48.01 ng/ml



#19 Endosulfan Sulfate


R.T.: 9.665 min
Delta R.T.: 0.000 min
Response: 29912921
Conc: 46.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145740BS




#19 Endosulfan Sulfate

R.T.: 8.764 min
Delta R.T.: -0.002 min
Response: 69106484
Conc: 45.04 ng/ml




#20 Methoxychlor

R.T.: 10.004 min
Delta R.T.: 0.000 min
Response: 14800143
Conc: 43.15 ng/ml



#20 Methoxychlor


R.T.: 9.052 min
Delta R.T.: -0.002 min
Response: 33682150
Conc: 39.55 ng/ml



#21 Endrin ketone


R.T.: 10.167 min
Delta R.T.: 0.000 min
Response: 34154200
Conc: 47.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145740BS




#21 Endrin ketone

R.T.: 9.281 min
Delta R.T.: -0.003 min
Response: 76042781
Conc: 46.03 ng/ml




#22 Mirex

R.T.: 10.640 min
Delta R.T.: 0.000 min
Response: 25791166
Conc: 47.95 ng/ml



#22 Mirex


R.T.: 9.468 min
Delta R.T.: -0.002 min
Response: 59610254
Conc: 44.55 ng/ml



#28 Decachlorobiphenyl

R.T.: 11.633 min
Delta R.T.: 0.000 min
Response: 10621038
Conc: 16.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB145740BS



#28 Decachlorobiphenyl

R.T.: 10.373 min
Delta R.T.: -0.002 min
Response: 23743854
Conc: 15.46 ng/ml