

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062722\
 Data File : PL076047.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Jun 2022 14:14
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 27 15:16:16 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062222.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 24 02:17:51 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	5.641	4.633	38170843	96577637	50.469	50.921
2)	SA Decachlor...	11.634	10.372	31183088	69758596	49.555	45.419
Target Compounds							
2)	A alpha-BHC	6.225	5.333	50339750	127.8E6	50.963	52.281
3)	MA gamma-BHC...	6.622	5.754	47295104	118.2E6	51.087	51.141
4)	MA Heptachlor	7.277	6.161	44789810	109.7E6	48.826	48.343
5)	MB Aldrin	7.650	6.485	42186075	104.7E6	50.822	50.707
6)	B beta-BHC	6.875	6.133	21724033	50935937	49.602	48.830
7)	B delta-BHC	7.145	6.393	44929072	113.6E6	57.542	50.293
8)	B Heptachlo...	8.118	7.058	39244634	95791121	49.289	49.932
9)	A Endosulfan I	8.527	7.460	35834371	87535178	49.571	49.854
10)	B gamma-Chl...	8.388	7.335	38823880	96737210	49.949	50.324
11)	B alpha-Chl...	8.470	7.403	38533884	94635127	49.620	49.444
12)	B 4,4'-DDE	8.656	7.615	34170850	84487671	50.556	49.777
13)	MA Dieldrin	8.817	7.745	36451762	89075542	49.652	49.501
14)	MA Endrin	9.058	8.035	29422671	76811584	47.190	50.544
15)	B Endosulfa...	9.291	8.345	30603330	72549771	48.235	47.999
16)	A 4,4'-DDD	9.198	8.199	28937734	71976339	51.034	51.893
17)	MA 4,4'-DDT	9.517	8.460	26997338	63677501	44.224	43.054
18)	B Endrin al...	9.427	8.533	24599066	56433478	47.624	47.272
19)	B Endosulfa...	9.665	8.763	30855399	73753736	48.130	48.072
20)	A Methoxychlor	10.003	9.051	15073732	34854331	43.946	40.929
21)	B Endrin ke...	10.166	9.281	35021081	79949288	48.588	48.392
22)	Mirex	10.639	9.467	26115985	62542141	48.556	46.737



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062722\
Data File : PL076047.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Jun 2022 14:14
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 27 15:16:16 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062222.M
Quant Title : GC Extractables
QLast Update : Fri Jun 24 02:17:51 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 5.641 min
Delta R.T.: 0.000 min
Response: 38170843
Conc: 50.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 4.633 min
Delta R.T.: -0.001 min
Response: 96577637
Conc: 50.92 ng/ml




#2 alpha-BHC

R.T.: 6.225 min
Delta R.T.: 0.000 min
Response: 50339750
Conc: 50.96 ng/ml



#2 alpha-BHC


R.T.: 5.333 min
Delta R.T.: -0.002 min
Response: 127788495
Conc: 52.28 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 6.622 min
Delta R.T.: 0.000 min
Response: 47295104
Conc: 51.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 5.754 min
Delta R.T.: -0.002 min
Response: 118231100
Conc: 51.14 ng/ml




#4 Heptachlor

R.T.: 7.277 min
Delta R.T.: 0.000 min
Response: 44789810
Conc: 48.83 ng/ml



#4 Heptachlor


R.T.: 6.161 min
Delta R.T.: -0.002 min
Response: 109676874
Conc: 48.34 ng/ml



#5 Aldrin


R.T.: 7.650 min
Delta R.T.: 0.000 min
Response: 42186075
Conc: 50.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 6.485 min
Delta R.T.: -0.002 min
Response: 104688728
Conc: 50.71 ng/ml




#6 beta-BHC

R.T.: 6.875 min
Delta R.T.: 0.000 min
Response: 21724033
Conc: 49.60 ng/ml



#6 beta-BHC


R.T.: 6.133 min
Delta R.T.: -0.002 min
Response: 50935937
Conc: 48.83 ng/ml



#7 delta-BHC


R.T.: 7.145 min
Delta R.T.: 0.000 min
Response: 44929072
Conc: 57.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 6.393 min
Delta R.T.: -0.002 min
Response: 113606989
Conc: 50.29 ng/ml




#8 Heptachlor epoxide

R.T.: 8.118 min
Delta R.T.: 0.000 min
Response: 39244634
Conc: 49.29 ng/ml



#8 Heptachlor epoxide


R.T.: 7.058 min
Delta R.T.: -0.003 min
Response: 95791121
Conc: 49.93 ng/ml



#9 Endosulfan I


R.T.: 8.527 min
Delta R.T.: 0.000 min
Response: 35834371
Conc: 49.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 7.460 min
Delta R.T.: -0.003 min
Response: 87535178
Conc: 49.85 ng/ml




#10 gamma-Chlordane

R.T.: 8.388 min
Delta R.T.: 0.000 min
Response: 38823880
Conc: 49.95 ng/ml



#10 gamma-Chlordane


R.T.: 7.335 min
Delta R.T.: -0.002 min
Response: 96737210
Conc: 50.32 ng/ml



#11 alpha-Chlordane


R.T.: 8.470 min
Delta R.T.: 0.000 min
Response: 38533884
Conc: 49.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 7.403 min
Delta R.T.: -0.003 min
Response: 94635127
Conc: 49.44 ng/ml




#12 4,4'-DDE

R.T.: 8.656 min
Delta R.T.: 0.000 min
Response: 34170850
Conc: 50.56 ng/ml



#12 4,4'-DDE


R.T.: 7.615 min
Delta R.T.: -0.003 min
Response: 84487671
Conc: 49.78 ng/ml



#13 Dieldrin


R.T.: 8.817 min
Delta R.T.: 0.000 min
Response: 36451762
Conc: 49.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 7.745 min
Delta R.T.: -0.003 min
Response: 89075542
Conc: 49.50 ng/ml




#14 Endrin

R.T.: 9.058 min
Delta R.T.: 0.000 min
Response: 29422671
Conc: 47.19 ng/ml



#14 Endrin


R.T.: 8.035 min
Delta R.T.: -0.003 min
Response: 76811584
Conc: 50.54 ng/ml



#15 Endosulfan II


R.T.: 9.291 min
Delta R.T.: 0.000 min
Response: 30603330
Conc: 48.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 8.345 min
Delta R.T.: -0.003 min
Response: 72549771
Conc: 48.00 ng/ml




#16 4,4'-DDD

R.T.: 9.198 min
Delta R.T.: 0.000 min
Response: 28937734
Conc: 51.03 ng/ml



#16 4,4'-DDD


R.T.: 8.199 min
Delta R.T.: -0.003 min
Response: 71976339
Conc: 51.89 ng/ml



#17 4,4'-DDT


R.T.: 9.517 min
Delta R.T.: 0.000 min
Response: 26997338
Conc: 44.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 8.460 min
Delta R.T.: -0.003 min
Response: 63677501
Conc: 43.05 ng/ml




#18 Endrin aldehyde

R.T.: 9.427 min
Delta R.T.: 0.000 min
Response: 24599066
Conc: 47.62 ng/ml



#18 Endrin aldehyde


R.T.: 8.533 min
Delta R.T.: -0.003 min
Response: 56433478
Conc: 47.27 ng/ml



#19 Endosulfan Sulfate


R.T.: 9.665 min
Delta R.T.: 0.000 min
Response: 30855399
Conc: 48.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 8.763 min
Delta R.T.: -0.003 min
Response: 73753736
Conc: 48.07 ng/ml




#20 Methoxychlor

R.T.: 10.003 min
Delta R.T.: 0.000 min
Response: 15073732
Conc: 43.95 ng/ml



#20 Methoxychlor


R.T.: 9.051 min
Delta R.T.: -0.003 min
Response: 34854331
Conc: 40.93 ng/ml



#21 Endrin ketone


R.T.: 10.166 min
Delta R.T.: -0.001 min
Response: 35021081
Conc: 48.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 9.281 min
Delta R.T.: -0.003 min
Response: 79949288
Conc: 48.39 ng/ml




#22 Mirex

R.T.: 10.639 min
Delta R.T.: 0.000 min
Response: 26115985
Conc: 48.56 ng/ml



#22 Mirex


R.T.: 9.467 min
Delta R.T.: -0.003 min
Response: 62542141
Conc: 46.74 ng/ml



#28 Decachlorobiphenyl

R.T.: 11.634 min
Delta R.T.: 0.000 min
Response: 31183088
Conc: 49.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 10.372 min
Delta R.T.: -0.003 min
Response: 69758596
Conc: 45.42 ng/ml