

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062819\
 Data File : PL050004.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Jun 2019 09:29
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 28 23:02:53 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062019.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 21 02:23:20 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.321	3.932	584.5E6	158.7E6	51.831	51.827
28)	SA Decachlor...	7.985	8.964	571.4E6	157.0E6	44.970	46.755
Target Compounds							
2)	A alpha-BHC	3.749	4.320	979.0E6	237.5E6	52.110	53.057
3)	MA gamma-BHC...	4.025	4.604	908.8E6	220.8E6	51.255	53.240
4)	MA Heptachlor	4.308	5.106	939.5E6	225.8E6	51.687	52.163
5)	MB Aldrin	4.547	5.408	899.6E6	208.8E6	52.096	53.299
6)	B beta-BHC	4.279	4.779	377.8E6	99545536	51.645	51.390
7)	B delta-BHC	4.472	4.993	942.4E6	215.7E6	52.696	54.753
8)	B Heptachlor...	4.983	5.795	824.2E6	198.3E6	51.204	54.554
9)	A Endosulfan I	5.314	6.150	816.4E6	178.5E6	52.763	52.533
10)	B gamma-Chl...	5.205	6.028	887.1E6	196.9E6	51.910	52.850
11)	B alpha-Chl...	5.262	6.100	855.3E6	193.8E6	51.527	52.396
12)	B 4,4'-DDE	5.429	6.260	918.7E6	185.6E6	55.147	53.488
13)	MA Dieldrin	5.553	6.406	857.4E6	186.5E6	51.470	52.578
14)	MA Endrin	5.805	6.623	772.4E6	156.6E6	48.229	49.586
15)	B Endosulfa...	6.080	6.835	748.2E6	163.9E6	51.349	50.899
16)	A 4,4'-DDD	5.940	6.751	726.2E6	146.6E6	57.522	56.066
17)	MA 4,4'-DDT	6.173	7.048	631.2E6	135.4E6	47.545	46.232
18)	B Endrin al...	6.246	6.959	600.7E6	139.4E6	50.859	50.755
19)	B Endosulfa...	6.458	7.182	654.8E6	152.1E6	50.501	50.531
20)	A Methoxychlor	6.718	7.508	302.2E6	76952938	46.361	46.169
21)	B Endrin ke...	6.940	7.650	721.7E6	163.8E6	51.344	52.550
22)	Mirex	7.113	8.099	493.3E6	121.0E6	47.721	47.845
24)	Chlordane-2	0.000	5.408f	0	208.8E6	N.D.	1343.988 #
25)	Chlordane-3	5.205	6.028	887.1E6	196.9E6	472.297	395.763
26)	Chlordane-4	5.262	6.100	855.3E6	193.8E6	490.096	326.048 #
27)	Chlordane-5	6.080	0.000	748.2E6	0	1333.235	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062819\
Data File : PL050004.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Jun 2019 09:29
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 28 23:02:53 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062019.M
Quant Title : GC Extractables
QLast Update : Fri Jun 21 02:23:20 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.321 min
Delta R.T.: -0.003 min
Response: 584530086
Conc: 51.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.932 min
Delta R.T.: -0.003 min
Response: 158680700
Conc: 51.83 ng/ml




#2 alpha-BHC

R.T.: 3.749 min
Delta R.T.: -0.003 min
Response: 979013230
Conc: 52.11 ng/ml



#2 alpha-BHC


R.T.: 4.320 min
Delta R.T.: -0.003 min
Response: 237515298
Conc: 53.06 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.025 min
Delta R.T.: -0.003 min
Response: 908783627
Conc: 51.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.604 min
Delta R.T.: -0.004 min
Response: 220831256
Conc: 53.24 ng/ml




#4 Heptachlor

R.T.: 4.308 min
Delta R.T.: -0.004 min
Response: 939520431
Conc: 51.69 ng/ml



#4 Heptachlor


R.T.: 5.106 min
Delta R.T.: -0.005 min
Response: 225784263
Conc: 52.16 ng/ml



#5 Aldrin


R.T.: 4.547 min
Delta R.T.: -0.004 min
Response: 899587677
Conc: 52.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.408 min
Delta R.T.: -0.005 min
Response: 208775502
Conc: 53.30 ng/ml




#6 beta-BHC

R.T.: 4.279 min
Delta R.T.: -0.003 min
Response: 377770358
Conc: 51.64 ng/ml



#6 beta-BHC


R.T.: 4.779 min
Delta R.T.: -0.004 min
Response: 99545536
Conc: 51.39 ng/ml



#7 delta-BHC


R.T.: 4.472 min
Delta R.T.: -0.004 min
Response: 942409459
Conc: 52.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.993 min
Delta R.T.: -0.004 min
Response: 215666676
Conc: 54.75 ng/ml




#8 Heptachlor epoxide

R.T.: 4.983 min
Delta R.T.: -0.005 min
Response: 824245751
Conc: 51.20 ng/ml



#8 Heptachlor epoxide


R.T.: 5.795 min
Delta R.T.: -0.005 min
Response: 198347369
Conc: 54.55 ng/ml



#9 Endosulfan I


R.T.: 5.314 min
Delta R.T.: -0.005 min
Response: 816382370
Conc: 52.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.150 min
Delta R.T.: -0.005 min
Response: 178474943
Conc: 52.53 ng/ml




#10 gamma-Chlordane

R.T.: 5.205 min
Delta R.T.: -0.005 min
Response: 887074873
Conc: 51.91 ng/ml



#10 gamma-Chlordane


R.T.: 6.028 min
Delta R.T.: -0.006 min
Response: 196941748
Conc: 52.85 ng/ml



#11 alpha-Chlordane


R.T.: 5.262 min
Delta R.T.: -0.005 min
Response: 855286872
Conc: 51.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.100 min
Delta R.T.: -0.005 min
Response: 193784461
Conc: 52.40 ng/ml




#12 4,4'-DDE

R.T.: 5.429 min
Delta R.T.: -0.005 min
Response: 918689614
Conc: 55.15 ng/ml



#12 4,4'-DDE


R.T.: 6.260 min
Delta R.T.: -0.006 min
Response: 185610249
Conc: 53.49 ng/ml



#13 Dielldrin


R.T.: 5.553 min
Delta R.T.: -0.005 min
Response: 857369869
Conc: 51.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dielldrin

R.T.: 6.406 min
Delta R.T.: -0.006 min
Response: 186522531
Conc: 52.58 ng/ml




#14 Endrin

R.T.: 5.805 min
Delta R.T.: -0.006 min
Response: 772374033
Conc: 48.23 ng/ml



#14 Endrin


R.T.: 6.623 min
Delta R.T.: -0.007 min
Response: 156554607
Conc: 49.59 ng/ml



#15 Endosulfan II


R.T.: 6.080 min
Delta R.T.: -0.005 min
Response: 748221223
Conc: 51.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.835 min
Delta R.T.: -0.006 min
Response: 163940093
Conc: 50.90 ng/ml




#16 4,4'-DDD

R.T.: 5.940 min
Delta R.T.: -0.005 min
Response: 726156872
Conc: 57.52 ng/ml



#16 4,4'-DDD


R.T.: 6.751 min
Delta R.T.: -0.006 min
Response: 146570480
Conc: 56.07 ng/ml



#17 4,4'-DDT


R.T.: 6.173 min
Delta R.T.: -0.006 min
Response: 631201927
Conc: 47.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.048 min
Delta R.T.: -0.006 min
Response: 135404152
Conc: 46.23 ng/ml




#18 Endrin aldehyde

R.T.: 6.246 min
Delta R.T.: -0.006 min
Response: 600732921
Conc: 50.86 ng/ml



#18 Endrin aldehyde


R.T.: 6.959 min
Delta R.T.: -0.006 min
Response: 139392317
Conc: 50.75 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.458 min
Delta R.T.: -0.006 min
Response: 654768909
Conc: 50.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.182 min
Delta R.T.: -0.006 min
Response: 152077427
Conc: 50.53 ng/ml




#20 Methoxychlor

R.T.: 6.718 min
Delta R.T.: -0.007 min
Response: 302190941
Conc: 46.36 ng/ml



#20 Methoxychlor


R.T.: 7.508 min
Delta R.T.: -0.007 min
Response: 76952938
Conc: 46.17 ng/ml



#21 Endrin ketone


R.T.: 6.940 min
Delta R.T.: -0.007 min
Response: 721654683
Conc: 51.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.650 min
Delta R.T.: -0.007 min
Response: 163755172
Conc: 52.55 ng/ml




#22 Mirex

R.T.: 7.113 min
Delta R.T.: -0.007 min
Response: 493280276
Conc: 47.72 ng/ml



#22 Mirex


R.T.: 8.099 min
Delta R.T.: -0.007 min
Response: 120983424
Conc: 47.84 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.655 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.408 min
Delta R.T.: 0.018 min
Response: 208775502
Conc: 1343.99 ng/ml




#25 Chlordane-3

R.T.: 5.205 min
Delta R.T.: -0.005 min
Response: 887074873
Conc: 472.30 ng/ml



#25 Chlordane-3


R.T.: 6.028 min
Delta R.T.: -0.006 min
Response: 196941748
Conc: 395.76 ng/ml



#26 Chlordane-4


R.T.: 5.262 min
Delta R.T.: -0.004 min
Response: 855286872
Conc: 490.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.100 min
Delta R.T.: -0.007 min
Response: 193784461
Conc: 326.05 ng/ml




#27 Chlordane-5

R.T.: 6.080 min
Delta R.T.: -0.008 min
Response: 748221223
Conc: 1333.24 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T. : 6.910 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 7.985 min
Delta R.T.: -0.008 min
Response: 571410368
Conc: 44.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.964 min
Delta R.T.: -0.009 min
Response: 156959924
Conc: 46.76 ng/ml