

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062819\
 Data File : PL050028.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Jun 2019 15:47
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Ankita
 7/1/2019 10:19:04 AM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 28 23:09:00 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062019.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 21 02:23:20 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.322	3.933	589.6E6	164.8E6	52.282	53.837
2)	SA Decachlor...	7.985	8.964	568.5E6	155.8E6	44.744	46.413
Target Compounds							
2)	A alpha-BHC	3.749	4.321	984.4E6	248.4E6	52.395	55.497
3)	MA gamma-BHC...	4.025	4.604	910.4E6	230.1E6	51.345	55.484
4)	MA Heptachlor	4.309	5.106	928.8E6	232.8E6	51.100	53.775
5)	MB Aldrin	4.547	5.409	902.6E6	217.7E6	52.270	55.573
6)	B beta-BHC	4.279	4.780	380.2E6	103.8E6	51.975	53.591
7)	B delta-BHC	4.473	4.994	943.6E6	223.2E6	52.761	56.668
8)	B Heptachlo...	4.984	5.796	828.5E6	206.5E6	51.467	56.804
9)	A Endosulfan I	5.314	6.151	784.4E6	184.8E6	50.696	54.381
10)	B gamma-Chl...	5.206	6.029	877.5E6	204.6E6	51.347	54.915
11)	B alpha-Chl...	5.262	6.101	843.5E6	200.9E6	50.819	54.313
12)	B 4,4'-DDE	5.429	6.261	865.2E6	192.2E6	51.933	55.378
13)	MA Dieldrin	5.553	6.407	857.9E6	194.0E6	51.502	54.673
14)	MA Endrin	5.805	6.624	747.5E6	156.4E6	46.678	49.534
15)	B Endosulfa...	6.080	6.836	744.6E6	168.7E6	51.097	52.391
16)	A 4,4'-DDD	5.940	6.751	728.6E6	152.9E6	57.716	58.505
17)	MA 4,4'-DDT	6.174	7.048	596.9E6	133.5E6	44.962	45.598
18)	B Endrin al...	6.247	6.960	598.7E6	143.8E6	50.683	52.342
19)	B Endosulfa...	6.459	7.183	648.9E6	155.6E6	50.048	51.698
20)	A Methoxychlor	6.719	7.510	286.3E6	75878662	43.923	45.524
21)	B Endrin ke...	6.938	7.651	745.5E6	172.0E6	53.038m	55.197
22)	Mirex	7.114	8.100	481.5E6	122.2E6	46.583	48.330

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062819\
Data File : PL050028.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Jun 2019 15:47
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/1/2019 10:19:04 AM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 28 23:09:00 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062019.M
Quant Title : GC Extractables
QLast Update : Fri Jun 21 02:23:20 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.322 min
Delta R.T.: -0.002 min
Response: 589624630
Conc: 52.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/1/2019 10:19:04 AM




#1 Tetrachloro-m-xylene

R.T.: 3.933 min
Delta R.T.: -0.003 min
Response: 164836181
Conc: 53.84 ng/ml




#2 alpha-BHC

R.T.: 3.749 min
Delta R.T.: -0.002 min
Response: 984354956
Conc: 52.39 ng/ml



#2 alpha-BHC

R.T.: 4.321 min
Delta R.T.: -0.003 min
Response: 248435274
Conc: 55.50 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.025 min
Delta R.T.: -0.002 min
Response: 910366726
Conc: 51.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/1/2019 10:19:04 AM




#3 gamma-BHC (Lindane)

R.T.: 4.604 min
Delta R.T.: -0.003 min
Response: 230137108
Conc: 55.48 ng/ml




#4 Heptachlor

R.T.: 4.309 min
Delta R.T.: -0.003 min
Response: 928843916
Conc: 51.10 ng/ml



#4 Heptachlor

R.T.: 5.106 min
Delta R.T.: -0.004 min
Response: 232760398
Conc: 53.77 ng/ml




#5 Aldrin

R.T.: 4.547 min
Delta R.T.: -0.004 min
Response: 902601789
Conc: 52.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/1/2019 10:19:04 AM




#5 Aldrin

R.T.: 5.409 min
Delta R.T.: -0.004 min
Response: 217685284
Conc: 55.57 ng/ml




#6 beta-BHC

R.T.: 4.279 min
Delta R.T.: -0.003 min
Response: 380187974
Conc: 51.98 ng/ml



#6 beta-BHC

R.T.: 4.780 min
Delta R.T.: -0.003 min
Response: 103808435
Conc: 53.59 ng/ml




#7 delta-BHC

R.T.: 4.473 min
Delta R.T.: -0.004 min
Response: 943565228
Conc: 52.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/1/2019 10:19:04 AM




#7 delta-BHC

R.T.: 4.994 min
Delta R.T.: -0.003 min
Response: 223210207
Conc: 56.67 ng/ml




#8 Heptachlor epoxide

R.T.: 4.984 min
Delta R.T.: -0.004 min
Response: 828477889
Conc: 51.47 ng/ml



#8 Heptachlor epoxide

R.T.: 5.796 min
Delta R.T.: -0.004 min
Response: 206527031
Conc: 56.80 ng/ml




#9 Endosulfan I

R.T.: 5.314 min
Delta R.T.: -0.005 min
Response: 784391529
Conc: 50.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/1/2019 10:19:04 AM




#9 Endosulfan I

R.T.: 6.151 min
Delta R.T.: -0.004 min
Response: 184752222
Conc: 54.38 ng/ml




#10 gamma-Chlordane

R.T.: 5.206 min
Delta R.T.: -0.005 min
Response: 877456905
Conc: 51.35 ng/ml



#10 gamma-Chlordane

R.T.: 6.029 min
Delta R.T.: -0.005 min
Response: 204636009
Conc: 54.91 ng/ml




#11 alpha-Chlordane

R.T.: 5.262 min
Delta R.T.: -0.004 min
Response: 843533712
Conc: 50.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/1/2019 10:19:04 AM




#11 alpha-Chlordane

R.T.: 6.101 min
Delta R.T.: -0.004 min
Response: 200873469
Conc: 54.31 ng/ml




#12 4,4'-DDE

R.T.: 5.429 min
Delta R.T.: -0.005 min
Response: 865156159
Conc: 51.93 ng/ml



#12 4,4'-DDE

R.T.: 6.261 min
Delta R.T.: -0.005 min
Response: 192166123
Conc: 55.38 ng/ml




#13 Dieldrin

R.T.: 5.553 min
Delta R.T.: -0.005 min
Response: 857904370
Conc: 51.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/1/2019 10:19:04 AM




#13 Dieldrin

R.T.: 6.407 min
Delta R.T.: -0.005 min
Response: 193954308
Conc: 54.67 ng/ml




#14 Endrin

R.T.: 5.805 min
Delta R.T.: -0.005 min
Response: 747531656
Conc: 46.68 ng/ml



#14 Endrin

R.T.: 6.624 min
Delta R.T.: -0.006 min
Response: 156388542
Conc: 49.53 ng/ml




#15 Endosulfan II

R.T.: 6.080 min
Delta R.T.: -0.005 min
Response: 744558691
Conc: 51.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/1/2019 10:19:04 AM




#15 Endosulfan II

R.T.: 6.836 min
Delta R.T.: -0.005 min
Response: 168747710
Conc: 52.39 ng/ml




#16 4,4'-DDD

R.T.: 5.940 min
Delta R.T.: -0.005 min
Response: 728605301
Conc: 57.72 ng/ml



#16 4,4'-DDD

R.T.: 6.751 min
Delta R.T.: -0.006 min
Response: 152946936
Conc: 58.51 ng/ml




#17 4,4'-DDT

R.T.: 6.174 min
Delta R.T.: -0.006 min
Response: 596907805
Conc: 44.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/1/2019 10:19:04 AM




#17 4,4'-DDT

R.T.: 7.048 min
Delta R.T.: -0.006 min
Response: 133546741
Conc: 45.60 ng/ml




#18 Endrin aldehyde

R.T.: 6.247 min
Delta R.T.: -0.006 min
Response: 598655888
Conc: 50.68 ng/ml



#18 Endrin aldehyde

R.T.: 6.960 min
Delta R.T.: -0.005 min
Response: 143752146
Conc: 52.34 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.459 min
Delta R.T.: -0.005 min
Response: 648890868
Conc: 50.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/1/2019 10:19:04 AM




#19 Endosulfan Sulfate

R.T.: 7.183 min
Delta R.T.: -0.005 min
Response: 155590793
Conc: 51.70 ng/ml




#20 Methoxychlor

R.T.: 6.719 min
Delta R.T.: -0.006 min
Response: 286298456
Conc: 43.92 ng/ml



#20 Methoxychlor

R.T.: 7.510 min
Delta R.T.: -0.005 min
Response: 75878662
Conc: 45.52 ng/ml




#21 Endrin ketone

R.T.: 6.938 min
Delta R.T.: -0.008 min
Response: 745459706
Conc: 53.04 ng/ml m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/1/2019 10:19:04 AM




#21 Endrin ketone

R.T.: 7.651 min
Delta R.T.: -0.006 min
Response: 172005011
Conc: 55.20 ng/ml




#22 Mirex

R.T.: 7.114 min
Delta R.T.: -0.007 min
Response: 481525973
Conc: 46.58 ng/ml



#22 Mirex

R.T.: 8.100 min
Delta R.T.: -0.006 min
Response: 122210590
Conc: 48.33 ng/ml




#28 Decachlorobiphenyl

R.T.: 7.985 min
Delta R.T.: -0.007 min
Response: 568540904
Conc: 44.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Manual Integrations
APPROVED

Ankita
7/1/2019 10:19:04 AM



#28 Decachlorobiphenyl

R.T.: 8.964 min
Delta R.T.: -0.009 min
Response: 155811390
Conc: 46.41 ng/ml