

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062821\
 Data File : PL067834.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Jun 2021 09:11
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 29 06:37:06 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL061021.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 11 02:00:12 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.479	5.529	29170469	48530215	53.058	51.478
28)	SA Decachlor...	10.219	11.424	34877999	46355469	49.215	46.539
Target Compounds							
2)	A alpha-BHC	5.178	6.109	41891941	64650414	56.957	52.286
3)	MA gamma-BHC...	5.597	6.505	39579287	61338647	52.813	52.027
4)	MA Heptachlor	6.008	7.152	40270134	57599133	53.387	51.648
5)	MB Aldrin	6.330	7.522	39386186	56095009	53.529	51.827
6)	B beta-BHC	5.981	6.760	18236079	28050528	50.966	51.657
7)	B delta-BHC	6.237	7.026	39416305	59368284	53.368	50.504
8)	B Heptachlo...	6.903	7.988	36523800	50384722	52.202	50.296
9)	A Endosulfan I	7.302	8.393	34863516	45468988	51.860	49.795
10)	B gamma-Chl...	7.181	8.258	37864692	50339233	52.227	49.858
11)	B alpha-Chl...	7.250	8.338	38037279	49976458	51.955	49.500
12)	B 4,4'-DDE	7.468	8.527	34731245	44534797	52.203	49.159
13)	MA Dieldrin	7.587	8.682	36616788	44902294	52.235	49.439
14)	MA Endrin	7.874	8.921	33190620	36913146	50.622	48.259
15)	B Endosulfa...	8.185	9.155	31567690	38900082	51.257	48.790
16)	A 4,4'-DDD	8.049	9.066	30304609	34032380	52.135	47.852
17)	MA 4,4'-DDT	8.309	9.382	29466800	34043162	50.640	46.434
18)	B Endrin al...	8.371	9.289	25365570	30530519	50.102	47.807
19)	B Endosulfa...	8.603	9.527	31931417	37681702	50.301	47.448
20)	A Methoxychlor	8.902	9.869	17104404	16901412	48.118	43.470
21)	B Endrin ke...	9.112	10.024	39007195	44173978	51.234	48.737
22)	Mirex	9.300	10.488	31235104	36591420	49.597	48.401



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL062821\
Data File : PL067834.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Jun 2021 09:11
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 29 06:37:06 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL061021.M
Quant Title : GC Extractables
QLast Update : Fri Jun 11 02:00:12 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.479 min
Delta R.T.: -0.002 min
Response: 29170469
Conc: 53.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 5.529 min
Delta R.T.: -0.002 min
Response: 48530215
Conc: 51.48 ng/ml




#2 alpha-BHC

R.T.: 5.178 min
Delta R.T.: -0.003 min
Response: 41891941
Conc: 56.96 ng/ml



#2 alpha-BHC


R.T.: 6.109 min
Delta R.T.: -0.002 min
Response: 64650414
Conc: 52.29 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.597 min
Delta R.T.: -0.003 min
Response: 39579287
Conc: 52.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 6.505 min
Delta R.T.: -0.002 min
Response: 61338647
Conc: 52.03 ng/ml




#4 Heptachlor

R.T.: 6.008 min
Delta R.T.: -0.004 min
Response: 40270134
Conc: 53.39 ng/ml



#4 Heptachlor


R.T.: 7.152 min
Delta R.T.: -0.003 min
Response: 57599133
Conc: 51.65 ng/ml



#5 Aldrin


R.T.: 6.330 min
Delta R.T.: -0.004 min
Response: 39386186
Conc: 53.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 7.522 min
Delta R.T.: -0.003 min
Response: 56095009
Conc: 51.83 ng/ml




#6 beta-BHC

R.T.: 5.981 min
Delta R.T.: -0.003 min
Response: 18236079
Conc: 50.97 ng/ml



#6 beta-BHC


R.T.: 6.760 min
Delta R.T.: -0.002 min
Response: 28050528
Conc: 51.66 ng/ml



#7 delta-BHC


R.T.: 6.237 min
Delta R.T.: -0.003 min
Response: 39416305
Conc: 53.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 7.026 min
Delta R.T.: -0.002 min
Response: 59368284
Conc: 50.50 ng/ml




#8 Heptachlor epoxide

R.T.: 6.903 min
Delta R.T.: -0.004 min
Response: 36523800
Conc: 52.20 ng/ml



#8 Heptachlor epoxide


R.T.: 7.988 min
Delta R.T.: -0.003 min
Response: 50384722
Conc: 50.30 ng/ml



#9 Endosulfan I


R.T.: 7.302 min
Delta R.T.: -0.005 min
Response: 34863516
Conc: 51.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 8.393 min
Delta R.T.: -0.004 min
Response: 45468988
Conc: 49.79 ng/ml




#10 gamma-Chlordane

R.T.: 7.181 min
Delta R.T.: -0.004 min
Response: 37864692
Conc: 52.23 ng/ml



#10 gamma-Chlordane


R.T.: 8.258 min
Delta R.T.: -0.003 min
Response: 50339233
Conc: 49.86 ng/ml



#11 alpha-Chlordane


R.T.: 7.250 min
Delta R.T.: -0.004 min
Response: 38037279
Conc: 51.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 8.338 min
Delta R.T.: -0.004 min
Response: 49976458
Conc: 49.50 ng/ml




#12 4,4'-DDE

R.T.: 7.468 min
Delta R.T.: -0.005 min
Response: 34731245
Conc: 52.20 ng/ml



#12 4,4'-DDE


R.T.: 8.527 min
Delta R.T.: -0.003 min
Response: 44534797
Conc: 49.16 ng/ml



#13 Dieldrin


R.T.: 7.587 min
Delta R.T.: -0.005 min
Response: 36616788
Conc: 52.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 8.682 min
Delta R.T.: -0.003 min
Response: 44902294
Conc: 49.44 ng/ml




#14 Endrin

R.T.: 7.874 min
Delta R.T.: -0.005 min
Response: 33190620
Conc: 50.62 ng/ml



#14 Endrin


R.T.: 8.921 min
Delta R.T.: -0.003 min
Response: 36913146
Conc: 48.26 ng/ml



#15 Endosulfan II


R.T.: 8.185 min
Delta R.T.: -0.005 min
Response: 31567690
Conc: 51.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 9.155 min
Delta R.T.: -0.003 min
Response: 38900082
Conc: 48.79 ng/ml




#16 4,4'-DDD

R.T.: 8.049 min
Delta R.T.: -0.006 min
Response: 30304609
Conc: 52.13 ng/ml



#16 4,4'-DDD


R.T.: 9.066 min
Delta R.T.: -0.003 min
Response: 34032380
Conc: 47.85 ng/ml



#17 4,4'-DDT


R.T.: 8.309 min
Delta R.T.: -0.005 min
Response: 29466800
Conc: 50.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 9.382 min
Delta R.T.: -0.004 min
Response: 34043162
Conc: 46.43 ng/ml




#18 Endrin aldehyde

R.T.: 8.371 min
Delta R.T.: -0.006 min
Response: 25365570
Conc: 50.10 ng/ml



#18 Endrin aldehyde


R.T.: 9.289 min
Delta R.T.: -0.003 min
Response: 30530519
Conc: 47.81 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.603 min
Delta R.T.: -0.005 min
Response: 31931417
Conc: 50.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 9.527 min
Delta R.T.: -0.003 min
Response: 37681702
Conc: 47.45 ng/ml




#20 Methoxychlor

R.T.: 8.902 min
Delta R.T.: -0.005 min
Response: 17104404
Conc: 48.12 ng/ml



#20 Methoxychlor


R.T.: 9.869 min
Delta R.T.: -0.003 min
Response: 16901412
Conc: 43.47 ng/ml



#21 Endrin ketone


R.T.: 9.112 min
Delta R.T.: -0.005 min
Response: 39007195
Conc: 51.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 10.024 min
Delta R.T.: -0.003 min
Response: 44173978
Conc: 48.74 ng/ml




#22 Mirex

R.T.: 9.300 min
Delta R.T.: -0.006 min
Response: 31235104
Conc: 49.60 ng/ml



#22 Mirex


R.T.: 10.488 min
Delta R.T.: -0.004 min
Response: 36591420
Conc: 48.40 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.219 min
Delta R.T.: -0.006 min
Response: 34877999
Conc: 49.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 11.424 min
Delta R.T.: -0.005 min
Response: 46355469
Conc: 46.54 ng/ml