

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL070119\
 Data File : PL050117.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Jul 2019 02:59
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Ankita
 7/2/2019 1:14:15 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 02 08:49:28 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062019.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 21 02:23:20 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.322	3.933	577.5E6	151.4E6	51.207	49.445
28)	SA Decachlor...	7.986	8.967	535.9E6	143.8E6	42.172	42.835
Target Compounds							
2)	A alpha-BHC	3.750	4.321	1003.1E6	233.6E6	53.391	52.188
3)	MA gamma-BHC...	4.025	4.604	945.2E6	219.0E6	53.312	52.810
4)	MA Heptachlor	4.310	5.106	969.1E6	226.0E6	53.317	52.218
5)	MB Aldrin	4.548	5.409	920.1E6	207.8E6	53.282	53.055
6)	B beta-BHC	4.280	4.780	398.8E6	101.9E6	54.522	52.603
7)	B delta-BHC	4.473	4.994	995.3E6	218.3E6	55.655	55.419
8)	B Heptachlor...	4.984	5.796	850.3E6	194.6E6	52.822	53.527
9)	A Endosulfan I	5.314	6.151	809.2E6	172.1E6	52.302m	50.645
10)	B gamma-Chl...	5.207	6.030	934.2E6	190.3E6	54.670	51.058
11)	B alpha-Chl...	5.263	6.102	897.4E6	187.4E6	54.064	50.676
12)	B 4,4'-DDE	5.429	6.262	883.6E6	181.6E6	53.041m	52.330
13)	MA Dieldrin	5.554	6.408	893.3E6	181.3E6	53.624	51.103
14)	MA Endrin	5.807	6.625	826.7E6	159.0E6	51.623	50.368
15)	B Endosulfa...	6.081	6.837	721.2E6	158.0E6	49.493	49.068
16)	A 4,4'-DDD	5.940	6.753	705.1E6	146.7E6	55.852m	56.134
17)	MA 4,4'-DDT	6.176	7.050	571.3E6	122.8E6	43.035	41.914
18)	B Endrin al...	6.248	6.961	591.1E6	135.8E6	50.046	49.443
19)	B Endosulfa...	6.460	7.184	644.6E6	146.0E6	49.717	48.497
20)	A Methoxychlor	6.720	7.511	293.3E6	72804433	45.001	43.680
21)	B Endrin ke...	6.941	7.653	646.4E6	152.6E6	45.991	48.984
22)	Mirex	7.115	8.101	432.8E6	108.9E6	41.873	43.077

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL070119\
Data File : PL050117.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Jul 2019 02:59
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/2/2019 1:14:15 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 02 08:49:28 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062019.M
Quant Title : GC Extractables
QLast Update : Fri Jun 21 02:23:20 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.322 min
Delta R.T.: -0.002 min
Response: 577493886
Conc: 51.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/2/2019 1:14:15 PM




#1 Tetrachloro-m-xylene

R.T.: 3.933 min
Delta R.T.: -0.003 min
Response: 151388066
Conc: 49.44 ng/ml




#2 alpha-BHC

R.T.: 3.750 min
Delta R.T.: -0.002 min
Response: 1003075248
Conc: 53.39 ng/ml



#2 alpha-BHC

R.T.: 4.321 min
Delta R.T.: -0.003 min
Response: 233623632
Conc: 52.19 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.025 min
Delta R.T.: -0.002 min
Response: 945246649
Conc: 53.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/2/2019 1:14:15 PM




#3 gamma-BHC (Lindane)

R.T.: 4.604 min
Delta R.T.: -0.003 min
Response: 219046805
Conc: 52.81 ng/ml




#4 Heptachlor

R.T.: 4.310 min
Delta R.T.: -0.002 min
Response: 969143276
Conc: 53.32 ng/ml



#4 Heptachlor

R.T.: 5.106 min
Delta R.T.: -0.004 min
Response: 226021126
Conc: 52.22 ng/ml




#5 Aldrin

R.T.: 4.548 min
Delta R.T.: -0.003 min
Response: 920062833
Conc: 53.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/2/2019 1:14:15 PM




#5 Aldrin

R.T.: 5.409 min
Delta R.T.: -0.004 min
Response: 207820869
Conc: 53.06 ng/ml




#6 beta-BHC

R.T.: 4.280 min
Delta R.T.: -0.002 min
Response: 398814114
Conc: 54.52 ng/ml



#6 beta-BHC

R.T.: 4.780 min
Delta R.T.: -0.003 min
Response: 101894151
Conc: 52.60 ng/ml




#7 delta-BHC

R.T.: 4.473 min
Delta R.T.: -0.003 min
Response: 995326364
Conc: 55.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/2/2019 1:14:15 PM




#7 delta-BHC

R.T.: 4.994 min
Delta R.T.: -0.003 min
Response: 218287788
Conc: 55.42 ng/ml




#8 Heptachlor epoxide

R.T.: 4.984 min
Delta R.T.: -0.003 min
Response: 850285823
Conc: 52.82 ng/ml



#8 Heptachlor epoxide

R.T.: 5.796 min
Delta R.T.: -0.004 min
Response: 194611305
Conc: 53.53 ng/ml




#9 Endosulfan I

R.T.: 5.314 min
Delta R.T.: -0.005 min
Response: 809235863
Conc: 52.30 ng/ml m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/2/2019 1:14:15 PM




#9 Endosulfan I

R.T.: 6.151 min
Delta R.T.: -0.004 min
Response: 172058262
Conc: 50.64 ng/ml




#10 gamma-Chlordane

R.T.: 5.207 min
Delta R.T.: -0.003 min
Response: 934244721
Conc: 54.67 ng/ml



#10 gamma-Chlordane

R.T.: 6.030 min
Delta R.T.: -0.004 min
Response: 190264031
Conc: 51.06 ng/ml




#11 alpha-Chlordane

R.T.: 5.263 min
Delta R.T.: -0.003 min
Response: 897394625
Conc: 54.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/2/2019 1:14:15 PM




#11 alpha-Chlordane

R.T.: 6.102 min
Delta R.T.: -0.004 min
Response: 187420216
Conc: 50.68 ng/ml




#12 4,4'-DDE

R.T.: 5.429 min
Delta R.T.: -0.005 min
Response: 883619201
Conc: 53.04 ng/ml m



#12 4,4'-DDE

R.T.: 6.262 min
Delta R.T.: -0.004 min
Response: 181591020
Conc: 52.33 ng/ml




#13 Dieldrin

R.T.: 5.554 min
Delta R.T.: -0.003 min
Response: 893251701
Conc: 53.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/2/2019 1:14:15 PM




#13 Dieldrin

R.T.: 6.408 min
Delta R.T.: -0.004 min
Response: 181288213
Conc: 51.10 ng/ml




#14 Endrin

R.T.: 5.807 min
Delta R.T.: -0.004 min
Response: 826735284
Conc: 51.62 ng/ml



#14 Endrin

R.T.: 6.625 min
Delta R.T.: -0.004 min
Response: 159023708
Conc: 50.37 ng/ml




#15 Endosulfan II

R.T.: 6.081 min
Delta R.T.: -0.004 min
Response: 721176998
Conc: 49.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/2/2019 1:14:15 PM




#15 Endosulfan II

R.T.: 6.837 min
Delta R.T.: -0.004 min
Response: 158044596
Conc: 49.07 ng/ml




#16 4,4'-DDD

R.T.: 5.940 min
Delta R.T.: -0.005 min
Response: 705081348
Conc: 55.85 ng/ml m



#16 4,4'-DDD

R.T.: 6.753 min
Delta R.T.: -0.004 min
Response: 146747998
Conc: 56.13 ng/ml




#17 4,4'-DDT

R.T.: 6.176 min
Delta R.T.: -0.004 min
Response: 571327609
Conc: 43.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/2/2019 1:14:15 PM




#17 4,4'-DDT

R.T.: 7.050 min
Delta R.T.: -0.004 min
Response: 122758135
Conc: 41.91 ng/ml




#18 Endrin aldehyde

R.T.: 6.248 min
Delta R.T.: -0.004 min
Response: 591126511
Conc: 50.05 ng/ml



#18 Endrin aldehyde

R.T.: 6.961 min
Delta R.T.: -0.004 min
Response: 135789058
Conc: 49.44 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.460 min
Delta R.T.: -0.004 min
Response: 644603579
Conc: 49.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/2/2019 1:14:15 PM




#19 Endosulfan Sulfate

R.T.: 7.184 min
Delta R.T.: -0.004 min
Response: 145956610
Conc: 48.50 ng/ml




#20 Methoxychlor

R.T.: 6.720 min
Delta R.T.: -0.005 min
Response: 293328752
Conc: 45.00 ng/ml



#20 Methoxychlor

R.T.: 7.511 min
Delta R.T.: -0.004 min
Response: 72804433
Conc: 43.68 ng/ml




#21 Endrin ketone

R.T.: 6.941 min
Delta R.T.: -0.005 min
Response: 646409630
Conc: 45.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/2/2019 1:14:15 PM




#21 Endrin ketone

R.T.: 7.653 min
Delta R.T.: -0.005 min
Response: 152641890
Conc: 48.98 ng/ml




#22 Mirex

R.T.: 7.115 min
Delta R.T.: -0.005 min
Response: 432830811
Conc: 41.87 ng/ml



#22 Mirex

R.T.: 8.101 min
Delta R.T.: -0.005 min
Response: 108927506
Conc: 43.08 ng/ml




#28 Decachlorobiphenyl

R.T.: 7.986 min
Delta R.T.: -0.006 min
Response: 535857923
Conc: 42.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Manual Integrations
APPROVED

Ankita
7/2/2019 1:14:15 PM



#28 Decachlorobiphenyl

R.T.: 8.967 min
Delta R.T.: -0.006 min
Response: 143797559
Conc: 42.83 ng/ml