

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL070518\
 Data File : PL037716.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 Jul 2018 19:29
 Operator : UA\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 06 04:39:18 2018
 Quant Method : Z:\PESTPCBSRV\HPCHEM1\ECD_L\methods\PL062018.M
 Quant Title : GC Extractables
 QLast Update : Thu Jun 21 02:27:11 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.333	3.935	330.9E6	131.7E6	41.827	47.588
28)	SA Decachlor...	8.010	8.945	284.8E6	95850391	47.197	48.313
Target Compounds							
2)	A alpha-BHC	3.763	4.314	529.7E6	192.7E6	43.270	49.659
3)	MA gamma-BHC...	4.040	4.594	461.1E6	170.3E6	44.703	49.300
4)	MA Heptachlor	4.324	5.105	453.5E6	164.7E6	44.265	47.658
5)	MB Aldrin	4.564	5.408	448.5E6	152.2E6	44.064	48.503
6)	B beta-BHC	4.294	4.756	204.5E6	76749842	44.839	47.591
7)	B delta-BHC	4.489	4.970	470.5E6	160.0E6	44.471	56.737 #
8)	B Heptachlo...	5.003	5.787	433.4E6	137.7E6	46.274	48.308
9)	A Endosulfan I	5.334	6.140	381.8E6	120.2E6	45.130	46.848
10)	B gamma-Chl...	5.225	6.020	428.5E6	137.9E6	45.746	48.958
11)	B alpha-Chl...	5.282	6.093	409.8E6	135.1E6	45.121	46.923
12)	B 4,4'-DDE	5.451	6.249	403.6E6	121.6E6	45.699	47.781
13)	MA Dieldrin	5.574	6.394	395.8E6	127.8E6	44.705	47.886
14)	MA Endrin	5.827	6.608	348.6E6	106.0E6	44.248	46.110
15)	B Endosulfa...	6.102	6.811	340.2E6	112.2E6	46.263	45.234
16)	A 4,4'-DDD	5.963	6.731	313.0E6	97190476	47.657	47.348
17)	MA 4,4'-DDT	6.197	7.029	283.7E6	93696590	43.936	44.235
18)	B Endrin al...	6.271	6.934	261.1E6	91311668	46.753	45.378
19)	B Endosulfa...	6.481	7.156	302.4E6	101.4E6	45.198	46.575
20)	A Methoxychlor	6.746	7.485	144.8E6	53107408	42.590	47.445
21)	B Endrin ke...	6.965	7.620	318.2E6	106.3E6	44.745	52.366
23)	Chlordane-1	0.000	4.970	0	160.0E6	N.D.	1331.667 #
24)	Chlordane-2	0.000	5.408	0	152.2E6	N.D.	1202.406 #
25)	Chlordane-3	5.225	6.020	428.5E6	137.9E6	403.110	352.572
26)	Chlordane-4	5.282	6.093	409.8E6	135.1E6	425.281	281.842 #
27)	Chlordane-5	5.963	6.934	313.0E6	91311668	2391.481	1014.765 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL070518\
Data File : PL037716.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Jul 2018 19:29
Operator : UA\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 06 04:39:18 2018
Quant Method : Z:\PESTPCBSRV\HPCHEM1\ECD_L\methods\PL062018.M
Quant Title : GC Extractables
QLast Update : Thu Jun 21 02:27:11 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.333 min
Delta R.T.: -0.004 min
Response: 330860897
Conc: 41.83 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.935 min
Delta R.T.: -0.002 min
Response: 131662298
Conc: 47.59 ng/ml




#2 alpha-BHC

R.T.: 3.763 min
Delta R.T.: -0.004 min
Response: 529748612
Conc: 43.27 ng/ml



#2 alpha-BHC


R.T.: 4.314 min
Delta R.T.: -0.002 min
Response: 192688491
Conc: 49.66 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.040 min
Delta R.T.: -0.005 min
Response: 461099812
Conc: 44.70 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.594 min
Delta R.T.: -0.003 min
Response: 170269510
Conc: 49.30 ng/ml




#4 Heptachlor

R.T.: 4.324 min
Delta R.T.: -0.006 min
Response: 453509538
Conc: 44.27 ng/ml



#4 Heptachlor


R.T.: 5.105 min
Delta R.T.: -0.003 min
Response: 164724282
Conc: 47.66 ng/ml



#5 Aldrin


R.T.: 4.564 min
Delta R.T.: -0.006 min
Response: 448505306
Conc: 44.06 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 5.408 min
Delta R.T.: -0.003 min
Response: 152165408
Conc: 48.50 ng/ml




#6 beta-BHC

R.T.: 4.294 min
Delta R.T.: -0.005 min
Response: 204506586
Conc: 44.84 ng/ml



#6 beta-BHC


R.T.: 4.756 min
Delta R.T.: -0.002 min
Response: 76749842
Conc: 47.59 ng/ml



#7 delta-BHC


R.T.: 4.489 min
Delta R.T.: -0.005 min
Response: 470460567
Conc: 44.47 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.970 min
Delta R.T.: -0.002 min
Response: 160014335
Conc: 56.74 ng/ml




#8 Heptachlor epoxide

R.T.: 5.003 min
Delta R.T.: -0.007 min
Response: 433448146
Conc: 46.27 ng/ml



#8 Heptachlor epoxide


R.T.: 5.787 min
Delta R.T.: -0.003 min
Response: 137711077
Conc: 48.31 ng/ml



#9 Endosulfan I


R.T.: 5.334 min
Delta R.T.: -0.007 min
Response: 381838513
Conc: 45.13 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 6.140 min
Delta R.T.: -0.004 min
Response: 120157216
Conc: 46.85 ng/ml




#10 gamma-Chlordane

R.T.: 5.225 min
Delta R.T.: -0.007 min
Response: 428473519
Conc: 45.75 ng/ml



#10 gamma-Chlordane


R.T.: 6.020 min
Delta R.T.: -0.003 min
Response: 137885720
Conc: 48.96 ng/ml



#11 alpha-Chlordane


R.T.: 5.282 min
Delta R.T.: -0.008 min
Response: 409761477
Conc: 45.12 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 6.093 min
Delta R.T.: -0.004 min
Response: 135056474
Conc: 46.92 ng/ml




#12 4,4'-DDE

R.T.: 5.451 min
Delta R.T.: -0.008 min
Response: 403634788
Conc: 45.70 ng/ml



#12 4,4'-DDE


R.T.: 6.249 min
Delta R.T.: -0.003 min
Response: 121588003
Conc: 47.78 ng/ml



#13 Dieldrin


R.T.: 5.574 min
Delta R.T.: -0.007 min
Response: 395780509
Conc: 44.70 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 6.394 min
Delta R.T.: -0.004 min
Response: 127819454
Conc: 47.89 ng/ml




#14 Endrin

R.T.: 5.827 min
Delta R.T.: -0.008 min
Response: 348566948
Conc: 44.25 ng/ml



#14 Endrin


R.T.: 6.608 min
Delta R.T.: -0.004 min
Response: 106019049
Conc: 46.11 ng/ml



#15 Endosulfan II


R.T.: 6.102 min
Delta R.T.: -0.007 min
Response: 340193286
Conc: 46.26 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 6.811 min
Delta R.T.: -0.003 min
Response: 112183547
Conc: 45.23 ng/ml




#16 4,4'-DDD

R.T.: 5.963 min
Delta R.T.: -0.008 min
Response: 312968861
Conc: 47.66 ng/ml



#16 4,4'-DDD


R.T.: 6.731 min
Delta R.T.: -0.003 min
Response: 97190476
Conc: 47.35 ng/ml



#17 4,4'-DDT


R.T.: 6.197 min
Delta R.T.: -0.008 min
Response: 283662338
Conc: 43.94 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 7.029 min
Delta R.T.: -0.003 min
Response: 93696590
Conc: 44.23 ng/ml




#18 Endrin aldehyde

R.T.: 6.271 min
Delta R.T.: -0.008 min
Response: 261090680
Conc: 46.75 ng/ml



#18 Endrin aldehyde


R.T.: 6.934 min
Delta R.T.: -0.003 min
Response: 91311668
Conc: 45.38 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.481 min
Delta R.T.: -0.008 min
Response: 302377010
Conc: 45.20 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 7.156 min
Delta R.T.: -0.003 min
Response: 101367925
Conc: 46.57 ng/ml




#20 Methoxychlor

R.T.: 6.746 min
Delta R.T.: -0.009 min
Response: 144764394
Conc: 42.59 ng/ml



#20 Methoxychlor


R.T.: 7.485 min
Delta R.T.: -0.003 min
Response: 53107408
Conc: 47.45 ng/ml



#21 Endrin ketone


R.T.: 6.965 min
Delta R.T.: -0.009 min
Response: 318212462
Conc: 44.75 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 7.620 min
Delta R.T.: -0.003 min
Response: 106286018
Conc: 52.37 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T. : 4.181 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 4.970 min
Delta R.T.: 0.050 min
Response: 160014335
Conc: 1331.67 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.676 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 5.408 min
Delta R.T.: 0.026 min
Response: 152165408
Conc: 1202.41 ng/ml




#25 Chlordane-3

R.T.: 5.225 min
Delta R.T.: -0.007 min
Response: 428473519
Conc: 403.11 ng/ml



#25 Chlordane-3


R.T.: 6.020 min
Delta R.T.: -0.002 min
Response: 137885720
Conc: 352.57 ng/ml



#26 Chlordane-4


R.T.: 5.282 min
Delta R.T.: -0.007 min
Response: 409761477
Conc: 425.28 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 6.093 min
Delta R.T.: -0.005 min
Response: 135056474
Conc: 281.84 ng/ml




#27 Chlordane-5

R.T.: 5.963 min
Delta R.T.: 0.066 min
Response: 312968861
Conc: 2391.48 ng/ml



#27 Chlordane-5


R.T.: 6.934 min
Delta R.T.: 0.045 min
Response: 91311668
Conc: 1014.77 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.010 min
Delta R.T.: -0.010 min
Response: 284788180
Conc: 47.20 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 8.945 min
Delta R.T.: -0.006 min
Response: 95850391
Conc: 48.31 ng/ml