

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL070819\
 Data File : PL050216.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Jul 2019 13:31
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Ankita
 7/9/2019 9:31:02 AM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 09 03:30:20 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062019.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 21 02:23:20 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.321	3.932	640.4E6	164.4E6	56.786	53.710
28)	SA Decachlor...	7.985	8.964	567.7E6	150.3E6	44.682	44.784
Target Compounds							
2)	A alpha-BHC	3.749	4.321	1082.9E6	243.9E6	57.642	54.482
3)	MA gamma-BHC...	4.024	4.604	1001.7E6	229.1E6	56.498	55.226
4)	MA Heptachlor	4.308	5.106	1053.4E6	242.7E6	57.952	56.060
5)	MB Aldrin	4.546	5.408	1012.2E6	224.1E6	58.619	57.213
6)	B beta-BHC	4.278	4.779	417.3E6	104.1E6	57.044	53.732
7)	B delta-BHC	4.472	4.993	1045.3E6	222.6E6	58.447	56.511
8)	B Heptachlor...	4.983	5.795	917.4E6	209.1E6	56.991	57.522
9)	A Endosulfan I	5.314	6.150	847.0E6	188.9E6	54.745	55.595
10)	B gamma-Chl...	5.205	6.029	968.8E6	212.3E6	56.692	56.979
11)	B alpha-Chl...	5.261	6.101	935.3E6	208.2E6	56.344	56.303
12)	B 4,4'-DDE	5.429	6.261	813.5E6	203.7E6	48.831	58.702
13)	MA Dieldrin	5.552	6.406	936.1E6	200.9E6	56.198	56.619
14)	MA Endrin	5.805	6.624	863.3E6	169.9E6	53.906	53.816
15)	B Endosulfa...	6.080	6.835	799.5E6	171.0E6	54.871	53.092
16)	A 4,4'-DDD	5.938	6.751	747.9E6	156.4E6	59.246m	59.842
17)	MA 4,4'-DDT	6.173	7.048	683.5E6	143.3E6	51.486	48.941
18)	B Endrin al...	6.246	6.959	633.5E6	144.6E6	53.635	52.645
19)	B Endosulfa...	6.458	7.182	677.7E6	157.2E6	52.266	52.246
20)	A Methoxychlor	6.718	7.508	330.4E6	79558675	50.691	47.732
21)	B Endrin ke...	6.939	7.651	724.5E6	160.3E6	51.543	51.451
22)	Mirex	7.113	8.100	494.0E6	121.5E6	47.790	48.060

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL070819\
Data File : PL050216.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Jul 2019 13:31
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/9/2019 9:31:02 AM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 09 03:30:20 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL062019.M
Quant Title : GC Extractables
QLast Update : Fri Jun 21 02:23:20 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.321 min
Delta R.T.: -0.003 min
Response: 640409723
Conc: 56.79 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/9/2019 9:31:02 AM




#1 Tetrachloro-m-xylene

R.T.: 3.932 min
Delta R.T.: -0.003 min
Response: 164447862
Conc: 53.71 ng/ml




#2 alpha-BHC

R.T.: 3.749 min
Delta R.T.: -0.003 min
Response: 1082932245
Conc: 57.64 ng/ml



#2 alpha-BHC

R.T.: 4.321 min
Delta R.T.: -0.003 min
Response: 243892466
Conc: 54.48 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.024 min
Delta R.T.: -0.004 min
Response: 1001742753
Conc: 56.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/9/2019 9:31:02 AM




#3 gamma-BHC (Lindane)

R.T.: 4.604 min
Delta R.T.: -0.004 min
Response: 229067197
Conc: 55.23 ng/ml




#4 Heptachlor

R.T.: 4.308 min
Delta R.T.: -0.004 min
Response: 1053408850
Conc: 57.95 ng/ml



#4 Heptachlor

R.T.: 5.106 min
Delta R.T.: -0.004 min
Response: 242652829
Conc: 56.06 ng/ml




#5 Aldrin

R.T.: 4.546 min
Delta R.T.: -0.005 min
Response: 1012235188
Conc: 58.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/9/2019 9:31:02 AM




#5 Aldrin

R.T.: 5.408 min
Delta R.T.: -0.005 min
Response: 224106527
Conc: 57.21 ng/ml




#6 beta-BHC

R.T.: 4.278 min
Delta R.T.: -0.004 min
Response: 417264749
Conc: 57.04 ng/ml



#6 beta-BHC

R.T.: 4.779 min
Delta R.T.: -0.004 min
Response: 104080216
Conc: 53.73 ng/ml




#7 delta-BHC

R.T.: 4.472 min
Delta R.T.: -0.005 min
Response: 1045254285
Conc: 58.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/9/2019 9:31:02 AM




#7 delta-BHC

R.T.: 4.993 min
Delta R.T.: -0.004 min
Response: 222589703
Conc: 56.51 ng/ml




#8 Heptachlor epoxide

R.T.: 4.983 min
Delta R.T.: -0.005 min
Response: 917394876
Conc: 56.99 ng/ml



#8 Heptachlor epoxide

R.T.: 5.795 min
Delta R.T.: -0.005 min
Response: 209136569
Conc: 57.52 ng/ml




#9 Endosulfan I

R.T.: 5.314 min
Delta R.T.: -0.005 min
Response: 847040310
Conc: 54.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/9/2019 9:31:02 AM




#9 Endosulfan I

R.T.: 6.150 min
Delta R.T.: -0.005 min
Response: 188875777
Conc: 55.59 ng/ml




#10 gamma-Chlordane

R.T.: 5.205 min
Delta R.T.: -0.005 min
Response: 968803559
Conc: 56.69 ng/ml



#10 gamma-Chlordane

R.T.: 6.029 min
Delta R.T.: -0.005 min
Response: 212330170
Conc: 56.98 ng/ml




#11 alpha-Chlordane

R.T.: 5.261 min
Delta R.T.: -0.005 min
Response: 935252152
Conc: 56.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/9/2019 9:31:02 AM




#11 alpha-Chlordane

R.T.: 6.101 min
Delta R.T.: -0.005 min
Response: 208231797
Conc: 56.30 ng/ml




#12 4,4'-DDE

R.T.: 5.429 min
Delta R.T.: -0.006 min
Response: 813482371
Conc: 48.83 ng/ml



#12 4,4'-DDE

R.T.: 6.261 min
Delta R.T.: -0.005 min
Response: 203703239
Conc: 58.70 ng/ml




#13 Dieldrin

R.T.: 5.552 min
Delta R.T.: -0.005 min
Response: 936137040
Conc: 56.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/9/2019 9:31:02 AM




#13 Dieldrin

R.T.: 6.406 min
Delta R.T.: -0.006 min
Response: 200858353
Conc: 56.62 ng/ml




#14 Endrin

R.T.: 5.805 min
Delta R.T.: -0.006 min
Response: 863284078
Conc: 53.91 ng/ml



#14 Endrin

R.T.: 6.624 min
Delta R.T.: -0.006 min
Response: 169908009
Conc: 53.82 ng/ml




#15 Endosulfan II

R.T.: 6.080 min
Delta R.T.: -0.005 min
Response: 799547114
Conc: 54.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/9/2019 9:31:02 AM




#15 Endosulfan II

R.T.: 6.835 min
Delta R.T.: -0.006 min
Response: 171005506
Conc: 53.09 ng/ml




#16 4,4'-DDD

R.T.: 5.938 min
Delta R.T.: -0.007 min
Response: 747921582
Conc: 59.25 ng/ml m



#16 4,4'-DDD

R.T.: 6.751 min
Delta R.T.: -0.006 min
Response: 156441798
Conc: 59.84 ng/ml




#17 4,4'-DDT

R.T.: 6.173 min
Delta R.T.: -0.006 min
Response: 683519620
Conc: 51.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/9/2019 9:31:02 AM




#17 4,4'-DDT

R.T.: 7.048 min
Delta R.T.: -0.005 min
Response: 143336816
Conc: 48.94 ng/ml




#18 Endrin aldehyde

R.T.: 6.246 min
Delta R.T.: -0.006 min
Response: 633526278
Conc: 53.64 ng/ml



#18 Endrin aldehyde

R.T.: 6.959 min
Delta R.T.: -0.005 min
Response: 144582209
Conc: 52.64 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.458 min
Delta R.T.: -0.006 min
Response: 677660426
Conc: 52.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/9/2019 9:31:02 AM




#19 Endosulfan Sulfate

R.T.: 7.182 min
Delta R.T.: -0.006 min
Response: 157239423
Conc: 52.25 ng/ml




#20 Methoxychlor

R.T.: 6.718 min
Delta R.T.: -0.007 min
Response: 330417353
Conc: 50.69 ng/ml



#20 Methoxychlor

R.T.: 7.508 min
Delta R.T.: -0.007 min
Response: 79558675
Conc: 47.73 ng/ml




#21 Endrin ketone

R.T.: 6.939 min
Delta R.T.: -0.007 min
Response: 724453913
Conc: 51.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/9/2019 9:31:02 AM




#21 Endrin ketone

R.T.: 7.651 min
Delta R.T.: -0.006 min
Response: 160331633
Conc: 51.45 ng/ml




#22 Mirex

R.T.: 7.113 min
Delta R.T.: -0.007 min
Response: 494000802
Conc: 47.79 ng/ml



#22 Mirex

R.T.: 8.100 min
Delta R.T.: -0.007 min
Response: 121528258
Conc: 48.06 ng/ml




#28 Decachlorobiphenyl

R.T.: 7.985 min
Delta R.T.: -0.007 min
Response: 567749998
Conc: 44.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Manual Integrations
APPROVED

Ankita
7/9/2019 9:31:02 AM



#28 Decachlorobiphenyl

R.T.: 8.964 min
Delta R.T.: -0.009 min
Response: 150340888
Conc: 44.78 ng/ml