

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071020\
 Data File : PL059783.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Jul 2020 12:31
 Operator : DD\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 10 18:26:56 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071020.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 10 16:25:51 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.466	4.012	37382288	51440788	19.327	19.410
28)	SA Decachlor...	8.231	9.101	33470992	42969077	20.346	20.546
Target Compounds							
2)	A alpha-BHC	3.903	4.401	25034270	33371000	8.710	8.644
3)	MA gamma-BHC...	4.187	4.686	21559980	31552710	8.730	8.700
4)	MA Heptachlor	0.000	5.204	0	930750	N.D.	0.277 #
6)	B beta-BHC	4.438	4.856	10497314	14813829	10.279	9.799
13)	MA Dieldrin	0.000	6.491f	0	3209886	N.D.	1.160 #
14)	MA Endrin	6.023	6.726	74541973	106.5E6	51.212	50.046
16)	A 4,4'-DDD	6.150	6.848	3323026	3905185	2.177	1.701
17)	MA 4,4'-DDT	6.392	7.148	142.6E6	201.7E6	109.658	102.450
18)	B Endrin al...	6.464	7.059	2499139	2231012	1.752	1.027 #
20)	A Methoxychlor	6.939	7.608	194.6E6	274.2E6	260.166	241.528
21)	B Endrin ke...	7.167	7.755	4227072	4525769	2.252	1.752


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071020\
Data File : PL059783.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Jul 2020 12:31
Operator : DD\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 10 18:26:56 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071020.M
Quant Title : GC Extractables
QLast Update : Fri Jul 10 16:25:51 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.466 min
Delta R.T.: 0.000 min
Response: 37382288
Conc: 19.33 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 4.012 min
Delta R.T.: 0.000 min
Response: 51440788
Conc: 19.41 ng/ml




#2 alpha-BHC

R.T.: 3.903 min
Delta R.T.: 0.000 min
Response: 25034270
Conc: 8.71 ng/ml



#2 alpha-BHC


R.T.: 4.401 min
Delta R.T.: -0.001 min
Response: 33371000
Conc: 8.64 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.187 min
Delta R.T.: 0.000 min
Response: 21559980
Conc: 8.73 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.686 min
Delta R.T.: 0.000 min
Response: 31552710
Conc: 8.70 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T. : 4.490 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 5.204 min
Delta R.T.: 0.006 min
Response: 930750
Conc: 0.28 ng/ml



#6 beta-BHC


R.T.: 4.438 min
Delta R.T.: 0.000 min
Response: 10497314
Conc: 10.28 ng/ml

Instrument :
ECD_L
ClientSampleId :




#6 beta-BHC

R.T.: 4.856 min
Delta R.T.: 0.000 min
Response: 14813829
Conc: 9.80 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T. : 5.765 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 6.491 min
Delta R.T.: -0.017 min
Response: 3209886
Conc: 1.16 ng/ml



#14 Endrin


R.T.: 6.023 min
Delta R.T.: 0.000 min
Response: 74541973
Conc: 51.21 ng/ml

Instrument :
ECD_L
ClientSampleId :




#14 Endrin

R.T.: 6.726 min
Delta R.T.: 0.000 min
Response: 106503571
Conc: 50.05 ng/ml




#16 4,4'-DDD

R.T.: 6.150 min
Delta R.T.: 0.000 min
Response: 3323026
Conc: 2.18 ng/ml



#16 4,4'-DDD


R.T.: 6.848 min
Delta R.T.: 0.000 min
Response: 3905185
Conc: 1.70 ng/ml



#17 4,4'-DDT


R.T.: 6.392 min
Delta R.T.: 0.000 min
Response: 142575020
Conc: 109.66 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 7.148 min
Delta R.T.: 0.000 min
Response: 201728484
Conc: 102.45 ng/ml




#18 Endrin aldehyde

R.T.: 6.464 min
Delta R.T.: 0.000 min
Response: 2499139
Conc: 1.75 ng/ml



#18 Endrin aldehyde


R.T.: 7.059 min
Delta R.T.: 0.000 min
Response: 2231012
Conc: 1.03 ng/ml



#20 Methoxychlor


R.T.: 6.939 min
Delta R.T.: 0.000 min
Response: 194600107
Conc: 260.17 ng/ml

Instrument :
ECD_L
ClientSampleId :




#20 Methoxychlor

R.T.: 7.608 min
Delta R.T.: 0.000 min
Response: 274191732
Conc: 241.53 ng/ml




#21 Endrin ketone

R.T.: 7.167 min
Delta R.T.: 0.000 min
Response: 4227072
Conc: 2.25 ng/ml



#21 Endrin ketone


R.T.: 7.755 min
Delta R.T.: -0.001 min
Response: 4525769
Conc: 1.75 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.231 min
Delta R.T.: 0.000 min
Response: 33470992
Conc: 20.35 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 9.101 min
Delta R.T.: -0.002 min
Response: 42969077
Conc: 20.55 ng/ml