

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071125\
 Data File : PL096346.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 Jul 2025 16:35
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 11 22:50:49 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 07 15:22:07 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.536	2.827	195.0E6	262.4E6	53.428	45.463
28)	SA Decachlor...	9.019	7.994	150.2E6	239.1E6	53.394	47.948
Target Compounds							
2)	A alpha-BHC	3.984	3.333	283.4E6	393.2E6	55.106	46.616
3)	MA gamma-BHC...	4.312	3.666	273.7E6	365.7E6	54.972	46.435
4)	MA Heptachlor	4.905	4.015	257.6E6	358.5E6	56.234	47.127
5)	MB Aldrin	5.245	4.298	261.1E6	341.2E6	54.025	46.763
6)	B beta-BHC	4.498	3.962	111.5E6	156.0E6	53.617	45.562
7)	B delta-BHC	4.745	4.195	241.1E6	357.2E6	53.809	46.375
8)	B Heptachlo...	5.664	4.800	239.6E6	307.5E6	57.754	45.993
9)	A Endosulfan I	6.046	5.171	217.8E6	288.4E6	53.936	40.196 #
10)	B gamma-Chl...	5.918	5.052	235.7E6	326.7E6	53.264	46.540
11)	B alpha-Chl...	5.999	5.116	237.1E6	322.3E6	54.136	42.854
12)	B 4,4'-DDE	6.169	5.305	199.8E6	301.0E6	53.903	46.569
13)	MA Dieldrin	6.318	5.436	227.6E6	319.3E6	53.828	46.824
14)	MA Endrin	6.545	5.710	180.2E6	284.6E6	57.953	46.679
15)	B Endosulfa...	6.757	6.002	215.4E6	272.8E6	62.088	46.514 #
16)	A 4,4'-DDD	6.677	5.858	166.6E6	253.7E6	57.205	49.471
17)	MA 4,4'-DDT	6.992	6.110	172.9E6	265.6E6	56.964	46.303
18)	B Endrin al...	6.886	6.180	141.2E6	206.7E6	63.168	46.401 #
19)	B Endosulfa...	7.119	6.404	167.5E6	262.1E6	54.761	46.606
20)	A Methoxychlor	7.464	6.683	87942612	143.5E6	55.822	47.226
21)	B Endrin ke...	7.599	6.908	177.7E6	315.7E6	53.824	50.495
22)	Mirex	8.079	7.099	149.7E6	233.0E6	53.801	46.904
24)	Chlordane-2	5.245f	0.000	261.1E6	0	1333.859	N.D. #
25)	Chlordane-3	5.918	5.052	235.7E6	326.7E6	319.890	406.064 #
26)	Chlordane-4	5.999	5.116	237.1E6	322.3E6	264.206	428.878 #
27)	Chlordane-5	0.000	6.002	0	272.8E6	N.D.	962.251 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071125\
Data File : PL096346.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jul 2025 16:35
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 11 22:50:49 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
Quant Title : GC Extractables
QLast Update : Mon Jul 07 15:22:07 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.536 min
Delta R.T.: 0.000 min
Response: 194956579
Conc: 53.43 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.827 min
Delta R.T.: 0.000 min
Response: 262379024
Conc: 45.46 ng/ml




#2 alpha-BHC

R.T.: 3.984 min
Delta R.T.: 0.000 min
Response: 283415682
Conc: 55.11 ng/ml



#2 alpha-BHC


R.T.: 3.333 min
Delta R.T.: -0.001 min
Response: 393174997
Conc: 46.62 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.312 min
Delta R.T.: 0.000 min
Response: 273742893
Conc: 54.97 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.666 min
Delta R.T.: 0.000 min
Response: 365714537
Conc: 46.43 ng/ml




#4 Heptachlor

R.T.: 4.905 min
Delta R.T.: 0.000 min
Response: 257619128
Conc: 56.23 ng/ml



#4 Heptachlor


R.T.: 4.015 min
Delta R.T.: -0.001 min
Response: 358532101
Conc: 47.13 ng/ml



#5 Aldrin


R.T.: 5.245 min
Delta R.T.: -0.001 min
Response: 261143060
Conc: 54.03 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.298 min
Delta R.T.: -0.001 min
Response: 341163504
Conc: 46.76 ng/ml




#6 beta-BHC

R.T.: 4.498 min
Delta R.T.: -0.001 min
Response: 111459350
Conc: 53.62 ng/ml



#6 beta-BHC


R.T.: 3.962 min
Delta R.T.: -0.001 min
Response: 156001675
Conc: 45.56 ng/ml



#7 delta-BHC


R.T.: 4.745 min
Delta R.T.: 0.000 min
Response: 241135715
Conc: 53.81 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.195 min
Delta R.T.: -0.001 min
Response: 357174995
Conc: 46.37 ng/ml




#8 Heptachlor epoxide

R.T.: 5.664 min
Delta R.T.: -0.001 min
Response: 239629102
Conc: 57.75 ng/ml



#8 Heptachlor epoxide


R.T.: 4.800 min
Delta R.T.: 0.000 min
Response: 307456915
Conc: 45.99 ng/ml



#9 Endosulfan I


R.T.: 6.046 min
Delta R.T.: 0.000 min
Response: 217753670
Conc: 53.94 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.171 min
Delta R.T.: 0.000 min
Response: 288370212
Conc: 40.20 ng/ml




#10 gamma-Chlordane

R.T.: 5.918 min
Delta R.T.: 0.000 min
Response: 235680576
Conc: 53.26 ng/ml



#10 gamma-Chlordane


R.T.: 5.052 min
Delta R.T.: -0.002 min
Response: 326694031
Conc: 46.54 ng/ml



#11 alpha-Chlordane


R.T.: 5.999 min
Delta R.T.: 0.000 min
Response: 237052957
Conc: 54.14 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.116 min
Delta R.T.: -0.002 min
Response: 322270619
Conc: 42.85 ng/ml




#12 4,4'-DDE

R.T.: 6.169 min
Delta R.T.: -0.001 min
Response: 199845601
Conc: 53.90 ng/ml



#12 4,4'-DDE


R.T.: 5.305 min
Delta R.T.: 0.000 min
Response: 301004450
Conc: 46.57 ng/ml



#13 Dieldrin


R.T.: 6.318 min
Delta R.T.: -0.001 min
Response: 227608067
Conc: 53.83 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.436 min
Delta R.T.: 0.000 min
Response: 319307560
Conc: 46.82 ng/ml




#14 Endrin

R.T.: 6.545 min
Delta R.T.: 0.000 min
Response: 180244645
Conc: 57.95 ng/ml



#14 Endrin


R.T.: 5.710 min
Delta R.T.: 0.000 min
Response: 284579544
Conc: 46.68 ng/ml



#15 Endosulfan II


R.T.: 6.757 min
Delta R.T.: 0.000 min
Response: 215449130
Conc: 62.09 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 6.002 min
Delta R.T.: 0.000 min
Response: 272750458
Conc: 46.51 ng/ml




#16 4,4'-DDD

R.T.: 6.677 min
Delta R.T.: 0.000 min
Response: 166562806
Conc: 57.20 ng/ml



#16 4,4'-DDD


R.T.: 5.858 min
Delta R.T.: -0.001 min
Response: 253720705
Conc: 49.47 ng/ml



#17 4,4'-DDT


R.T.: 6.992 min
Delta R.T.: 0.000 min
Response: 172897886
Conc: 56.96 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.110 min
Delta R.T.: -0.002 min
Response: 265551219
Conc: 46.30 ng/ml




#18 Endrin aldehyde

R.T.: 6.886 min
Delta R.T.: 0.000 min
Response: 141215058
Conc: 63.17 ng/ml



#18 Endrin aldehyde


R.T.: 6.180 min
Delta R.T.: 0.000 min
Response: 206698947
Conc: 46.40 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.119 min
Delta R.T.: 0.000 min
Response: 167506499
Conc: 54.76 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.404 min
Delta R.T.: -0.002 min
Response: 262130276
Conc: 46.61 ng/ml




#20 Methoxychlor

R.T.: 7.464 min
Delta R.T.: 0.000 min
Response: 87942612
Conc: 55.82 ng/ml



#20 Methoxychlor


R.T.: 6.683 min
Delta R.T.: -0.002 min
Response: 143462776
Conc: 47.23 ng/ml



#21 Endrin ketone


R.T.: 7.599 min
Delta R.T.: 0.000 min
Response: 177707956
Conc: 53.82 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.908 min
Delta R.T.: 0.000 min
Response: 315707465
Conc: 50.50 ng/ml




#22 Mirex

R.T.: 8.079 min
Delta R.T.: 0.000 min
Response: 149686077
Conc: 53.80 ng/ml



#22 Mirex


R.T.: 7.099 min
Delta R.T.: -0.002 min
Response: 233025725
Conc: 46.90 ng/ml



#24 Chlordane-2


R.T.: 5.245 min
Delta R.T.: 0.028 min
Response: 261143060
Conc: 1333.86 ng/ml

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.420 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.918 min
Delta R.T.: -0.002 min
Response: 235680576
Conc: 319.89 ng/ml



#25 Chlordane-3


R.T.: 5.052 min
Delta R.T.: -0.003 min
Response: 326694031
Conc: 406.06 ng/ml



#26 Chlordane-4


R.T.: 5.999 min
Delta R.T.: -0.005 min
Response: 237052957
Conc: 264.21 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 5.116 min
Delta R.T.: -0.002 min
Response: 322270619
Conc: 428.88 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.841 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 6.002 min
Delta R.T.: -0.010 min
Response: 272750458
Conc: 962.25 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.019 min
Delta R.T.: -0.001 min
Response: 150201223
Conc: 53.39 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.994 min
Delta R.T.: -0.002 min
Response: 239091155
Conc: 47.95 ng/ml