

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071322\
 Data File : PL076409.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Jul 2022 09:29
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 14 00:09:09 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070822.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 08 16:50:17 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	5.639	4.626	15228160	40416004	21.139	19.989
2)	SA Decachlor...	11.627	10.361	13042274	33619199	22.107	20.036
Target Compounds							
2)	A alpha-BHC	6.223	5.326	9484658	26106911	10.120	9.519
3)	MA gamma-BHC...	6.621	5.746	9398599	24702340	10.725	10.036
4)	MA Heptachlor	0.000	6.126f	0	14051249	N.D.	5.792 #
6)	B beta-BHC	6.874	6.126	4671841	14051249	10.628	12.848
7)	B delta-BHC	0.000	6.387	0	587890	N.D.	0.246 #
8)	B Heptachlo...	8.120	0.000	940355	0	1.208	N.D. #
11)	B alpha-Chl...	0.000	7.373f	0	300733	N.D.	0.150 #
13)	MA Dieldrin	0.000	7.730	0	65337	N.D.	0.035 #
14)	MA Endrin	9.056	8.027	30755335	77227307	53.452	53.418
15)	B Endosulfa...	9.298	8.360f	594362	371953	0.995	0.241 #
16)	A 4,4'-DDD	9.195	8.190	1390779	3628044	2.662	2.502
17)	MA 4,4'-DDT	9.515	8.450	64658187	164.9E6	108.839	105.498
18)	B Endrin al...	9.424	8.525	760173	2479259	1.575	1.978 #
20)	A Methoxychlor	10.000	9.042	87397158	208.5E6	260.803	244.424
21)	B Endrin ke...	10.165	9.270	2562576	9337741	3.791	5.549 #
26)	Chlordane-4	0.000	7.373f	0	300733	N.D.	1.631 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071322\
Data File : PL076409.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Jul 2022 09:29
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 14 00:09:09 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070822.M
Quant Title : GC Extractables
QLast Update : Fri Jul 08 16:50:17 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 5.639 min
Delta R.T.: -0.002 min
Response: 15228160
Conc: 21.14 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 4.626 min
Delta R.T.: -0.002 min
Response: 40416004
Conc: 19.99 ng/ml




#2 alpha-BHC

R.T.: 6.223 min
Delta R.T.: -0.002 min
Response: 9484658
Conc: 10.12 ng/ml



#2 alpha-BHC


R.T.: 5.326 min
Delta R.T.: -0.003 min
Response: 26106911
Conc: 9.52 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 6.621 min
Delta R.T.: -0.002 min
Response: 9398599
Conc: 10.72 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 5.746 min
Delta R.T.: -0.003 min
Response: 24702340
Conc: 10.04 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T. : 7.278 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 6.126 min
Delta R.T.: -0.030 min
Response: 14051249
Conc: 5.79 ng/ml



#6 beta-BHC


R.T.: 6.874 min
Delta R.T.: -0.002 min
Response: 4671841
Conc: 10.63 ng/ml

Instrument :
ECD_L
ClientSampleId :




#6 beta-BHC

R.T.: 6.126 min
Delta R.T.: -0.003 min
Response: 14051249
Conc: 12.85 ng/ml




#7 delta-BHC

R.T.: 0.000 min
Exp R.T. : 7.145 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 6.387 min
Delta R.T.: -0.002 min
Response: 587890
Conc: 0.25 ng/ml



#8 Heptachlor epoxide


R.T.: 8.120 min
Delta R.T.: 0.001 min
Response: 940355
Conc: 1.21 ng/ml

Instrument :
ECD_L
ClientSampleId :




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T. : 7.053 min
Response: 0
Conc: N.D.




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T. : 8.471 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 7.373 min
Delta R.T.: -0.025 min
Response: 300733
Conc: 0.15 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 8.817 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 7.730 min
Delta R.T.: -0.010 min
Response: 65337
Conc: 0.03 ng/ml




#14 Endrin

R.T.: 9.056 min
Delta R.T.: -0.003 min
Response: 30755335
Conc: 53.45 ng/ml



#14 Endrin


R.T.: 8.027 min
Delta R.T.: -0.003 min
Response: 77227307
Conc: 53.42 ng/ml



#15 Endosulfan II


R.T.: 9.298 min
Delta R.T.: 0.006 min
Response: 594362
Conc: 0.99 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 8.360 min
Delta R.T.: 0.020 min
Response: 371953
Conc: 0.24 ng/ml




#16 4,4'-DDD

R.T.: 9.195 min
Delta R.T.: -0.003 min
Response: 1390779
Conc: 2.66 ng/ml



#16 4,4'-DDD


R.T.: 8.190 min
Delta R.T.: -0.004 min
Response: 3628044
Conc: 2.50 ng/ml



#17 4,4'-DDT


R.T.: 9.515 min
Delta R.T.: -0.002 min
Response: 64658187
Conc: 108.84 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 8.450 min
Delta R.T.: -0.003 min
Response: 164944114
Conc: 105.50 ng/ml




#18 Endrin aldehyde

R.T.: 9.424 min
Delta R.T.: -0.002 min
Response: 760173
Conc: 1.58 ng/ml



#18 Endrin aldehyde


R.T.: 8.525 min
Delta R.T.: -0.002 min
Response: 2479259
Conc: 1.98 ng/ml



#20 Methoxychlor


R.T.: 10.000 min
Delta R.T.: -0.002 min
Response: 87397158
Conc: 260.80 ng/ml

Instrument :
ECD_L
ClientSampleId :




#20 Methoxychlor

R.T.: 9.042 min
Delta R.T.: -0.004 min
Response: 208506211
Conc: 244.42 ng/ml




#21 Endrin ketone

R.T.: 10.165 min
Delta R.T.: -0.002 min
Response: 2562576
Conc: 3.79 ng/ml



#21 Endrin ketone


R.T.: 9.270 min
Delta R.T.: -0.005 min
Response: 9337741
Conc: 5.55 ng/ml



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T.: 8.472 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 7.373 min
Delta R.T.: -0.023 min
Response: 300733
Conc: 1.63 ng/ml



#28 Decachlorobiphenyl

R.T.: 11.627 min
Delta R.T.: -0.005 min
Response: 13042274
Conc: 22.11 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.361 min
Delta R.T.: -0.005 min
Response: 33619199
Conc: 20.04 ng/ml