

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071422\
 Data File : PL076446.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Jul 2022 15:54
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 15 00:13:23 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070822.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 08 16:50:17 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	5.640	4.625	14921805	41810861	20.713	20.679
28)	SA Decachlor...	11.630	10.361	12936884	32597433	21.928	19.427
Target Compounds							
2)	A alpha-BHC	6.224	5.325	9329928	29720589	9.955	10.836
3)	MA gamma-BHC...	6.622	5.746	9158760	25858957	10.451	10.506
6)	B beta-BHC	6.875	6.126	5113095	14732535	11.632	13.471
8)	B Heptachlo...	8.120	0.000	999178	0	1.283	N.D. #
10)	B gamma-Chl...	0.000	7.341	0	119364	N.D.	0.060 #
12)	B 4,4'-DDE	0.000	7.614	0	1053070	N.D.	0.573 #
14)	MA Endrin	9.056	8.026	29147848	79113758	50.658	54.723
15)	B Endosulfa...	9.299	8.359f	600411	366939	1.005	0.237 #
16)	A 4,4'-DDD	9.197	8.190	1854543	5246916	3.550	3.619
17)	MA 4,4'-DDT	9.516	8.449	60496789	162.2E6	101.835	103.754
18)	B Endrin al...	9.426	8.524	751631	2418063	1.557	1.930
19)	B Endosulfa...	0.000	8.750	0	779927	N.D.	0.490 #
20)	A Methoxychlor	10.002	9.042	83433952	210.0E6	248.976	246.157
21)	B Endrin ke...	10.166	9.270	2542708	9453875	3.761	5.618 #
23)	Chlordane-1	7.045	0.000	241716	0	10.797	N.D. #
25)	Chlordane-3	0.000	7.341	0	119364	N.D.	0.705 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071422\
Data File : PL076446.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Jul 2022 15:54
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 15 00:13:23 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070822.M
Quant Title : GC Extractables
QLast Update : Fri Jul 08 16:50:17 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 5.640 min
Delta R.T.: 0.000 min
Response: 14921805
Conc: 20.71 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 4.625 min
Delta R.T.: -0.003 min
Response: 41810861
Conc: 20.68 ng/ml




#2 alpha-BHC

R.T.: 6.224 min
Delta R.T.: -0.002 min
Response: 9329928
Conc: 9.95 ng/ml



#2 alpha-BHC


R.T.: 5.325 min
Delta R.T.: -0.004 min
Response: 29720589
Conc: 10.84 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 6.622 min
Delta R.T.: 0.000 min
Response: 9158760
Conc: 10.45 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 5.746 min
Delta R.T.: -0.004 min
Response: 25858957
Conc: 10.51 ng/ml




#6 beta-BHC

R.T.: 6.875 min
Delta R.T.: 0.000 min
Response: 5113095
Conc: 11.63 ng/ml



#6 beta-BHC


R.T.: 6.126 min
Delta R.T.: -0.004 min
Response: 14732535
Conc: 13.47 ng/ml



#8 Heptachlor epoxide


R.T.: 8.120 min
Delta R.T.: 0.001 min
Response: 999178
Conc: 1.28 ng/ml

Instrument :
ECD_L
ClientSampleId :




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T. : 7.053 min
Response: 0
Conc: N.D.




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T. : 8.389 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 7.341 min
Delta R.T.: 0.011 min
Response: 119364
Conc: 0.06 ng/ml



#12 4,4'-DDE


R.T.: 0.000 min
Exp R.T.: 8.657 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#12 4,4'-DDE

R.T.: 7.614 min
Delta R.T.: 0.003 min
Response: 1053070
Conc: 0.57 ng/ml




#14 Endrin

R.T.: 9.056 min
Delta R.T.: -0.002 min
Response: 29147848
Conc: 50.66 ng/ml



#14 Endrin


R.T.: 8.026 min
Delta R.T.: -0.004 min
Response: 79113758
Conc: 54.72 ng/ml



#15 Endosulfan II


R.T.: 9.299 min
Delta R.T.: 0.007 min
Response: 600411
Conc: 1.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 8.359 min
Delta R.T.: 0.019 min
Response: 366939
Conc: 0.24 ng/ml




#16 4,4'-DDD

R.T.: 9.197 min
Delta R.T.: -0.002 min
Response: 1854543
Conc: 3.55 ng/ml



#16 4,4'-DDD


R.T.: 8.190 min
Delta R.T.: -0.004 min
Response: 5246916
Conc: 3.62 ng/ml



#17 4,4'-DDT


R.T.: 9.516 min
Delta R.T.: 0.000 min
Response: 60496789
Conc: 101.83 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 8.449 min
Delta R.T.: -0.004 min
Response: 162216982
Conc: 103.75 ng/ml




#18 Endrin aldehyde

R.T.: 9.426 min
Delta R.T.: 0.000 min
Response: 751631
Conc: 1.56 ng/ml



#18 Endrin aldehyde


R.T.: 8.524 min
Delta R.T.: -0.003 min
Response: 2418063
Conc: 1.93 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T.: 9.665 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 8.750 min
Delta R.T.: -0.007 min
Response: 779927
Conc: 0.49 ng/ml




#20 Methoxychlor

R.T.: 10.002 min
Delta R.T.: 0.000 min
Response: 83433952
Conc: 248.98 ng/ml



#20 Methoxychlor


R.T.: 9.042 min
Delta R.T.: -0.004 min
Response: 209984409
Conc: 246.16 ng/ml



#21 Endrin ketone


R.T.: 10.166 min
Delta R.T.: -0.001 min
Response: 2542708
Conc: 3.76 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 9.270 min
Delta R.T.: -0.005 min
Response: 9453875
Conc: 5.62 ng/ml




#23 Chlordane-1

R.T.: 7.045 min
Delta R.T.: 0.011 min
Response: 241716
Conc: 10.80 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T. : 5.945 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 8.388 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 7.341 min
Delta R.T.: 0.012 min
Response: 119364
Conc: 0.70 ng/ml



#28 Decachlorobiphenyl

R.T.: 11.630 min
Delta R.T.: -0.002 min
Response: 12936884
Conc: 21.93 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.361 min
Delta R.T.: -0.006 min
Response: 32597433
Conc: 19.43 ng/ml