

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071422\
 Data File : PL076433.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Jul 2022 08:39
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 15 00:03:57 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070822.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 08 16:50:17 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	5.641	4.627	15419555	41827558	21.404	20.688
28)	SA Decachlor...	11.633	10.364	12956945	32354057	21.962	19.282
Target Compounds							
2)	A alpha-BHC	6.225	5.327	9642074	26958084	10.288	9.829
3)	MA gamma-BHC...	6.623	5.747	9514634	25364771	10.857	10.306
6)	B beta-BHC	6.875	6.127	4652678	14174762	10.585	12.961
14)	MA Endrin	9.058	8.029	29868458	77712101	51.911	53.754
16)	A 4,4'-DDD	9.198	8.192	1793329	4769347	3.432	3.289
17)	MA 4,4'-DDT	9.518	8.452	62389630	161.0E6	105.021	102.958
18)	B Endrin al...	9.427	8.526	798538	2574196	1.655	2.054
20)	A Methoxychlor	10.003	9.045	84770513	204.3E6	252.965	239.466
21)	B Endrin ke...	10.168	9.273	2452364	6923287	3.628	4.114



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071422\
Data File : PL076433.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Jul 2022 08:39
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 15 00:03:57 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070822.M
Quant Title : GC Extractables
QLast Update : Fri Jul 08 16:50:17 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 5.641 min
Delta R.T.: 0.000 min
Response: 15419555
Conc: 21.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 4.627 min
Delta R.T.: -0.001 min
Response: 41827558
Conc: 20.69 ng/ml




#2 alpha-BHC

R.T.: 6.225 min
Delta R.T.: 0.000 min
Response: 9642074
Conc: 10.29 ng/ml



#2 alpha-BHC


R.T.: 5.327 min
Delta R.T.: -0.002 min
Response: 26958084
Conc: 9.83 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 6.623 min
Delta R.T.: 0.000 min
Response: 9514634
Conc: 10.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 5.747 min
Delta R.T.: -0.003 min
Response: 25364771
Conc: 10.31 ng/ml




#6 beta-BHC

R.T.: 6.875 min
Delta R.T.: 0.000 min
Response: 4652678
Conc: 10.58 ng/ml



#6 beta-BHC


R.T.: 6.127 min
Delta R.T.: -0.003 min
Response: 14174762
Conc: 12.96 ng/ml



#14 Endrin


R.T.: 9.058 min
Delta R.T.: 0.000 min
Response: 29868458
Conc: 51.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#14 Endrin

R.T.: 8.029 min
Delta R.T.: -0.001 min
Response: 77712101
Conc: 53.75 ng/ml




#16 4,4'-DDD

R.T.: 9.198 min
Delta R.T.: 0.000 min
Response: 1793329
Conc: 3.43 ng/ml



#16 4,4'-DDD


R.T.: 8.192 min
Delta R.T.: -0.002 min
Response: 4769347
Conc: 3.29 ng/ml



#17 4,4'-DDT


R.T.: 9.518 min
Delta R.T.: 0.000 min
Response: 62389630
Conc: 105.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#17 4,4'-DDT

R.T.: 8.452 min
Delta R.T.: -0.002 min
Response: 160973736
Conc: 102.96 ng/ml




#18 Endrin aldehyde

R.T.: 9.427 min
Delta R.T.: 0.001 min
Response: 798538
Conc: 1.65 ng/ml



#18 Endrin aldehyde


R.T.: 8.526 min
Delta R.T.: 0.000 min
Response: 2574196
Conc: 2.05 ng/ml



#20 Methoxychlor


R.T.: 10.003 min
Delta R.T.: 0.001 min
Response: 84770513
Conc: 252.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#20 Methoxychlor

R.T.: 9.045 min
Delta R.T.: -0.001 min
Response: 204277129
Conc: 239.47 ng/ml




#21 Endrin ketone

R.T.: 10.168 min
Delta R.T.: 0.000 min
Response: 2452364
Conc: 3.63 ng/ml



#21 Endrin ketone


R.T.: 9.273 min
Delta R.T.: -0.002 min
Response: 6923287
Conc: 4.11 ng/ml



#28 Decachlorobiphenyl

R.T.: 11.633 min
Delta R.T.: 0.002 min
Response: 12956945
Conc: 21.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM



#28 Decachlorobiphenyl

R.T.: 10.364 min
Delta R.T.: -0.002 min
Response: 32354057
Conc: 19.28 ng/ml