

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071524\
 Data File : PL090513.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Jul 2024 10:05
 Operator : AR\AJ
 Sample : PSTDIC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 15 11:26:54 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071524.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 15 11:26:33 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.547	2.790	103.0E6	85078304	50.000	50.000
28)	SA Decachlor...	9.063	7.935	63018421	70984170	50.000	50.000
Target Compounds							
2)	A alpha-BHC	4.002	3.293	144.6E6	125.2E6	50.000	50.000
3)	MA gamma-BHC...	4.335	3.624	136.6E6	118.1E6	50.000	50.000
4)	MA Heptachlor	4.924	3.964	123.1E6	113.1E6	50.000	50.000
5)	MB Aldrin	5.266	4.245	120.1E6	109.1E6	50.000	50.000
6)	B beta-BHC	4.531	3.922	61446464	51601981	50.000	50.000
7)	B delta-BHC	4.778	4.152	128.1E6	113.4E6	50.000	50.000
8)	B Heptachlo...	5.691	4.748	111.1E6	98734812	50.000	50.000
9)	A Endosulfan I	6.077	5.118	101.8E6	92434952	50.000	50.000
10)	B gamma-Chl...	5.947	4.998	111.7E6	102.9E6	50.000	50.000
11)	B alpha-Chl...	6.026	5.061	109.7E6	102.4E6	50.000	50.000
12)	B 4,4'-DDE	6.199	5.251	96977134	91453614	50.000	50.000
13)	MA Dieldrin	6.352	5.382	106.6E6	99782519	50.000	50.000
14)	MA Endrin	6.582	5.658	89113128	87815735	50.000	50.000
15)	B Endosulfa...	6.800	5.952	93511406	85981164	50.000	50.000
16)	A 4,4'-DDD	6.716	5.805	81900639	75800187	50.000	50.000
17)	MA 4,4'-DDT	7.030	6.056	81217256	75553095	50.000	50.000
18)	B Endrin al...	6.930	6.131	70947082	65149319	50.000	50.000
19)	B Endosulfa...	7.164	6.354	84440916	80885935	50.000	50.000
20)	A Methoxychlor	7.505	6.631	42101400	40789905	50.000	50.000
21)	B Endrin ke...	7.649	6.860	91506874	92381342	50.000	50.000
22)	Mirex	8.123	7.042	68644860	73556245	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071524\
Data File : PL090513.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Jul 2024 10:05
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 15 11:26:54 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071524.M
Quant Title : GC Extractables
QLast Update : Mon Jul 15 11:26:33 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.547 min
Delta R.T.: 0.000 min
Response: 103029225
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.790 min
Delta R.T.: 0.000 min
Response: 85078304
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 4.002 min
Delta R.T.: 0.000 min
Response: 144585039
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 3.293 min
Delta R.T.: 0.000 min
Response: 125180039
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.335 min
Delta R.T.: 0.000 min
Response: 136593059
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.624 min
Delta R.T.: 0.000 min
Response: 118115203
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.924 min
Delta R.T.: 0.000 min
Response: 123128125
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 3.964 min
Delta R.T.: 0.000 min
Response: 113133383
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 5.266 min
Delta R.T.: 0.000 min
Response: 120135484
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.245 min
Delta R.T.: 0.000 min
Response: 109079809
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.531 min
Delta R.T.: 0.000 min
Response: 61446464
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 3.922 min
Delta R.T.: 0.000 min
Response: 51601981
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.778 min
Delta R.T.: 0.000 min
Response: 128074546
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.152 min
Delta R.T.: 0.000 min
Response: 113446835
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.691 min
Delta R.T.: 0.000 min
Response: 111077232
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 4.748 min
Delta R.T.: 0.000 min
Response: 98734812
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 6.077 min
Delta R.T.: 0.000 min
Response: 101849368
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.118 min
Delta R.T.: 0.000 min
Response: 92434952
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.947 min
Delta R.T.: 0.000 min
Response: 111672230
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 4.998 min
Delta R.T.: 0.000 min
Response: 102866196
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 6.026 min
Delta R.T.: 0.000 min
Response: 109670910
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.061 min
Delta R.T.: 0.000 min
Response: 102376587
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 6.199 min
Delta R.T.: 0.000 min
Response: 96977134
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 5.251 min
Delta R.T.: 0.000 min
Response: 91453614
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 6.352 min
Delta R.T.: 0.000 min
Response: 106574928
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.382 min
Delta R.T.: 0.000 min
Response: 99782519
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.582 min
Delta R.T.: 0.000 min
Response: 89113128
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 5.658 min
Delta R.T.: 0.000 min
Response: 87815735
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.800 min
Delta R.T.: 0.000 min
Response: 93511406
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.952 min
Delta R.T.: 0.000 min
Response: 85981164
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.716 min
Delta R.T.: 0.000 min
Response: 81900639
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 5.805 min
Delta R.T.: 0.000 min
Response: 75800187
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 7.030 min
Delta R.T.: 0.000 min
Response: 81217256
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.056 min
Delta R.T.: 0.000 min
Response: 75553095
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.930 min
Delta R.T.: 0.000 min
Response: 70947082
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.131 min
Delta R.T.: 0.000 min
Response: 65149319
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.164 min
Delta R.T.: 0.000 min
Response: 84440916
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.354 min
Delta R.T.: 0.000 min
Response: 80885935
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.505 min
Delta R.T.: 0.000 min
Response: 42101400
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 6.631 min
Delta R.T.: 0.000 min
Response: 40789905
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.649 min
Delta R.T.: 0.000 min
Response: 91506874
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.860 min
Delta R.T.: 0.000 min
Response: 92381342
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 8.123 min
Delta R.T.: 0.000 min
Response: 68644860
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 7.042 min
Delta R.T.: 0.000 min
Response: 73556245
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.063 min
Delta R.T.: 0.000 min
Response: 63018421
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.935 min
Delta R.T.: 0.000 min
Response: 70984170
Conc: 50.00 ng/ml