

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071524\
 Data File : PL090514.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Jul 2024 10:18
 Operator : AR\AJ
 Sample : PSTDICC025
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 15 11:34:59 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071524.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 15 11:26:33 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.548	2.790	51064934	40550052	25.023	24.269
28)	SA Decachlor...	9.064	7.936	32635070	35992369	24.813	25.167
Target Compounds							
2)	A alpha-BHC	4.003	3.294	71426768	56388643	24.620	22.861
3)	MA gamma-BHC...	4.335	3.624	67527577	54221341	24.660	23.331
4)	MA Heptachlor	4.925	3.965	66814944	52391554	27.314	23.751
5)	MB Aldrin	5.267	4.246	65987230	50043335	27.472	23.409
6)	B beta-BHC	4.531	3.923	31448775	25152857	25.717	24.940
7)	B delta-BHC	4.779	4.153	64417908	51308959	24.899	22.981
8)	B Heptachlo...	5.693	4.749	60184798	46785935	26.888	24.228
9)	A Endosulfan I	6.078	5.119	54058935	44065302	26.380	24.307
10)	B gamma-Chl...	5.948	4.999	59688423	48499049	26.811	23.990
11)	B alpha-Chl...	6.028	5.063	57593400	48544999	26.169	24.192
12)	B 4,4'-DDE	6.200	5.252	49879405	42099758	25.508	23.355
13)	MA Dieldrin	6.353	5.383	55235706	46655951	25.828	23.776
14)	MA Endrin	6.582	5.659	45726711	41043303	25.700	23.826
15)	B Endosulfa...	6.802	5.953	48558208	41311279	26.023	24.455
16)	A 4,4'-DDD	6.717	5.806	42053959	35589660	25.664	23.807
17)	MA 4,4'-DDT	7.031	6.057	41537890	34987963	25.575	23.451
18)	B Endrin al...	6.931	6.133	37328145	31916542	26.316	24.932
19)	B Endosulfa...	7.166	6.355	44262335	39346035	26.320	24.734
20)	A Methoxychlor	7.506	6.633	22148315	20252955	26.428	25.251
21)	B Endrin ke...	7.650	6.861	47645553	44880059	25.842	24.611
22)	Mirex	8.125	7.043	36187523	37334041	26.355	25.849



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071524\
Data File : PL090514.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Jul 2024 10:18
Operator : AR\AJ
Sample : PSTDICC025
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 15 11:34:59 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071524.M
Quant Title : GC Extractables
QLast Update : Mon Jul 15 11:26:33 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.548 min
Delta R.T.: 0.000 min
Response: 51064934
Conc: 25.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#1 Tetrachloro-m-xylene

R.T.: 2.790 min
Delta R.T.: 0.000 min
Response: 40550052
Conc: 24.27 ng/ml




#2 alpha-BHC

R.T.: 4.003 min
Delta R.T.: 0.000 min
Response: 71426768
Conc: 24.62 ng/ml



#2 alpha-BHC


R.T.: 3.294 min
Delta R.T.: 0.000 min
Response: 56388643
Conc: 22.86 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.335 min
Delta R.T.: 0.000 min
Response: 67527577
Conc: 24.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#3 gamma-BHC (Lindane)

R.T.: 3.624 min
Delta R.T.: 0.000 min
Response: 54221341
Conc: 23.33 ng/ml




#4 Heptachlor

R.T.: 4.925 min
Delta R.T.: 0.001 min
Response: 66814944
Conc: 27.31 ng/ml



#4 Heptachlor


R.T.: 3.965 min
Delta R.T.: 0.000 min
Response: 52391554
Conc: 23.75 ng/ml



#5 Aldrin


R.T.: 5.267 min
Delta R.T.: 0.001 min
Response: 65987230
Conc: 27.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#5 Aldrin

R.T.: 4.246 min
Delta R.T.: 0.000 min
Response: 50043335
Conc: 23.41 ng/ml




#6 beta-BHC

R.T.: 4.531 min
Delta R.T.: 0.000 min
Response: 31448775
Conc: 25.72 ng/ml



#6 beta-BHC


R.T.: 3.923 min
Delta R.T.: 0.000 min
Response: 25152857
Conc: 24.94 ng/ml



#7 delta-BHC


R.T.: 4.779 min
Delta R.T.: 0.000 min
Response: 64417908
Conc: 24.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#7 delta-BHC

R.T.: 4.153 min
Delta R.T.: 0.000 min
Response: 51308959
Conc: 22.98 ng/ml




#8 Heptachlor epoxide

R.T.: 5.693 min
Delta R.T.: 0.000 min
Response: 60184798
Conc: 26.89 ng/ml



#8 Heptachlor epoxide


R.T.: 4.749 min
Delta R.T.: 0.000 min
Response: 46785935
Conc: 24.23 ng/ml



#9 Endosulfan I


R.T.: 6.078 min
Delta R.T.: 0.000 min
Response: 54058935
Conc: 26.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#9 Endosulfan I

R.T.: 5.119 min
Delta R.T.: 0.000 min
Response: 44065302
Conc: 24.31 ng/ml




#10 gamma-Chlordane

R.T.: 5.948 min
Delta R.T.: 0.001 min
Response: 59688423
Conc: 26.81 ng/ml



#10 gamma-Chlordane


R.T.: 4.999 min
Delta R.T.: 0.000 min
Response: 48499049
Conc: 23.99 ng/ml



#11 alpha-Chlordane


R.T.: 6.028 min
Delta R.T.: 0.000 min
Response: 57593400
Conc: 26.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#11 alpha-Chlordane

R.T.: 5.063 min
Delta R.T.: 0.000 min
Response: 48544999
Conc: 24.19 ng/ml




#12 4,4'-DDE

R.T.: 6.200 min
Delta R.T.: 0.000 min
Response: 49879405
Conc: 25.51 ng/ml



#12 4,4'-DDE


R.T.: 5.252 min
Delta R.T.: 0.000 min
Response: 42099758
Conc: 23.35 ng/ml



#13 Dieldrin


R.T.: 6.353 min
Delta R.T.: 0.000 min
Response: 55235706
Conc: 25.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#13 Dieldrin

R.T.: 5.383 min
Delta R.T.: 0.000 min
Response: 46655951
Conc: 23.78 ng/ml




#14 Endrin

R.T.: 6.582 min
Delta R.T.: 0.000 min
Response: 45726711
Conc: 25.70 ng/ml



#14 Endrin


R.T.: 5.659 min
Delta R.T.: 0.000 min
Response: 41043303
Conc: 23.83 ng/ml



#15 Endosulfan II


R.T.: 6.802 min
Delta R.T.: 0.000 min
Response: 48558208
Conc: 26.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#15 Endosulfan II

R.T.: 5.953 min
Delta R.T.: 0.000 min
Response: 41311279
Conc: 24.46 ng/ml




#16 4,4'-DDD

R.T.: 6.717 min
Delta R.T.: 0.000 min
Response: 42053959
Conc: 25.66 ng/ml



#16 4,4'-DDD


R.T.: 5.806 min
Delta R.T.: 0.000 min
Response: 35589660
Conc: 23.81 ng/ml



#17 4,4'-DDT


R.T.: 7.031 min
Delta R.T.: 0.000 min
Response: 41537890
Conc: 25.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#17 4,4'-DDT

R.T.: 6.057 min
Delta R.T.: 0.000 min
Response: 34987963
Conc: 23.45 ng/ml




#18 Endrin aldehyde

R.T.: 6.931 min
Delta R.T.: 0.000 min
Response: 37328145
Conc: 26.32 ng/ml



#18 Endrin aldehyde


R.T.: 6.133 min
Delta R.T.: 0.000 min
Response: 31916542
Conc: 24.93 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.166 min
Delta R.T.: 0.000 min
Response: 44262335
Conc: 26.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#19 Endosulfan Sulfate

R.T.: 6.355 min
Delta R.T.: 0.000 min
Response: 39346035
Conc: 24.73 ng/ml




#20 Methoxychlor

R.T.: 7.506 min
Delta R.T.: 0.000 min
Response: 22148315
Conc: 26.43 ng/ml



#20 Methoxychlor


R.T.: 6.633 min
Delta R.T.: 0.000 min
Response: 20252955
Conc: 25.25 ng/ml



#21 Endrin ketone


R.T.: 7.650 min
Delta R.T.: 0.000 min
Response: 47645553
Conc: 25.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#21 Endrin ketone

R.T.: 6.861 min
Delta R.T.: 0.000 min
Response: 44880059
Conc: 24.61 ng/ml




#22 Mirex

R.T.: 8.125 min
Delta R.T.: 0.000 min
Response: 36187523
Conc: 26.36 ng/ml



#22 Mirex


R.T.: 7.043 min
Delta R.T.: 0.000 min
Response: 37334041
Conc: 25.85 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.064 min
Delta R.T.: 0.000 min
Response: 32635070
Conc: 24.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025



#28 Decachlorobiphenyl

R.T.: 7.936 min
Delta R.T.: 0.000 min
Response: 35992369
Conc: 25.17 ng/ml