

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071524\
 Data File : PL090511.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Jul 2024 09:37
 Operator : AR\AJ
 Sample : PSTDICC100
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC100

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 15 11:29:53 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071524.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 15 11:26:33 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.547	2.790	202.0E6	166.9E6	99.018	99.042
2)	SA Decachlor...	9.060	7.934	141.8E6	142.3E6	105.889	100.125
Target Compounds							
2)	A alpha-BHC	4.003	3.294	294.5E6	254.6E6	100.908	100.837
3)	MA gamma-BHC...	4.335	3.625	277.0E6	236.3E6	100.694	100.015
4)	MA Heptachlor	4.925	3.965	239.8E6	219.2E6	98.662	98.419
5)	MB Aldrin	5.267	4.246	236.5E6	215.5E6	99.199	99.394
6)	B beta-BHC	4.531	3.922	119.0E6	97928998	98.395	97.377
7)	B delta-BHC	4.779	4.153	263.3E6	228.7E6	101.376	100.394
8)	B Heptachlo...	5.692	4.748	213.6E6	190.6E6	98.028	98.236
9)	A Endosulfan I	6.077	5.118	198.9E6	179.2E6	98.807	98.433
10)	B gamma-Chl...	5.948	4.998	218.4E6	201.8E6	98.870	99.041
11)	B alpha-Chl...	6.027	5.062	214.3E6	199.2E6	98.831	98.616
12)	B 4,4'-DDE	6.199	5.251	194.8E6	182.7E6	100.224	99.932
13)	MA Dieldrin	6.352	5.383	211.2E6	196.9E6	99.538	99.321
14)	MA Endrin	6.582	5.658	175.3E6	172.3E6	99.164	99.047
15)	B Endosulfa...	6.800	5.952	182.7E6	167.1E6	98.828	98.568
16)	A 4,4'-DDD	6.716	5.805	162.4E6	150.9E6	99.582	99.781
17)	MA 4,4'-DDT	7.029	6.056	161.3E6	151.2E6	99.652	100.037
18)	B Endrin al...	6.930	6.131	137.7E6	125.1E6	98.515	97.948
19)	B Endosulfa...	7.164	6.354	163.3E6	156.4E6	98.334	98.321
20)	A Methoxychlor	7.504	6.632	81517010	78010751	98.379	97.764
21)	B Endrin ke...	7.648	6.860	184.0E6	181.4E6	100.270	99.069
22)	Mirex	8.123	7.041	133.7E6	138.4E6	98.669	96.957



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071524\
Data File : PL090511.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Jul 2024 09:37
Operator : AR\AJ
Sample : PSTDICC100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC100

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 15 11:29:53 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071524.M
Quant Title : GC Extractables
QLast Update : Mon Jul 15 11:26:33 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.547 min
Delta R.T.: 0.000 min
Response: 202049063
Conc: 99.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#1 Tetrachloro-m-xylene

R.T.: 2.790 min
Delta R.T.: 0.000 min
Response: 166926291
Conc: 99.04 ng/ml




#2 alpha-BHC

R.T.: 4.003 min
Delta R.T.: 0.000 min
Response: 294467637
Conc: 100.91 ng/ml



#2 alpha-BHC


R.T.: 3.294 min
Delta R.T.: 0.000 min
Response: 254587381
Conc: 100.84 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.335 min
Delta R.T.: 0.000 min
Response: 277007043
Conc: 100.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#3 gamma-BHC (Lindane)

R.T.: 3.625 min
Delta R.T.: 0.000 min
Response: 236299878
Conc: 100.01 ng/ml




#4 Heptachlor

R.T.: 4.925 min
Delta R.T.: 0.000 min
Response: 239754836
Conc: 98.66 ng/ml



#4 Heptachlor


R.T.: 3.965 min
Delta R.T.: 0.000 min
Response: 219223989
Conc: 98.42 ng/ml



#5 Aldrin


R.T.: 5.267 min
Delta R.T.: 0.000 min
Response: 236453507
Conc: 99.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#5 Aldrin

R.T.: 4.246 min
Delta R.T.: 0.000 min
Response: 215532401
Conc: 99.39 ng/ml




#6 beta-BHC

R.T.: 4.531 min
Delta R.T.: 0.000 min
Response: 119010483
Conc: 98.40 ng/ml



#6 beta-BHC


R.T.: 3.922 min
Delta R.T.: 0.000 min
Response: 97928998
Conc: 97.38 ng/ml



#7 delta-BHC


R.T.: 4.779 min
Delta R.T.: 0.000 min
Response: 263296509
Conc: 101.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#7 delta-BHC

R.T.: 4.153 min
Delta R.T.: 0.000 min
Response: 228686773
Conc: 100.39 ng/ml




#8 Heptachlor epoxide

R.T.: 5.692 min
Delta R.T.: 0.000 min
Response: 213561010
Conc: 98.03 ng/ml



#8 Heptachlor epoxide


R.T.: 4.748 min
Delta R.T.: 0.000 min
Response: 190623400
Conc: 98.24 ng/ml



#9 Endosulfan I


R.T.: 6.077 min
Delta R.T.: 0.000 min
Response: 198897470
Conc: 98.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#9 Endosulfan I

R.T.: 5.118 min
Delta R.T.: 0.000 min
Response: 179164964
Conc: 98.43 ng/ml




#10 gamma-Chlordane

R.T.: 5.948 min
Delta R.T.: 0.000 min
Response: 218354812
Conc: 98.87 ng/ml



#10 gamma-Chlordane


R.T.: 4.998 min
Delta R.T.: 0.000 min
Response: 201824978
Conc: 99.04 ng/ml



#11 alpha-Chlordane


R.T.: 6.027 min
Delta R.T.: 0.000 min
Response: 214274130
Conc: 98.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#11 alpha-Chlordane

R.T.: 5.062 min
Delta R.T.: 0.000 min
Response: 199163666
Conc: 98.62 ng/ml




#12 4,4'-DDE

R.T.: 6.199 min
Delta R.T.: 0.000 min
Response: 194826835
Conc: 100.22 ng/ml



#12 4,4'-DDE


R.T.: 5.251 min
Delta R.T.: 0.000 min
Response: 182659771
Conc: 99.93 ng/ml



#13 Dieldrin


R.T.: 6.352 min
Delta R.T.: 0.000 min
Response: 211190488
Conc: 99.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#13 Dieldrin

R.T.: 5.383 min
Delta R.T.: 0.000 min
Response: 196872953
Conc: 99.32 ng/ml




#14 Endrin

R.T.: 6.582 min
Delta R.T.: 0.000 min
Response: 175271771
Conc: 99.16 ng/ml



#14 Endrin


R.T.: 5.658 min
Delta R.T.: 0.000 min
Response: 172316598
Conc: 99.05 ng/ml



#15 Endosulfan II


R.T.: 6.800 min
Delta R.T.: 0.000 min
Response: 182689000
Conc: 98.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#15 Endosulfan II

R.T.: 5.952 min
Delta R.T.: 0.000 min
Response: 167106778
Conc: 98.57 ng/ml




#16 4,4'-DDD

R.T.: 6.716 min
Delta R.T.: 0.000 min
Response: 162438268
Conc: 99.58 ng/ml



#16 4,4'-DDD


R.T.: 5.805 min
Delta R.T.: 0.000 min
Response: 150937553
Conc: 99.78 ng/ml



#17 4,4'-DDT


R.T.: 7.029 min
Delta R.T.: 0.000 min
Response: 161308961
Conc: 99.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#17 4,4'-DDT

R.T.: 6.056 min
Delta R.T.: 0.000 min
Response: 151217680
Conc: 100.04 ng/ml




#18 Endrin aldehyde

R.T.: 6.930 min
Delta R.T.: 0.000 min
Response: 137742287
Conc: 98.52 ng/ml



#18 Endrin aldehyde


R.T.: 6.131 min
Delta R.T.: 0.000 min
Response: 125057985
Conc: 97.95 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.164 min
Delta R.T.: 0.000 min
Response: 163348435
Conc: 98.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#19 Endosulfan Sulfate

R.T.: 6.354 min
Delta R.T.: 0.000 min
Response: 156428582
Conc: 98.32 ng/ml




#20 Methoxychlor

R.T.: 7.504 min
Delta R.T.: 0.000 min
Response: 81517010
Conc: 98.38 ng/ml



#20 Methoxychlor


R.T.: 6.632 min
Delta R.T.: 0.000 min
Response: 78010751
Conc: 97.76 ng/ml



#21 Endrin ketone


R.T.: 7.648 min
Delta R.T.: 0.000 min
Response: 184004237
Conc: 100.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100




#21 Endrin ketone

R.T.: 6.860 min
Delta R.T.: 0.000 min
Response: 181353657
Conc: 99.07 ng/ml




#22 Mirex

R.T.: 8.123 min
Delta R.T.: 0.000 min
Response: 133684299
Conc: 98.67 ng/ml



#22 Mirex


R.T.: 7.041 min
Delta R.T.: 0.000 min
Response: 138423868
Conc: 96.96 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.060 min
Delta R.T.: 0.000 min
Response: 141810680
Conc: 105.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC100



#28 Decachlorobiphenyl

R.T.: 7.934 min
Delta R.T.: 0.000 min
Response: 142322877
Conc: 100.12 ng/ml