

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071525\
 Data File : PL096362.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Jul 2025 10:54
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 16 01:36:01 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 07 15:22:07 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.536	2.826	92704529	118.0E6	25.406	20.453
28)	SA Decachlor...	9.021	7.994	69885380	102.1E6	24.843	20.484
Target Compounds							
2)	A alpha-BHC	3.984	3.332	65827331	85158713	12.799	10.097
3)	MA gamma-BHC...	4.312	3.664	62555126	79966929	12.562	10.153
6)	B beta-BHC	4.498	3.960	29483936	36459111	14.183	10.648
8)	B Heptachlo...	5.657	0.000	51687694	0	12.457	N.D. #
11)	B alpha-Chl...	5.989	0.000	22660394	0	5.175	N.D. #
13)	MA Dieldrin	0.000	5.432	0	3316373	N.D.	0.486 #
14)	MA Endrin	6.546	5.711	219.5E6	330.0E6	70.586	54.125
15)	B Endosulfa...	6.745	0.000	27976435	0	8.062	N.D. #
16)	A 4,4'-DDD	6.678	5.857	59459114	29319356	20.421	5.717 #
17)	MA 4,4'-DDT	6.992	6.110	354.5E6	546.8E6	116.796	95.351
18)	B Endrin al...	6.889	6.181	5786226	10970849	2.588	2.463
20)	A Methoxychlor	7.464	6.683	440.1E6	649.2E6	279.336	213.697
21)	B Endrin ke...	7.600	6.905	13781776	55961106	4.174	8.951 #
24)	Chlordane-2	0.000	4.416	0	7606835	N.D.	27.676 #
26)	Chlordane-4	5.989	0.000	22660394	0	25.256	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071525\
Data File : PL096362.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Jul 2025 10:54
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 16 01:36:01 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
Quant Title : GC Extractables
QLast Update : Mon Jul 07 15:22:07 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.536 min
Delta R.T.: -0.001 min
Response: 92704529
Conc: 25.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 2.826 min
Delta R.T.: -0.003 min
Response: 118037824
Conc: 20.45 ng/ml




#2 alpha-BHC

R.T.: 3.984 min
Delta R.T.: 0.000 min
Response: 65827331
Conc: 12.80 ng/ml



#2 alpha-BHC


R.T.: 3.332 min
Delta R.T.: -0.003 min
Response: 85158713
Conc: 10.10 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.312 min
Delta R.T.: -0.001 min
Response: 62555126
Conc: 12.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 3.664 min
Delta R.T.: -0.002 min
Response: 79966929
Conc: 10.15 ng/ml




#6 beta-BHC

R.T.: 4.498 min
Delta R.T.: -0.001 min
Response: 29483936
Conc: 14.18 ng/ml



#6 beta-BHC


R.T.: 3.960 min
Delta R.T.: -0.003 min
Response: 36459111
Conc: 10.65 ng/ml



#8 Heptachlor epoxide


R.T.: 5.657 min
Delta R.T.: -0.009 min
Response: 51687694
Conc: 12.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T. : 4.800 min
Response: 0
Conc: N.D.




#11 alpha-Chlordane

R.T.: 5.989 min
Delta R.T.: -0.010 min
Response: 22660394
Conc: 5.17 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T. : 5.119 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 6.319 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PEM




#13 Dieldrin

R.T.: 5.432 min
Delta R.T.: -0.004 min
Response: 3316373
Conc: 0.49 ng/ml




#14 Endrin

R.T.: 6.546 min
Delta R.T.: 0.000 min
Response: 219537387
Conc: 70.59 ng/ml



#14 Endrin


R.T.: 5.711 min
Delta R.T.: 0.000 min
Response: 329971768
Conc: 54.12 ng/ml



#15 Endosulfan II


R.T.: 6.745 min
Delta R.T.: -0.012 min
Response: 27976435
Conc: 8.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T. : 6.003 min
Response: 0
Conc: N.D.




#16 4,4'-DDD

R.T.: 6.678 min
Delta R.T.: 0.000 min
Response: 59459114
Conc: 20.42 ng/ml



#16 4,4'-DDD


R.T.: 5.857 min
Delta R.T.: -0.002 min
Response: 29319356
Conc: 5.72 ng/ml



#17 4,4'-DDT


R.T.: 6.992 min
Delta R.T.: 0.000 min
Response: 354500252
Conc: 116.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#17 4,4'-DDT

R.T.: 6.110 min
Delta R.T.: -0.002 min
Response: 546849772
Conc: 95.35 ng/ml




#18 Endrin aldehyde

R.T.: 6.889 min
Delta R.T.: 0.003 min
Response: 5786226
Conc: 2.59 ng/ml



#18 Endrin aldehyde


R.T.: 6.181 min
Delta R.T.: 0.000 min
Response: 10970849
Conc: 2.46 ng/ml



#20 Methoxychlor


R.T.: 7.464 min
Delta R.T.: 0.000 min
Response: 440065543
Conc: 279.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#20 Methoxychlor

R.T.: 6.683 min
Delta R.T.: -0.002 min
Response: 649162679
Conc: 213.70 ng/ml




#21 Endrin ketone

R.T.: 7.600 min
Delta R.T.: 0.000 min
Response: 13781776
Conc: 4.17 ng/ml



#21 Endrin ketone


R.T.: 6.905 min
Delta R.T.: -0.003 min
Response: 55961106
Conc: 8.95 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 5.217 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PEM




#24 Chlordane-2

R.T.: 4.416 min
Delta R.T.: -0.004 min
Response: 7606835
Conc: 27.68 ng/ml




#26 Chlordane-4

R.T.: 5.989 min
Delta R.T.: -0.015 min
Response: 22660394
Conc: 25.26 ng/ml



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T.: 5.118 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 9.021 min
Delta R.T.: 0.001 min
Response: 69885380
Conc: 24.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM



#28 Decachlorobiphenyl

R.T.: 7.994 min
Delta R.T.: -0.003 min
Response: 102143978
Conc: 20.48 ng/ml