

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071625\
 Data File : PL096394.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 16 Jul 2025 13:18
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 16 14:08:09 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 07 15:22:07 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.537	2.828	195.7E6	265.8E6	53.628	46.061
28)	SA Decachlor...	9.019	7.994	136.6E6	214.4E6	48.546	42.989
Target Compounds							
2)	A alpha-BHC	3.984	3.334	296.2E6	414.2E6	57.589	49.110
3)	MA gamma-BHC...	4.313	3.666	282.8E6	384.3E6	56.788	48.789
4)	MA Heptachlor	4.905	4.015	253.4E6	371.4E6	55.318	48.820
5)	MB Aldrin	5.245	4.298	266.6E6	351.0E6	55.159	48.105
6)	B beta-BHC	4.499	3.962	114.5E6	163.5E6	55.064	47.744
7)	B delta-BHC	4.745	4.195	257.1E6	374.3E6	57.368	48.592
8)	B Heptachlo...	5.665	4.800	245.5E6	316.2E6	59.157	47.297
9)	A Endosulfan I	6.047	5.171	217.4E6	293.6E6	53.855	40.925
10)	B gamma-Chl...	5.918	5.052	238.0E6	334.6E6	53.778	47.663
11)	B alpha-Chl...	5.999	5.117	235.6E6	330.7E6	53.805	43.972
12)	B 4,4'-DDE	6.169	5.306	196.6E6	306.9E6	53.015	47.486
13)	MA Dieldrin	6.319	5.436	226.2E6	324.6E6	53.505	47.601
14)	MA Endrin	6.545	5.711	181.2E6	296.1E6	58.269	48.571
15)	B Endosulfa...	6.757	6.003	198.8E6	275.7E6	57.287	47.009
16)	A 4,4'-DDD	6.678	5.858	163.6E6	256.9E6	56.177	50.084
17)	MA 4,4'-DDT	6.992	6.111	169.1E6	273.4E6	55.726	47.680
18)	B Endrin al...	6.886	6.181	140.2E6	205.1E6	62.693	46.037 #
19)	B Endosulfa...	7.120	6.404	164.6E6	268.0E6	53.798	47.653
20)	A Methoxychlor	7.464	6.683	87646574	147.1E6	55.635	48.434
21)	B Endrin ke...	7.599	6.908	174.5E6	314.5E6	52.855	50.306
22)	Mirex	8.080	7.099	144.1E6	226.1E6	51.808	45.504
24)	Chlordane-2	5.245f	0.000	266.6E6	0	1361.850	N.D. #
25)	Chlordane-3	5.918	5.052	238.0E6	334.6E6	322.978	415.864 #
26)	Chlordane-4	5.999	5.117	235.6E6	330.7E6	262.592	440.071 #
27)	Chlordane-5	0.000	6.003	0	275.7E6	N.D.	972.507 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071625\
Data File : PL096394.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Jul 2025 13:18
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 16 14:08:09 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
Quant Title : GC Extractables
QLast Update : Mon Jul 07 15:22:07 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.537 min
Delta R.T.: 0.000 min
Response: 195687753
Conc: 53.63 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.828 min
Delta R.T.: 0.000 min
Response: 265827918
Conc: 46.06 ng/ml




#2 alpha-BHC

R.T.: 3.984 min
Delta R.T.: 0.000 min
Response: 296188799
Conc: 57.59 ng/ml



#2 alpha-BHC


R.T.: 3.334 min
Delta R.T.: 0.000 min
Response: 414214741
Conc: 49.11 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.313 min
Delta R.T.: 0.000 min
Response: 282782085
Conc: 56.79 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.666 min
Delta R.T.: 0.000 min
Response: 384252322
Conc: 48.79 ng/ml




#4 Heptachlor

R.T.: 4.905 min
Delta R.T.: 0.000 min
Response: 253423941
Conc: 55.32 ng/ml



#4 Heptachlor


R.T.: 4.015 min
Delta R.T.: 0.000 min
Response: 371413051
Conc: 48.82 ng/ml



#5 Aldrin


R.T.: 5.245 min
Delta R.T.: 0.000 min
Response: 266623038
Conc: 55.16 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.298 min
Delta R.T.: -0.001 min
Response: 350953532
Conc: 48.10 ng/ml




#6 beta-BHC

R.T.: 4.499 min
Delta R.T.: 0.000 min
Response: 114466487
Conc: 55.06 ng/ml



#6 beta-BHC


R.T.: 3.962 min
Delta R.T.: -0.001 min
Response: 163470793
Conc: 47.74 ng/ml



#7 delta-BHC


R.T.: 4.745 min
Delta R.T.: 0.000 min
Response: 257086991
Conc: 57.37 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.195 min
Delta R.T.: 0.000 min
Response: 374251058
Conc: 48.59 ng/ml




#8 Heptachlor epoxide

R.T.: 5.665 min
Delta R.T.: 0.000 min
Response: 245453013
Conc: 59.16 ng/ml



#8 Heptachlor epoxide


R.T.: 4.800 min
Delta R.T.: 0.000 min
Response: 316174499
Conc: 47.30 ng/ml



#9 Endosulfan I


R.T.: 6.047 min
Delta R.T.: 0.000 min
Response: 217426620
Conc: 53.86 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.171 min
Delta R.T.: 0.000 min
Response: 293598919
Conc: 40.92 ng/ml




#10 gamma-Chlordane

R.T.: 5.918 min
Delta R.T.: 0.000 min
Response: 237955600
Conc: 53.78 ng/ml



#10 gamma-Chlordane


R.T.: 5.052 min
Delta R.T.: -0.002 min
Response: 334578466
Conc: 47.66 ng/ml



#11 alpha-Chlordane


R.T.: 5.999 min
Delta R.T.: 0.000 min
Response: 235604642
Conc: 53.81 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.117 min
Delta R.T.: -0.002 min
Response: 330681137
Conc: 43.97 ng/ml




#12 4,4'-DDE

R.T.: 6.169 min
Delta R.T.: 0.000 min
Response: 196553066
Conc: 53.02 ng/ml



#12 4,4'-DDE


R.T.: 5.306 min
Delta R.T.: 0.000 min
Response: 306935475
Conc: 47.49 ng/ml



#13 Dieldrin


R.T.: 6.319 min
Delta R.T.: 0.000 min
Response: 226241243
Conc: 53.51 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.436 min
Delta R.T.: 0.000 min
Response: 324600757
Conc: 47.60 ng/ml




#14 Endrin

R.T.: 6.545 min
Delta R.T.: 0.000 min
Response: 181229759
Conc: 58.27 ng/ml



#14 Endrin


R.T.: 5.711 min
Delta R.T.: 0.000 min
Response: 296111982
Conc: 48.57 ng/ml



#15 Endosulfan II


R.T.: 6.757 min
Delta R.T.: 0.000 min
Response: 198789002
Conc: 57.29 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 6.003 min
Delta R.T.: 0.000 min
Response: 275657548
Conc: 47.01 ng/ml




#16 4,4'-DDD

R.T.: 6.678 min
Delta R.T.: 0.000 min
Response: 163569548
Conc: 56.18 ng/ml



#16 4,4'-DDD


R.T.: 5.858 min
Delta R.T.: -0.001 min
Response: 256863232
Conc: 50.08 ng/ml



#17 4,4'-DDT


R.T.: 6.992 min
Delta R.T.: 0.000 min
Response: 169139267
Conc: 55.73 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.111 min
Delta R.T.: -0.002 min
Response: 273449063
Conc: 47.68 ng/ml




#18 Endrin aldehyde

R.T.: 6.886 min
Delta R.T.: 0.000 min
Response: 140154413
Conc: 62.69 ng/ml



#18 Endrin aldehyde


R.T.: 6.181 min
Delta R.T.: 0.000 min
Response: 205074619
Conc: 46.04 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.120 min
Delta R.T.: 0.000 min
Response: 164560892
Conc: 53.80 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.404 min
Delta R.T.: -0.001 min
Response: 268017343
Conc: 47.65 ng/ml




#20 Methoxychlor

R.T.: 7.464 min
Delta R.T.: 0.000 min
Response: 87646574
Conc: 55.63 ng/ml



#20 Methoxychlor


R.T.: 6.683 min
Delta R.T.: -0.002 min
Response: 147132240
Conc: 48.43 ng/ml



#21 Endrin ketone


R.T.: 7.599 min
Delta R.T.: 0.000 min
Response: 174509197
Conc: 52.86 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.908 min
Delta R.T.: 0.000 min
Response: 314524863
Conc: 50.31 ng/ml




#22 Mirex

R.T.: 8.080 min
Delta R.T.: 0.000 min
Response: 144142353
Conc: 51.81 ng/ml



#22 Mirex


R.T.: 7.099 min
Delta R.T.: -0.002 min
Response: 226072088
Conc: 45.50 ng/ml



#24 Chlordane-2


R.T.: 5.245 min
Delta R.T.: 0.028 min
Response: 266623038
Conc: 1361.85 ng/m

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.420 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.918 min
Delta R.T.: -0.001 min
Response: 237955600
Conc: 322.98 ng/ml



#25 Chlordane-3


R.T.: 5.052 min
Delta R.T.: -0.002 min
Response: 334578466
Conc: 415.86 ng/ml



#26 Chlordane-4


R.T.: 5.999 min
Delta R.T.: -0.005 min
Response: 235604642
Conc: 262.59 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 5.117 min
Delta R.T.: -0.001 min
Response: 330681137
Conc: 440.07 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.841 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 6.003 min
Delta R.T.: -0.010 min
Response: 275657548
Conc: 972.51 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.019 min
Delta R.T.: 0.000 min
Response: 136562869
Conc: 48.55 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.994 min
Delta R.T.: -0.002 min
Response: 214365965
Conc: 42.99 ng/ml