

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071625\
 Data File : PL096400.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 16 Jul 2025 15:01
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 17 01:42:58 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 07 15:22:07 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.537	2.828	201.0E6	308.7E6	55.095	53.492
28)	SA Decachlor...	9.020	7.994	136.3E6	222.5E6	48.452	44.619
Target Compounds							
2)	A alpha-BHC	3.984	3.334	306.8E6	484.2E6	59.651	57.403
3)	MA gamma-BHC...	4.313	3.666	294.9E6	447.0E6	59.219	56.756
4)	MA Heptachlor	4.905	4.015	267.4E6	431.1E6	58.359	56.661
5)	MB Aldrin	5.245	4.299	272.9E6	404.9E6	56.454	55.504
6)	B beta-BHC	4.499	3.962	122.8E6	188.6E6	59.083	55.096
7)	B delta-BHC	4.745	4.196	270.1E6	433.9E6	60.277	56.332
8)	B Heptachlo...	5.665	4.801	259.8E6	358.6E6	62.615	53.647
9)	A Endosulfan I	6.047	5.172	225.7E6	330.1E6	55.914	46.009
10)	B gamma-Chl...	5.919	5.053	251.7E6	378.5E6	56.874	53.918
11)	B alpha-Chl...	5.999	5.117	245.0E6	372.3E6	55.954	49.505
12)	B 4,4'-DDE	6.169	5.306	202.3E6	346.5E6	54.577	53.600
13)	MA Dieldrin	6.319	5.436	232.8E6	362.3E6	55.052	53.124
14)	MA Endrin	6.545	5.711	186.1E6	330.6E6	59.830	54.221
15)	B Endosulfa...	6.758	6.003	203.6E6	304.7E6	58.673	51.958
16)	A 4,4'-DDD	6.678	5.858	170.7E6	284.8E6	58.642	55.523
17)	MA 4,4'-DDT	6.992	6.111	172.7E6	296.4E6	56.889	51.689
18)	B Endrin al...	6.886	6.181	139.8E6	223.9E6	62.517	50.268
19)	B Endosulfa...	7.120	6.405	166.4E6	293.4E6	54.404	52.172
20)	A Methoxychlor	7.465	6.684	88785821	155.5E6	56.358	51.199
21)	B Endrin ke...	7.600	6.909	176.0E6	333.6E6	53.293	53.349
22)	Mirex	8.079	7.100	142.1E6	238.7E6	51.088	48.044
24)	Chlordane-2	5.245f	0.000	272.9E6	0	1393.818	N.D. #
25)	Chlordane-3	5.919	5.053	251.7E6	378.5E6	341.574	470.439 #
26)	Chlordane-4	5.999	5.117	245.0E6	372.3E6	273.080	495.446 #
27)	Chlordane-5	0.000	6.003	0	304.7E6	N.D.	1074.888 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071625\
Data File : PL096400.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Jul 2025 15:01
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 17 01:42:58 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
Quant Title : GC Extractables
QLast Update : Mon Jul 07 15:22:07 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.537 min
Delta R.T.: 0.000 min
Response: 201039261
Conc: 55.09 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.828 min
Delta R.T.: 0.000 min
Response: 308715429
Conc: 53.49 ng/ml




#2 alpha-BHC

R.T.: 3.984 min
Delta R.T.: 0.000 min
Response: 306795467
Conc: 59.65 ng/ml



#2 alpha-BHC


R.T.: 3.334 min
Delta R.T.: 0.000 min
Response: 484159375
Conc: 57.40 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.313 min
Delta R.T.: 0.000 min
Response: 294888844
Conc: 59.22 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.666 min
Delta R.T.: 0.000 min
Response: 447006177
Conc: 56.76 ng/ml




#4 Heptachlor

R.T.: 4.905 min
Delta R.T.: 0.000 min
Response: 267357532
Conc: 58.36 ng/ml



#4 Heptachlor


R.T.: 4.015 min
Delta R.T.: 0.000 min
Response: 431064416
Conc: 56.66 ng/ml



#5 Aldrin


R.T.: 5.245 min
Delta R.T.: 0.000 min
Response: 272881774
Conc: 56.45 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.299 min
Delta R.T.: 0.000 min
Response: 404938557
Conc: 55.50 ng/ml




#6 beta-BHC

R.T.: 4.499 min
Delta R.T.: 0.000 min
Response: 122821372
Conc: 59.08 ng/ml



#6 beta-BHC


R.T.: 3.962 min
Delta R.T.: 0.000 min
Response: 188643330
Conc: 55.10 ng/ml



#7 delta-BHC


R.T.: 4.745 min
Delta R.T.: 0.000 min
Response: 270122953
Conc: 60.28 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.196 min
Delta R.T.: 0.000 min
Response: 433861465
Conc: 56.33 ng/ml




#8 Heptachlor epoxide

R.T.: 5.665 min
Delta R.T.: 0.000 min
Response: 259801005
Conc: 62.62 ng/ml



#8 Heptachlor epoxide


R.T.: 4.801 min
Delta R.T.: 0.000 min
Response: 358622379
Conc: 53.65 ng/ml



#9 Endosulfan I


R.T.: 6.047 min
Delta R.T.: 0.000 min
Response: 225738094
Conc: 55.91 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.172 min
Delta R.T.: 0.000 min
Response: 330074859
Conc: 46.01 ng/ml




#10 gamma-Chlordane

R.T.: 5.919 min
Delta R.T.: 0.000 min
Response: 251656110
Conc: 56.87 ng/ml



#10 gamma-Chlordane


R.T.: 5.053 min
Delta R.T.: -0.002 min
Response: 378486263
Conc: 53.92 ng/ml



#11 alpha-Chlordane


R.T.: 5.999 min
Delta R.T.: 0.000 min
Response: 245014967
Conc: 55.95 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.117 min
Delta R.T.: -0.002 min
Response: 372291511
Conc: 49.51 ng/ml




#12 4,4'-DDE

R.T.: 6.169 min
Delta R.T.: 0.000 min
Response: 202343314
Conc: 54.58 ng/ml



#12 4,4'-DDE


R.T.: 5.306 min
Delta R.T.: 0.000 min
Response: 346454086
Conc: 53.60 ng/ml



#13 Dieldrin


R.T.: 6.319 min
Delta R.T.: 0.000 min
Response: 232782469
Conc: 55.05 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.436 min
Delta R.T.: 0.000 min
Response: 362268325
Conc: 53.12 ng/ml




#14 Endrin

R.T.: 6.545 min
Delta R.T.: 0.000 min
Response: 186084440
Conc: 59.83 ng/ml



#14 Endrin


R.T.: 5.711 min
Delta R.T.: 0.000 min
Response: 330560483
Conc: 54.22 ng/ml



#15 Endosulfan II


R.T.: 6.758 min
Delta R.T.: 0.000 min
Response: 203597652
Conc: 58.67 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 6.003 min
Delta R.T.: 0.000 min
Response: 304677419
Conc: 51.96 ng/ml




#16 4,4'-DDD

R.T.: 6.678 min
Delta R.T.: 0.000 min
Response: 170748812
Conc: 58.64 ng/ml



#16 4,4'-DDD


R.T.: 5.858 min
Delta R.T.: 0.000 min
Response: 284758775
Conc: 55.52 ng/ml



#17 4,4'-DDT


R.T.: 6.992 min
Delta R.T.: 0.000 min
Response: 172669784
Conc: 56.89 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.111 min
Delta R.T.: -0.002 min
Response: 296441019
Conc: 51.69 ng/ml




#18 Endrin aldehyde

R.T.: 6.886 min
Delta R.T.: 0.000 min
Response: 139760742
Conc: 62.52 ng/ml



#18 Endrin aldehyde


R.T.: 6.181 min
Delta R.T.: 0.000 min
Response: 223924821
Conc: 50.27 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.120 min
Delta R.T.: 0.000 min
Response: 166413712
Conc: 54.40 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.405 min
Delta R.T.: -0.001 min
Response: 293438442
Conc: 52.17 ng/ml




#20 Methoxychlor

R.T.: 7.465 min
Delta R.T.: 0.000 min
Response: 88785821
Conc: 56.36 ng/ml



#20 Methoxychlor


R.T.: 6.684 min
Delta R.T.: -0.001 min
Response: 155529625
Conc: 51.20 ng/ml



#21 Endrin ketone


R.T.: 7.600 min
Delta R.T.: 0.000 min
Response: 175954721
Conc: 53.29 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.909 min
Delta R.T.: 0.000 min
Response: 333551761
Conc: 53.35 ng/ml




#22 Mirex

R.T.: 8.079 min
Delta R.T.: 0.000 min
Response: 142138482
Conc: 51.09 ng/ml



#22 Mirex


R.T.: 7.100 min
Delta R.T.: -0.001 min
Response: 238689485
Conc: 48.04 ng/ml



#24 Chlordane-2


R.T.: 5.245 min
Delta R.T.: 0.028 min
Response: 272881774
Conc: 1393.82 ng/m

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.420 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.919 min
Delta R.T.: 0.000 min
Response: 251656110
Conc: 341.57 ng/ml



#25 Chlordane-3


R.T.: 5.053 min
Delta R.T.: -0.002 min
Response: 378486263
Conc: 470.44 ng/ml



#26 Chlordane-4


R.T.: 5.999 min
Delta R.T.: -0.005 min
Response: 245014967
Conc: 273.08 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 5.117 min
Delta R.T.: -0.001 min
Response: 372291511
Conc: 495.45 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.841 min
Response: 0
Conc: N.D.



#27 Chlordane-5

R.T.: 6.003 min
Delta R.T.: -0.010 min
Response: 304677419
Conc: 1074.89 ng/ml



#28 Decachlorobiphenyl


R.T.: 9.020 min

Delta R.T.: 0.000 min

Response: 136298346

Conc: 48.45 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.994 min

Delta R.T.: -0.002 min

Response: 222493352

Conc: 44.62 ng/ml