

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071719\
 Data File : PL050474.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Jul 2019 17:44
 Operator : SM\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 18 03:53:57 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
 Quant Title : GC Extractables
 QLast Update : Thu Jul 18 03:53:00 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.318	3.931	496.6E6	141.6E6	50.000	50.000
28)	SA Decachlor...	7.981	8.962	492.8E6	135.8E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.746	4.319	833.9E6	208.9E6	50.000	50.000
3)	MA gamma-BHC...	4.021	4.602	774.3E6	195.0E6	50.000	50.000
4)	MA Heptachlor	4.305	5.104	818.4E6	205.0E6	50.000	50.000
5)	MB Aldrin	4.543	5.405	774.1E6	187.9E6	50.000	50.000
6)	B beta-BHC	4.276	4.778	323.6E6	88549034	50.000	50.000
7)	B delta-BHC	4.469	4.991	825.5E6	189.2E6	50.000	50.000
8)	B Heptachlo...	4.979	5.793	734.1E6	179.1E6	50.000	50.000
9)	A Endosulfan I	5.310	6.148	718.2E6	169.2E6	50.000	50.000
10)	B gamma-Chl...	5.202	6.026	777.5E6	182.8E6	50.000	50.000
11)	B alpha-Chl...	5.257	6.098	751.1E6	180.8E6	50.000	50.000
12)	B 4,4'-DDE	5.425	6.258	747.3E6	179.3E6	50.000	50.000
13)	MA Dieldrin	5.549	6.404	787.1E6	175.8E6	50.000	50.000
14)	MA Endrin	5.801	6.621	730.3E6	154.3E6	50.000	50.000
15)	B Endosulfa...	6.076	6.833	690.9E6	156.7E6	50.000	50.000
16)	A 4,4'-DDD	5.935	6.749	597.9E6	132.5E6	50.000	50.000
17)	MA 4,4'-DDT	6.170	7.046	629.7E6	137.3E6	50.000	50.000
18)	B Endrin al...	6.243	6.957	569.7E6	133.4E6	50.000	50.000
19)	B Endosulfa...	6.454	7.180	626.5E6	141.4E6	50.000	50.000
20)	A Methoxychlor	6.714	7.507	311.3E6	72746133	50.000	50.000
21)	B Endrin ke...	6.936	7.648	683.2E6	143.8E6	50.000	50.000
22)	Mirex	7.109	8.097	481.6E6	111.5E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071719\
Data File : PL050474.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Jul 2019 17:44
Operator : SM\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 18 03:53:57 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
Quant Title : GC Extractables
QLast Update : Thu Jul 18 03:53:00 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.318 min
Delta R.T.: 0.000 min
Response: 496570485
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 3.931 min
Delta R.T.: 0.000 min
Response: 141613182
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.746 min
Delta R.T.: 0.000 min
Response: 833878755
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.319 min
Delta R.T.: 0.000 min
Response: 208925177
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.021 min
Delta R.T.: 0.000 min
Response: 774313755
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.602 min
Delta R.T.: 0.000 min
Response: 195022085
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.305 min
Delta R.T.: 0.000 min
Response: 818445209
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.104 min
Delta R.T.: 0.000 min
Response: 204957737
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.543 min
Delta R.T.: 0.000 min
Response: 774114110
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#5 Aldrin

R.T.: 5.405 min
Delta R.T.: 0.000 min
Response: 187889312
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.276 min
Delta R.T.: 0.000 min
Response: 323621458
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.778 min
Delta R.T.: 0.000 min
Response: 88549034
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.469 min
Delta R.T.: 0.000 min
Response: 825452200
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 4.991 min
Delta R.T.: 0.000 min
Response: 189190515
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 4.979 min
Delta R.T.: 0.000 min
Response: 734073691
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.793 min
Delta R.T.: 0.000 min
Response: 179056109
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.310 min
Delta R.T.: 0.000 min
Response: 718226396
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.148 min
Delta R.T.: 0.000 min
Response: 169206143
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.202 min
Delta R.T.: 0.000 min
Response: 777509334
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.026 min
Delta R.T.: 0.000 min
Response: 182809497
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.257 min
Delta R.T.: 0.000 min
Response: 751137594
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.098 min
Delta R.T.: 0.000 min
Response: 180848114
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.425 min
Delta R.T.: 0.000 min
Response: 747287285
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.258 min
Delta R.T.: 0.000 min
Response: 179335722
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.549 min
Delta R.T.: 0.000 min
Response: 787142186
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.404 min
Delta R.T.: 0.000 min
Response: 175768275
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 5.801 min
Delta R.T.: 0.000 min
Response: 730320355
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.621 min
Delta R.T.: 0.000 min
Response: 154310358
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 690869068
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 6.833 min
Delta R.T.: 0.000 min
Response: 156650902
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 5.935 min
Delta R.T.: 0.000 min
Response: 597893427
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.749 min
Delta R.T.: 0.000 min
Response: 132534214
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.170 min
Delta R.T.: 0.000 min
Response: 629707697
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#17 4,4'-DDT

R.T.: 7.046 min
Delta R.T.: 0.000 min
Response: 137318372
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.243 min
Delta R.T.: 0.000 min
Response: 569717674
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.957 min
Delta R.T.: 0.000 min
Response: 133365305
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.454 min
Delta R.T.: 0.000 min
Response: 626473867
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 7.180 min
Delta R.T.: 0.000 min
Response: 141425635
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.714 min
Delta R.T.: 0.000 min
Response: 311255233
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.507 min
Delta R.T.: 0.000 min
Response: 72746133
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 6.936 min
Delta R.T.: 0.000 min
Response: 683197338
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 7.648 min
Delta R.T.: 0.000 min
Response: 143826782
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.109 min
Delta R.T.: 0.000 min
Response: 481557558
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.097 min
Delta R.T.: 0.000 min
Response: 111545102
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.981 min
Delta R.T.: 0.000 min
Response: 492830527
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 8.962 min
Delta R.T.: 0.000 min
Response: 135814992
Conc: 50.00 ng/ml