

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071719\
 Data File : PL050492.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 Jul 2019 22:01
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 18 06:35:59 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
 Quant Title : GC Extractables
 QLast Update : Thu Jul 18 04:12:31 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.318	3.930	509.3E6	142.7E6	50.689	49.996
28)	SA Decachlor...	7.979	8.961	550.8E6	143.5E6	54.398	50.745
Target Compounds							
2)	A alpha-BHC	3.746	4.319	855.7E6	210.2E6	51.063	50.953
3)	MA gamma-BHC...	4.021	4.602	797.3E6	197.1E6	51.833	50.896
4)	MA Heptachlor	4.305	5.104	844.2E6	208.2E6	51.452	50.215
5)	MB Aldrin	4.543	5.406	797.1E6	190.3E6	51.456	50.487
6)	B beta-BHC	4.275	4.778	333.5E6	89645686	50.875	51.853
7)	B delta-BHC	4.469	4.991	848.6E6	192.6E6	51.715	49.788
8)	B Heptachlor...	4.979	5.792	753.8E6	181.8E6	51.026	47.536
9)	A Endosulfan I	5.309	6.147	733.0E6	170.9E6	50.399	49.710
10)	B gamma-Chl...	5.201	6.026	797.6E6	185.0E6	50.533	50.065
11)	B alpha-Chl...	5.257	6.098	771.9E6	182.8E6	50.598	49.863
12)	B 4,4'-DDE	5.424	6.258	684.9E6	181.3E6	45.702	50.313
13)	MA Dieldrin	5.548	6.404	791.9E6	177.6E6	51.099	50.145
14)	MA Endrin	5.800	6.621	748.8E6	158.8E6	50.869	51.196
15)	B Endosulfa...	6.076	6.833	707.0E6	158.7E6	50.518	49.927
16)	A 4,4'-DDD	5.935	6.749	617.0E6	134.4E6	51.487	50.478
17)	MA 4,4'-DDT	6.169	7.045	648.7E6	141.7E6	52.372	52.485
18)	B Endrin al...	6.242	6.957	585.4E6	131.5E6	50.743	48.388
19)	B Endosulfa...	6.453	7.180	645.2E6	148.4E6	50.647	51.382
20)	A Methoxychlor	6.714	7.506	324.1E6	77666607	51.945	52.933
21)	B Endrin ke...	6.935	7.648	714.5E6	150.6E6	52.238	52.080
22)	Mirex	7.109	8.097	506.0E6	117.6E6	51.606	51.215
24)	Chlordane-2	0.000	5.406f	0	190.3E6	N.D.	1619.823 #
25)	Chlordane-3	5.201	6.026	797.6E6	185.0E6	569.782	384.638 #
26)	Chlordane-4	5.257	6.098	771.9E6	182.8E6	585.242	314.598 #
27)	Chlordane-5	6.076	0.000	707.0E6	0	1391.881	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071719\
Data File : PL050492.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 Jul 2019 22:01
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 18 06:35:59 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
Quant Title : GC Extractables
QLast Update : Thu Jul 18 04:12:31 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.318 min
Delta R.T.: 0.000 min
Response: 509319147
Conc: 50.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.930 min
Delta R.T.: 0.000 min
Response: 142650067
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.746 min
Delta R.T.: 0.000 min
Response: 855697490
Conc: 51.06 ng/ml



#2 alpha-BHC


R.T.: 4.319 min
Delta R.T.: 0.000 min
Response: 210231250
Conc: 50.95 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.021 min
Delta R.T.: 0.000 min
Response: 797278192
Conc: 51.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.602 min
Delta R.T.: 0.000 min
Response: 197129692
Conc: 50.90 ng/ml




#4 Heptachlor

R.T.: 4.305 min
Delta R.T.: 0.000 min
Response: 844221878
Conc: 51.45 ng/ml



#4 Heptachlor


R.T.: 5.104 min
Delta R.T.: 0.000 min
Response: 208227608
Conc: 50.22 ng/ml



#5 Aldrin


R.T.: 4.543 min
Delta R.T.: 0.000 min
Response: 797135491
Conc: 51.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.406 min
Delta R.T.: 0.000 min
Response: 190252156
Conc: 50.49 ng/ml




#6 beta-BHC

R.T.: 4.275 min
Delta R.T.: 0.000 min
Response: 333527849
Conc: 50.87 ng/ml



#6 beta-BHC


R.T.: 4.778 min
Delta R.T.: 0.000 min
Response: 89645686
Conc: 51.85 ng/ml



#7 delta-BHC


R.T.: 4.469 min
Delta R.T.: 0.000 min
Response: 848576540
Conc: 51.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.991 min
Delta R.T.: 0.000 min
Response: 192559765
Conc: 49.79 ng/ml




#8 Heptachlor epoxide

R.T.: 4.979 min
Delta R.T.: 0.000 min
Response: 753839435
Conc: 51.03 ng/ml



#8 Heptachlor epoxide


R.T.: 5.792 min
Delta R.T.: 0.000 min
Response: 181815959
Conc: 47.54 ng/ml



#9 Endosulfan I


R.T.: 5.309 min
Delta R.T.: -0.001 min
Response: 733002116
Conc: 50.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.147 min
Delta R.T.: 0.000 min
Response: 170945677
Conc: 49.71 ng/ml




#10 gamma-Chlordane

R.T.: 5.201 min
Delta R.T.: 0.000 min
Response: 797573731
Conc: 50.53 ng/ml



#10 gamma-Chlordane


R.T.: 6.026 min
Delta R.T.: 0.000 min
Response: 185003455
Conc: 50.06 ng/ml



#11 alpha-Chlordane


R.T.: 5.257 min
Delta R.T.: 0.000 min
Response: 771922079
Conc: 50.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.098 min
Delta R.T.: 0.000 min
Response: 182755568
Conc: 49.86 ng/ml




#12 4,4'-DDE

R.T.: 5.424 min
Delta R.T.: 0.000 min
Response: 684889948
Conc: 45.70 ng/ml



#12 4,4'-DDE


R.T.: 6.258 min
Delta R.T.: 0.000 min
Response: 181296140
Conc: 50.31 ng/ml



#13 Dieldrin


R.T.: 5.548 min
Delta R.T.: 0.000 min
Response: 791864300
Conc: 51.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.404 min
Delta R.T.: 0.000 min
Response: 177569684
Conc: 50.14 ng/ml




#14 Endrin

R.T.: 5.800 min
Delta R.T.: -0.001 min
Response: 748812680
Conc: 50.87 ng/ml



#14 Endrin


R.T.: 6.621 min
Delta R.T.: 0.000 min
Response: 158782225
Conc: 51.20 ng/ml



#15 Endosulfan II


R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 706988109
Conc: 50.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.833 min
Delta R.T.: 0.000 min
Response: 158727148
Conc: 49.93 ng/ml




#16 4,4'-DDD

R.T.: 5.935 min
Delta R.T.: 0.000 min
Response: 617010453
Conc: 51.49 ng/ml



#16 4,4'-DDD


R.T.: 6.749 min
Delta R.T.: 0.000 min
Response: 134417597
Conc: 50.48 ng/ml



#17 4,4'-DDT


R.T.: 6.169 min
Delta R.T.: 0.000 min
Response: 648665207
Conc: 52.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.045 min
Delta R.T.: 0.000 min
Response: 141688832
Conc: 52.49 ng/ml




#18 Endrin aldehyde

R.T.: 6.242 min
Delta R.T.: 0.000 min
Response: 585387526
Conc: 50.74 ng/ml



#18 Endrin aldehyde


R.T.: 6.957 min
Delta R.T.: 0.000 min
Response: 131498607
Conc: 48.39 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.453 min
Delta R.T.: -0.001 min
Response: 645225710
Conc: 50.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.180 min
Delta R.T.: 0.000 min
Response: 148402979
Conc: 51.38 ng/ml




#20 Methoxychlor

R.T.: 6.714 min
Delta R.T.: 0.000 min
Response: 324084309
Conc: 51.95 ng/ml



#20 Methoxychlor


R.T.: 7.506 min
Delta R.T.: 0.000 min
Response: 77666607
Conc: 52.93 ng/ml



#21 Endrin ketone


R.T.: 6.935 min
Delta R.T.: 0.000 min
Response: 714482402
Conc: 52.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.648 min
Delta R.T.: 0.000 min
Response: 150578052
Conc: 52.08 ng/ml




#22 Mirex

R.T.: 7.109 min
Delta R.T.: 0.000 min
Response: 505964348
Conc: 51.61 ng/ml



#22 Mirex


R.T.: 8.097 min
Delta R.T.: 0.000 min
Response: 117641644
Conc: 51.22 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.647 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.406 min
Delta R.T.: 0.022 min
Response: 190252156
Conc: 1619.82 ng/ml




#25 Chlordane-3

R.T.: 5.201 min
Delta R.T.: -0.001 min
Response: 797573731
Conc: 569.78 ng/ml



#25 Chlordane-3


R.T.: 6.026 min
Delta R.T.: 0.000 min
Response: 185003455
Conc: 384.64 ng/ml



#26 Chlordane-4


R.T.: 5.257 min
Delta R.T.: 0.000 min
Response: 771922079
Conc: 585.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.098 min
Delta R.T.: -0.002 min
Response: 182755568
Conc: 314.60 ng/ml




#27 Chlordane-5

R.T.: 6.076 min
Delta R.T.: -0.004 min
Response: 706988109
Conc: 1391.88 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T. : 6.902 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 7.979 min
Delta R.T.: -0.001 min
Response: 550802117
Conc: 54.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.961 min
Delta R.T.: 0.000 min
Response: 143503499
Conc: 50.75 ng/ml