

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071719\
 Data File : PL050519.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Jul 2019 04:27
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 18 06:42:28 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
 Quant Title : GC Extractables
 QLast Update : Thu Jul 18 04:12:31 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.318	3.930	533.5E6	148.3E6	53.091	51.985
28)	SA Decachlor...	7.980	8.961	605.8E6	154.1E6	59.827	54.490
Target Compounds							
2)	A alpha-BHC	3.746	4.318	896.3E6	219.5E6	53.485	53.208
3)	MA gamma-BHC...	4.021	4.602	841.4E6	205.9E6	54.701	53.159
4)	MA Heptachlor	4.305	5.104	889.5E6	218.5E6	54.214	52.697
5)	MB Aldrin	4.543	5.405	843.1E6	200.2E6	54.422	53.127
6)	B beta-BHC	4.276	4.778	351.5E6	93439002	53.619	54.047
7)	B delta-BHC	4.469	4.991	893.9E6	203.1E6	54.476	52.515
8)	B Heptachlor...	4.979	5.792	799.2E6	191.2E6	54.094	49.989
9)	A Endosulfan I	5.309	6.147	775.7E6	180.6E6	53.336	52.518
10)	B gamma-Chl...	5.201	6.026	842.3E6	195.2E6	53.369	52.825
11)	B alpha-Chl...	5.257	6.097	816.1E6	192.7E6	53.495	52.588
12)	B 4,4'-DDE	5.425	6.258	759.9E6	190.6E6	50.705	52.907
13)	MA Dieldrin	5.548	6.403	840.1E6	187.6E6	54.211	52.978
14)	MA Endrin	5.801	6.620	788.2E6	164.3E6	53.543	52.972
15)	B Endosulfa...	6.076	6.832	746.0E6	166.5E6	53.304	52.357
16)	A 4,4'-DDD	5.935	6.748	648.3E6	141.0E6	54.099	52.960
17)	MA 4,4'-DDT	6.169	7.046	685.6E6	149.6E6	55.358	55.418
18)	B Endrin al...	6.242	6.956	615.3E6	137.8E6	53.338	50.689
19)	B Endosulfa...	6.454	7.180	679.9E6	156.0E6	53.370	54.021
20)	A Methoxychlor	6.714	7.506	337.9E6	82844496	54.166	56.462
21)	B Endrin ke...	6.936	7.648	751.1E6	164.6E6	54.915	56.919
22)	Mirex	7.108	8.096	535.4E6	126.6E6	54.612	55.115
24)	Chlordane-2	0.000	5.405f	0	200.2E6	N.D.	1704.540 #
25)	Chlordane-3	5.201	6.026	842.3E6	195.2E6	601.759	405.846 #
26)	Chlordane-4	5.257	6.097	816.1E6	192.7E6	618.752	331.793 #
27)	Chlordane-5	6.076	0.000	746.0E6	0	1468.645	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071719\
Data File : PL050519.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Jul 2019 04:27
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 18 06:42:28 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
Quant Title : GC Extractables
QLast Update : Thu Jul 18 04:12:31 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.318 min
Delta R.T.: 0.000 min
Response: 533450414
Conc: 53.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.930 min
Delta R.T.: 0.000 min
Response: 148323421
Conc: 51.98 ng/ml




#2 alpha-BHC

R.T.: 3.746 min
Delta R.T.: 0.000 min
Response: 896288696
Conc: 53.49 ng/ml



#2 alpha-BHC


R.T.: 4.318 min
Delta R.T.: 0.000 min
Response: 219534898
Conc: 53.21 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.021 min
Delta R.T.: 0.000 min
Response: 841389896
Conc: 54.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.602 min
Delta R.T.: 0.000 min
Response: 205895124
Conc: 53.16 ng/ml




#4 Heptachlor

R.T.: 4.305 min
Delta R.T.: 0.000 min
Response: 889535556
Conc: 54.21 ng/ml



#4 Heptachlor


R.T.: 5.104 min
Delta R.T.: 0.000 min
Response: 218517338
Conc: 52.70 ng/ml



#5 Aldrin


R.T.: 4.543 min
Delta R.T.: 0.000 min
Response: 843074813
Conc: 54.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.405 min
Delta R.T.: 0.000 min
Response: 200202449
Conc: 53.13 ng/ml




#6 beta-BHC

R.T.: 4.276 min
Delta R.T.: 0.000 min
Response: 351517796
Conc: 53.62 ng/ml



#6 beta-BHC


R.T.: 4.778 min
Delta R.T.: 0.000 min
Response: 93439002
Conc: 54.05 ng/ml



#7 delta-BHC


R.T.: 4.469 min
Delta R.T.: 0.000 min
Response: 893883585
Conc: 54.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.991 min
Delta R.T.: 0.000 min
Response: 203107943
Conc: 52.51 ng/ml




#8 Heptachlor epoxide

R.T.: 4.979 min
Delta R.T.: 0.000 min
Response: 799162799
Conc: 54.09 ng/ml



#8 Heptachlor epoxide


R.T.: 5.792 min
Delta R.T.: 0.000 min
Response: 191197462
Conc: 49.99 ng/ml



#9 Endosulfan I


R.T.: 5.309 min
Delta R.T.: 0.000 min
Response: 775716758
Conc: 53.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.147 min
Delta R.T.: 0.000 min
Response: 180602567
Conc: 52.52 ng/ml




#10 gamma-Chlordane

R.T.: 5.201 min
Delta R.T.: 0.000 min
Response: 842334746
Conc: 53.37 ng/ml



#10 gamma-Chlordane


R.T.: 6.026 min
Delta R.T.: 0.000 min
Response: 195203666
Conc: 52.83 ng/ml



#11 alpha-Chlordane


R.T.: 5.257 min
Delta R.T.: 0.000 min
Response: 816121009
Conc: 53.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.097 min
Delta R.T.: 0.000 min
Response: 192744388
Conc: 52.59 ng/ml




#12 4,4'-DDE

R.T.: 5.425 min
Delta R.T.: 0.000 min
Response: 759859014
Conc: 50.71 ng/ml



#12 4,4'-DDE


R.T.: 6.258 min
Delta R.T.: 0.000 min
Response: 190646296
Conc: 52.91 ng/ml



#13 Dieldrin


R.T.: 5.548 min
Delta R.T.: 0.000 min
Response: 840091919
Conc: 54.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.403 min
Delta R.T.: 0.000 min
Response: 187603338
Conc: 52.98 ng/ml




#14 Endrin

R.T.: 5.801 min
Delta R.T.: 0.000 min
Response: 788177251
Conc: 53.54 ng/ml



#14 Endrin


R.T.: 6.620 min
Delta R.T.: -0.001 min
Response: 164289657
Conc: 52.97 ng/ml



#15 Endosulfan II


R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 745979144
Conc: 53.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.832 min
Delta R.T.: -0.001 min
Response: 166451881
Conc: 52.36 ng/ml




#16 4,4'-DDD

R.T.: 5.935 min
Delta R.T.: 0.000 min
Response: 648308095
Conc: 54.10 ng/ml



#16 4,4'-DDD


R.T.: 6.748 min
Delta R.T.: 0.000 min
Response: 141027177
Conc: 52.96 ng/ml



#17 4,4'-DDT


R.T.: 6.169 min
Delta R.T.: 0.000 min
Response: 685646747
Conc: 55.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.046 min
Delta R.T.: 0.000 min
Response: 149605170
Conc: 55.42 ng/ml




#18 Endrin aldehyde

R.T.: 6.242 min
Delta R.T.: 0.000 min
Response: 615328097
Conc: 53.34 ng/ml



#18 Endrin aldehyde


R.T.: 6.956 min
Delta R.T.: 0.000 min
Response: 137753186
Conc: 50.69 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.454 min
Delta R.T.: 0.000 min
Response: 679915682
Conc: 53.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.180 min
Delta R.T.: 0.000 min
Response: 156025395
Conc: 54.02 ng/ml




#20 Methoxychlor

R.T.: 6.714 min
Delta R.T.: 0.000 min
Response: 337935457
Conc: 54.17 ng/ml



#20 Methoxychlor


R.T.: 7.506 min
Delta R.T.: -0.001 min
Response: 82844496
Conc: 56.46 ng/ml



#21 Endrin ketone


R.T.: 6.936 min
Delta R.T.: 0.000 min
Response: 751097706
Conc: 54.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.648 min
Delta R.T.: 0.000 min
Response: 164568383
Conc: 56.92 ng/ml




#22 Mirex

R.T.: 7.108 min
Delta R.T.: 0.000 min
Response: 535432960
Conc: 54.61 ng/ml



#22 Mirex


R.T.: 8.096 min
Delta R.T.: -0.001 min
Response: 126598222
Conc: 55.11 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.647 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.405 min
Delta R.T.: 0.022 min
Response: 200202449
Conc: 1704.54 ng/ml




#25 Chlordane-3

R.T.: 5.201 min
Delta R.T.: -0.001 min
Response: 842334746
Conc: 601.76 ng/ml



#25 Chlordane-3


R.T.: 6.026 min
Delta R.T.: 0.000 min
Response: 195203666
Conc: 405.85 ng/ml



#26 Chlordane-4


R.T.: 5.257 min
Delta R.T.: 0.000 min
Response: 816121009
Conc: 618.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.097 min
Delta R.T.: -0.003 min
Response: 192744388
Conc: 331.79 ng/ml




#27 Chlordane-5

R.T.: 6.076 min
Delta R.T.: -0.004 min
Response: 745979144
Conc: 1468.64 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T. : 6.902 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 7.980 min
Delta R.T.: 0.000 min
Response: 605764944
Conc: 59.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.961 min
Delta R.T.: 0.000 min
Response: 154091940
Conc: 54.49 ng/ml