

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071719\
 Data File : PL050534.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Jul 2019 08:29
 Operator : SM\AJ
 Sample : K3813-04
 Misc :
 ALS Vial : 51 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 KY030LC066-SD-190712

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 18 10:25:11 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
 Quant Title : GC Extractables
 QLast Update : Thu Jul 18 09:14:47 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.318	3.930	169.6E6	47665469	16.881	16.706
28)	SA Decachlor...	7.979	8.960	149.4E6	38787080	14.759	13.716
Target Compounds							
6)	B beta-BHC	0.000	4.806f	0	2792800	N.D.	1.615 #
7)	B delta-BHC	0.000	4.984	0	4430691	N.D.	1.146 #
8)	B Heptachlo...	0.000	5.807	0	8249625	N.D.	2.157 #
9)	A Endosulfan I	5.333f	0.000	2156436	0	0.148	N.D. #
10)	B gamma-Chl...	5.197	0.000	31464771	0	1.994	N.D. #
11)	B alpha-Chl...	5.264	0.000	24992042	0	1.638	N.D. #
15)	B Endosulfa...	0.000	6.846	0	825175	N.D.	0.260 #
21)	B Endrin ke...	0.000	7.647	0	3443693	N.D.	1.191 #
25)	Chlordane-3	5.197	0.000	31464771	0	22.478	N.D. #
26)	Chlordane-4	5.264	0.000	24992042	0	18.948	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071719\
Data File : PL050534.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Jul 2019 08:29
Operator : SM\AJ
Sample : K3813-04
Misc :
ALS Vial : 51 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
KY030LC066-SD-190712

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 18 10:25:11 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
Quant Title : GC Extractables
QLast Update : Thu Jul 18 09:14:47 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.318 min
Delta R.T.: 0.000 min
Response: 169612782
Conc: 16.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
KY030LC066-SD-190712




#1 Tetrachloro-m-xylene

R.T.: 3.930 min
Delta R.T.: 0.000 min
Response: 47665469
Conc: 16.71 ng/ml




#6 beta-BHC

R.T.: 0.000 min
Exp R.T. : 4.276 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 4.806 min
Delta R.T.: 0.028 min
Response: 2792800
Conc: 1.62 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T. : 4.469 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
KY030LC066-SD-190712




#7 delta-BHC

R.T.: 4.984 min
Delta R.T.: -0.007 min
Response: 4430691
Conc: 1.15 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T. : 4.979 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 5.807 min
Delta R.T.: 0.015 min
Response: 8249625
Conc: 2.16 ng/ml



#9 Endosulfan I


R.T.: 5.333 min
Delta R.T.: 0.023 min
Response: 2156436
Conc: 0.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
KY030LC066-SD-190712




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T. : 6.148 min
Response: 0
Conc: N.D.




#10 gamma-Chlordane

R.T.: 5.197 min
Delta R.T.: -0.005 min
Response: 31464771
Conc: 1.99 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T. : 6.026 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 5.264 min
Delta R.T.: 0.007 min
Response: 24992042
Conc: 1.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
KY030LC066-SD-190712




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T. : 6.098 min
Response: 0
Conc: N.D.




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T. : 6.076 min
Response: 0
Conc: N.D.



#15 Endosulfan II


R.T.: 6.846 min
Delta R.T.: 0.013 min
Response: 825175
Conc: 0.26 ng/ml



#21 Endrin ketone


R.T.: 0.000 min
Exp R.T.: 6.936 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
KY030LC066-SD-190712




#21 Endrin ketone

R.T.: 7.647 min
Delta R.T.: -0.001 min
Response: 3443693
Conc: 1.19 ng/ml




#25 Chlordane-3

R.T.: 5.197 min
Delta R.T.: -0.005 min
Response: 31464771
Conc: 22.48 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 6.027 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 5.264 min
Delta R.T.: 0.008 min
Response: 24992042
Conc: 18.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
KY030LC066-SD-190712




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T.: 6.100 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 7.979 min
Delta R.T.: -0.001 min
Response: 149442013
Conc: 14.76 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.960 min
Delta R.T.: -0.001 min
Response: 38787080
Conc: 13.72 ng/ml