

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071819\
 Data File : PL050555.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Jul 2019 15:20
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 19 00:54:30 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
 Quant Title : GC Extractables
 QLast Update : Thu Jul 18 09:14:47 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.319	3.930	543.5E6	147.8E6	54.087	51.813
2)	SA Decachlor...	7.980	8.962	477.6E6	137.4E6	47.172	48.581
Target Compounds							
2)	A alpha-BHC	3.746	4.318	915.6E6	220.1E6	54.636	53.344
3)	MA gamma-BHC...	4.021	4.601	852.7E6	206.3E6	55.435	53.268
4)	MA Heptachlor	4.305	5.103	901.8E6	217.5E6	54.964	52.443
5)	MB Aldrin	4.543	5.405	875.0E6	199.6E6	56.483	52.964
6)	B beta-BHC	4.275	4.778	357.5E6	93920382	54.532	54.325
7)	B delta-BHC	4.469	4.991	912.9E6	205.9E6	55.635	53.224
8)	B Heptachlo...	4.979	5.792	795.4E6	189.6E6	53.839	49.567
9)	A Endosulfan I	5.310	6.147	736.2E6	171.7E6	50.617	49.936
10)	B gamma-Chl...	5.201	6.026	839.0E6	188.1E6	53.160	50.907
11)	B alpha-Chl...	5.257	6.097	808.8E6	184.7E6	53.016	50.407
12)	B 4,4'-DDE	5.425	6.258	659.6E6	180.0E6	44.016	49.961
13)	MA Dieldrin	5.548	6.404	828.8E6	176.4E6	53.481	49.810
14)	MA Endrin	5.801	6.621	758.6E6	156.5E6	51.534	50.449
15)	B Endosulfa...	6.076	6.833	679.2E6	153.6E6	48.529	48.310
16)	A 4,4'-DDD	5.935	6.749	638.9E6	134.8E6	53.316	50.635
17)	MA 4,4'-DDT	6.169	7.045	591.1E6	133.0E6	47.723	49.280
18)	B Endrin al...	6.243	6.957	528.9E6	129.7E6	45.848	47.735
19)	B Endosulfa...	6.454	7.180	570.6E6	139.8E6	44.793	48.406
20)	A Methoxychlor	6.714	7.506	279.3E6	72837049	44.771	49.641
21)	B Endrin ke...	6.935	7.648	602.4E6	145.0E6	44.044	50.147
22)	Mirex	7.109	8.097	412.8E6	112.8E6	42.104	49.112
24)	Chlordane-2	0.000	5.405f	0	199.6E6	N.D.	1699.299 #
25)	Chlordane-3	5.201	6.026	839.0E6	188.1E6	599.401	391.111 #
26)	Chlordane-4	5.257	6.097	808.8E6	184.7E6	613.211	318.031 #
27)	Chlordane-5	6.076	0.000	679.2E6	0	1337.084	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071819\
Data File : PL050555.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Jul 2019 15:20
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 19 00:54:30 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
Quant Title : GC Extractables
QLast Update : Thu Jul 18 09:14:47 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.319 min
Delta R.T.: 0.000 min
Response: 543460864
Conc: 54.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.930 min
Delta R.T.: 0.000 min
Response: 147832201
Conc: 51.81 ng/ml




#2 alpha-BHC

R.T.: 3.746 min
Delta R.T.: 0.000 min
Response: 915567926
Conc: 54.64 ng/ml



#2 alpha-BHC


R.T.: 4.318 min
Delta R.T.: 0.000 min
Response: 220097549
Conc: 53.34 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.021 min
Delta R.T.: 0.000 min
Response: 852683165
Conc: 55.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.601 min
Delta R.T.: 0.000 min
Response: 206317857
Conc: 53.27 ng/ml




#4 Heptachlor

R.T.: 4.305 min
Delta R.T.: 0.000 min
Response: 901838536
Conc: 54.96 ng/ml



#4 Heptachlor


R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 217465855
Conc: 52.44 ng/ml



#5 Aldrin


R.T.: 4.543 min
Delta R.T.: 0.000 min
Response: 875012949
Conc: 56.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.405 min
Delta R.T.: 0.000 min
Response: 199586894
Conc: 52.96 ng/ml




#6 beta-BHC

R.T.: 4.275 min
Delta R.T.: 0.000 min
Response: 357501098
Conc: 54.53 ng/ml



#6 beta-BHC


R.T.: 4.778 min
Delta R.T.: 0.000 min
Response: 93920382
Conc: 54.33 ng/ml



#7 delta-BHC


R.T.: 4.469 min
Delta R.T.: 0.000 min
Response: 912896316
Conc: 55.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.991 min
Delta R.T.: 0.000 min
Response: 205850968
Conc: 53.22 ng/ml




#8 Heptachlor epoxide

R.T.: 4.979 min
Delta R.T.: 0.000 min
Response: 795403173
Conc: 53.84 ng/ml



#8 Heptachlor epoxide


R.T.: 5.792 min
Delta R.T.: 0.000 min
Response: 189585041
Conc: 49.57 ng/ml



#9 Endosulfan I


R.T.: 5.310 min
Delta R.T.: 0.000 min
Response: 736167610
Conc: 50.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.147 min
Delta R.T.: 0.000 min
Response: 171724042
Conc: 49.94 ng/ml




#10 gamma-Chlordane

R.T.: 5.201 min
Delta R.T.: 0.000 min
Response: 839034668
Conc: 53.16 ng/ml



#10 gamma-Chlordane


R.T.: 6.026 min
Delta R.T.: 0.000 min
Response: 188116610
Conc: 50.91 ng/ml



#11 alpha-Chlordane


R.T.: 5.257 min
Delta R.T.: 0.000 min
Response: 808812172
Conc: 53.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.097 min
Delta R.T.: 0.000 min
Response: 184749785
Conc: 50.41 ng/ml




#12 4,4'-DDE

R.T.: 5.425 min
Delta R.T.: 0.000 min
Response: 659623239
Conc: 44.02 ng/ml



#12 4,4'-DDE


R.T.: 6.258 min
Delta R.T.: 0.000 min
Response: 180030225
Conc: 49.96 ng/ml



#13 Dieldrin


R.T.: 5.548 min
Delta R.T.: 0.000 min
Response: 828787419
Conc: 53.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.404 min
Delta R.T.: 0.000 min
Response: 176383313
Conc: 49.81 ng/ml




#14 Endrin

R.T.: 5.801 min
Delta R.T.: 0.000 min
Response: 758603818
Conc: 51.53 ng/ml



#14 Endrin


R.T.: 6.621 min
Delta R.T.: 0.000 min
Response: 156464487
Conc: 50.45 ng/ml



#15 Endosulfan II


R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 679154290
Conc: 48.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.833 min
Delta R.T.: 0.000 min
Response: 153584737
Conc: 48.31 ng/ml




#16 4,4'-DDD

R.T.: 5.935 min
Delta R.T.: 0.000 min
Response: 638931071
Conc: 53.32 ng/ml



#16 4,4'-DDD


R.T.: 6.749 min
Delta R.T.: 0.000 min
Response: 134835151
Conc: 50.63 ng/ml



#17 4,4'-DDT


R.T.: 6.169 min
Delta R.T.: 0.000 min
Response: 591085561
Conc: 47.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.045 min
Delta R.T.: 0.000 min
Response: 133036812
Conc: 49.28 ng/ml




#18 Endrin aldehyde

R.T.: 6.243 min
Delta R.T.: 0.000 min
Response: 528920875
Conc: 45.85 ng/ml



#18 Endrin aldehyde


R.T.: 6.957 min
Delta R.T.: 0.000 min
Response: 129725761
Conc: 47.74 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.454 min
Delta R.T.: 0.000 min
Response: 570642429
Conc: 44.79 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.180 min
Delta R.T.: 0.000 min
Response: 139809718
Conc: 48.41 ng/ml




#20 Methoxychlor

R.T.: 6.714 min
Delta R.T.: 0.000 min
Response: 279323608
Conc: 44.77 ng/ml



#20 Methoxychlor


R.T.: 7.506 min
Delta R.T.: 0.000 min
Response: 72837049
Conc: 49.64 ng/ml



#21 Endrin ketone


R.T.: 6.935 min
Delta R.T.: 0.000 min
Response: 602405026
Conc: 44.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.648 min
Delta R.T.: 0.000 min
Response: 144989878
Conc: 50.15 ng/ml




#22 Mirex

R.T.: 7.109 min
Delta R.T.: 0.000 min
Response: 412797826
Conc: 42.10 ng/ml



#22 Mirex


R.T.: 8.097 min
Delta R.T.: 0.000 min
Response: 112811248
Conc: 49.11 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.648 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.405 min
Delta R.T.: 0.023 min
Response: 199586894
Conc: 1699.30 ng/ml




#25 Chlordane-3

R.T.: 5.201 min
Delta R.T.: 0.000 min
Response: 839034668
Conc: 599.40 ng/ml



#25 Chlordane-3


R.T.: 6.026 min
Delta R.T.: 0.000 min
Response: 188116610
Conc: 391.11 ng/ml



#26 Chlordane-4


R.T.: 5.257 min
Delta R.T.: 0.000 min
Response: 808812172
Conc: 613.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.097 min
Delta R.T.: -0.002 min
Response: 184749785
Conc: 318.03 ng/ml




#27 Chlordane-5

R.T.: 6.076 min
Delta R.T.: -0.003 min
Response: 679154290
Conc: 1337.08 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.902 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 7.980 min
Delta R.T.: 0.000 min
Response: 477637013
Conc: 47.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.962 min
Delta R.T.: 0.000 min
Response: 137382049
Conc: 48.58 ng/ml