

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071825\
 Data File : PL096443.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Jul 2025 09:07
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 18 11:15:57 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 07 15:22:07 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.536	2.828	195.9E6	325.1E6	53.674	56.323
28)	SA Decachlor...	9.017	7.993	132.7E6	243.6E6	47.178	48.857
Target Compounds							
2)	A alpha-BHC	3.984	3.334	283.4E6	490.3E6	55.101	58.130
3)	MA gamma-BHC...	4.313	3.666	272.3E6	451.9E6	54.692	57.383
4)	MA Heptachlor	4.905	4.015	244.4E6	432.7E6	53.347	56.880
5)	MB Aldrin	5.245	4.298	255.4E6	414.8E6	52.829	56.851
6)	B beta-BHC	4.499	3.962	114.0E6	191.7E6	54.833	55.995
7)	B delta-BHC	4.745	4.195	253.9E6	443.1E6	56.657	57.529
8)	B Heptachlo...	5.664	4.800	230.3E6	369.2E6	55.495	55.235
9)	A Endosulfan I	6.046	5.170	211.5E6	341.3E6	52.381	47.573
10)	B gamma-Chl...	5.918	5.052	233.1E6	389.4E6	52.689	55.476
11)	B alpha-Chl...	5.998	5.116	230.0E6	379.1E6	52.520	50.411
12)	B 4,4'-DDE	6.168	5.304	195.3E6	356.7E6	52.681	55.193
13)	MA Dieldrin	6.318	5.435	221.9E6	375.8E6	52.489	55.114
14)	MA Endrin	6.545	5.710	173.5E6	332.7E6	55.788	54.570
15)	B Endosulfa...	6.757	6.001	192.6E6	318.5E6	55.517	54.323
16)	A 4,4'-DDD	6.677	5.857	157.7E6	298.4E6	54.171	58.176
17)	MA 4,4'-DDT	6.991	6.110	159.7E6	297.4E6	52.613	51.850
18)	B Endrin al...	6.886	6.180	135.2E6	240.0E6	60.462	53.874
19)	B Endosulfa...	7.119	6.403	161.4E6	311.0E6	52.767	55.299
20)	A Methoxychlor	7.464	6.682	80913584	155.6E6	51.361	51.224
21)	B Endrin ke...	7.599	6.907	169.1E6	340.9E6	51.229	54.525
22)	Mirex	8.079	7.098	138.2E6	257.2E6	49.669	51.765
24)	Chlordane-2	5.245f	0.000	255.4E6	0	1304.329	N.D. #
25)	Chlordane-3	5.918	5.052	233.1E6	389.4E6	316.438	484.032 #
26)	Chlordane-4	5.998	5.116	230.0E6	379.1E6	256.320	504.505 #
27)	Chlordane-5	0.000	6.001	0	318.5E6	N.D.	1123.809 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL071825\
Data File : PL096443.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Jul 2025 09:07
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 18 11:15:57 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
Quant Title : GC Extractables
QLast Update : Mon Jul 07 15:22:07 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.536 min
Delta R.T.: 0.000 min
Response: 195854177
Conc: 53.67 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.828 min
Delta R.T.: 0.000 min
Response: 325052709
Conc: 56.32 ng/ml




#2 alpha-BHC

R.T.: 3.984 min
Delta R.T.: 0.000 min
Response: 283392869
Conc: 55.10 ng/ml



#2 alpha-BHC


R.T.: 3.334 min
Delta R.T.: 0.000 min
Response: 490286700
Conc: 58.13 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.313 min
Delta R.T.: 0.000 min
Response: 272347476
Conc: 54.69 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.666 min
Delta R.T.: 0.000 min
Response: 451940143
Conc: 57.38 ng/ml




#4 Heptachlor

R.T.: 4.905 min
Delta R.T.: 0.000 min
Response: 244393434
Conc: 53.35 ng/ml



#4 Heptachlor


R.T.: 4.015 min
Delta R.T.: -0.001 min
Response: 432731739
Conc: 56.88 ng/ml



#5 Aldrin


R.T.: 5.245 min
Delta R.T.: -0.001 min
Response: 255361707
Conc: 52.83 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.298 min
Delta R.T.: -0.001 min
Response: 414762657
Conc: 56.85 ng/ml




#6 beta-BHC

R.T.: 4.499 min
Delta R.T.: 0.000 min
Response: 113985761
Conc: 54.83 ng/ml



#6 beta-BHC


R.T.: 3.962 min
Delta R.T.: -0.001 min
Response: 191723255
Conc: 56.00 ng/ml



#7 delta-BHC


R.T.: 4.745 min
Delta R.T.: 0.000 min
Response: 253898885
Conc: 56.66 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.195 min
Delta R.T.: -0.001 min
Response: 443082911
Conc: 57.53 ng/ml




#8 Heptachlor epoxide

R.T.: 5.664 min
Delta R.T.: -0.001 min
Response: 230258830
Conc: 55.50 ng/ml



#8 Heptachlor epoxide


R.T.: 4.800 min
Delta R.T.: 0.000 min
Response: 369243221
Conc: 55.24 ng/ml



#9 Endosulfan I


R.T.: 6.046 min
Delta R.T.: 0.000 min
Response: 211477004
Conc: 52.38 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.170 min
Delta R.T.: -0.001 min
Response: 341293480
Conc: 47.57 ng/ml




#10 gamma-Chlordane

R.T.: 5.918 min
Delta R.T.: 0.000 min
Response: 233136971
Conc: 52.69 ng/ml



#10 gamma-Chlordane


R.T.: 5.052 min
Delta R.T.: -0.003 min
Response: 389422149
Conc: 55.48 ng/ml



#11 alpha-Chlordane


R.T.: 5.998 min
Delta R.T.: -0.001 min
Response: 229977095
Conc: 52.52 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.116 min
Delta R.T.: -0.003 min
Response: 379098626
Conc: 50.41 ng/ml




#12 4,4'-DDE

R.T.: 6.168 min
Delta R.T.: -0.001 min
Response: 195314089
Conc: 52.68 ng/ml



#12 4,4'-DDE


R.T.: 5.304 min
Delta R.T.: -0.001 min
Response: 356749210
Conc: 55.19 ng/ml



#13 Dieldrin


R.T.: 6.318 min
Delta R.T.: 0.000 min
Response: 221945268
Conc: 52.49 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.435 min
Delta R.T.: 0.000 min
Response: 375834803
Conc: 55.11 ng/ml




#14 Endrin

R.T.: 6.545 min
Delta R.T.: 0.000 min
Response: 173512646
Conc: 55.79 ng/ml



#14 Endrin


R.T.: 5.710 min
Delta R.T.: -0.001 min
Response: 332684333
Conc: 54.57 ng/ml



#15 Endosulfan II


R.T.: 6.757 min
Delta R.T.: 0.000 min
Response: 192645371
Conc: 55.52 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 6.001 min
Delta R.T.: -0.001 min
Response: 318544126
Conc: 54.32 ng/ml




#16 4,4'-DDD

R.T.: 6.677 min
Delta R.T.: 0.000 min
Response: 157729636
Conc: 54.17 ng/ml



#16 4,4'-DDD


R.T.: 5.857 min
Delta R.T.: -0.002 min
Response: 298365476
Conc: 58.18 ng/ml



#17 4,4'-DDT


R.T.: 6.991 min
Delta R.T.: 0.000 min
Response: 159691762
Conc: 52.61 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.110 min
Delta R.T.: -0.003 min
Response: 297364916
Conc: 51.85 ng/ml




#18 Endrin aldehyde

R.T.: 6.886 min
Delta R.T.: 0.000 min
Response: 135166545
Conc: 60.46 ng/ml



#18 Endrin aldehyde


R.T.: 6.180 min
Delta R.T.: -0.001 min
Response: 239987643
Conc: 53.87 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.119 min
Delta R.T.: 0.000 min
Response: 161405305
Conc: 52.77 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.403 min
Delta R.T.: -0.003 min
Response: 311022956
Conc: 55.30 ng/ml




#20 Methoxychlor

R.T.: 7.464 min
Delta R.T.: 0.000 min
Response: 80913584
Conc: 51.36 ng/ml



#20 Methoxychlor


R.T.: 6.682 min
Delta R.T.: -0.003 min
Response: 155605474
Conc: 51.22 ng/ml



#21 Endrin ketone


R.T.: 7.599 min
Delta R.T.: 0.000 min
Response: 169137813
Conc: 51.23 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.907 min
Delta R.T.: -0.002 min
Response: 340900933
Conc: 54.52 ng/ml




#22 Mirex

R.T.: 8.079 min
Delta R.T.: 0.000 min
Response: 138189295
Conc: 49.67 ng/ml



#22 Mirex


R.T.: 7.098 min
Delta R.T.: -0.003 min
Response: 257178352
Conc: 51.77 ng/ml



#24 Chlordane-2


R.T.: 5.245 min
Delta R.T.: 0.028 min
Response: 255361707
Conc: 1304.33 ng/m

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.420 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.918 min
Delta R.T.: -0.002 min
Response: 233136971
Conc: 316.44 ng/ml



#25 Chlordane-3


R.T.: 5.052 min
Delta R.T.: -0.003 min
Response: 389422149
Conc: 484.03 ng/ml



#26 Chlordane-4


R.T.: 5.998 min
Delta R.T.: -0.006 min
Response: 229977095
Conc: 256.32 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 5.116 min
Delta R.T.: -0.002 min
Response: 379098626
Conc: 504.51 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.841 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 6.001 min
Delta R.T.: -0.011 min
Response: 318544126
Conc: 1123.81 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.017 min
Delta R.T.: -0.003 min
Response: 132713637
Conc: 47.18 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.993 min
Delta R.T.: -0.004 min
Response: 243627131
Conc: 48.86 ng/ml