

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072125\
 Data File : PL096493.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Jul 2025 16:08
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 22 01:47:08 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 07 15:22:07 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.537	2.829	197.4E6	325.1E6	54.107	56.332
28)	SA Decachlor...	9.021	7.995	127.6E6	205.1E6	45.348	41.122
Target Compounds							
2)	A alpha-BHC	3.985	3.335	284.3E6	488.9E6	55.281	57.967
3)	MA gamma-BHC...	4.313	3.667	270.3E6	447.0E6	54.276	56.761
4)	MA Heptachlor	4.905	4.016	236.6E6	410.1E6	51.654	53.899
5)	MB Aldrin	5.244	4.299	248.5E6	408.6E6	51.409	56.009
6)	B beta-BHC	4.499	3.963	115.1E6	188.5E6	55.375	55.060
7)	B delta-BHC	4.745	4.196	251.7E6	434.2E6	56.170	56.375
8)	B Heptachlo...	5.664	4.801	248.0E6	356.3E6	59.766	53.293
9)	A Endosulfan I	6.046	5.172	210.0E6	319.7E6	52.023	44.558
10)	B gamma-Chl...	5.918	5.052	274.4E6	371.1E6	62.018	52.871
11)	B alpha-Chl...	5.999	5.117	227.6E6	360.4E6	51.984	47.927
12)	B 4,4'-DDE	6.169	5.306	188.0E6	336.2E6	50.705	52.019
13)	MA Dieldrin	6.319	5.436	207.9E6	354.2E6	49.158	51.938
14)	MA Endrin	6.545	5.711	159.3E6	317.2E6	51.234	52.033
15)	B Endosulfa...	6.758	6.003	195.3E6	287.0E6	56.277	48.942
16)	A 4,4'-DDD	6.678	5.858	168.6E6	277.1E6	57.899	54.025
17)	MA 4,4'-DDT	6.992	6.111	140.3E6	242.6E6	46.217	42.301
18)	B Endrin al...	6.886	6.181	127.1E6	200.6E6	56.839	45.024
19)	B Endosulfa...	7.120	6.405	147.2E6	270.0E6	48.111	48.012
20)	A Methoxychlor	7.464	6.683	74352715	123.2E6	47.196	40.572
21)	B Endrin ke...	7.599	6.909	156.5E6	288.8E6	47.399	46.189
22)	Mirex	8.080	7.100	127.2E6	212.1E6	45.727	42.694
24)	Chlordane-2	5.244f	4.437	248.5E6	-1703063	1269.269	N.D. #
25)	Chlordane-3	5.918	5.052	274.4E6	371.1E6	372.470	461.308
26)	Chlordane-4	5.999	5.117	227.6E6	360.4E6	253.704	479.650 #
27)	Chlordane-5	0.000	6.003	0	287.0E6	N.D.	1012.483 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072125\
Data File : PL096493.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Jul 2025 16:08
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 22 01:47:08 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
Quant Title : GC Extractables
QLast Update : Mon Jul 07 15:22:07 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.537 min
Delta R.T.: 0.000 min
Response: 197433420
Conc: 54.11 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.829 min
Delta R.T.: 0.000 min
Response: 325102833
Conc: 56.33 ng/ml




#2 alpha-BHC

R.T.: 3.985 min
Delta R.T.: 0.000 min
Response: 284319155
Conc: 55.28 ng/ml



#2 alpha-BHC


R.T.: 3.335 min
Delta R.T.: 0.000 min
Response: 488912408
Conc: 57.97 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.313 min
Delta R.T.: 0.000 min
Response: 270277240
Conc: 54.28 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.667 min
Delta R.T.: 0.000 min
Response: 447042519
Conc: 56.76 ng/ml




#4 Heptachlor

R.T.: 4.905 min
Delta R.T.: 0.000 min
Response: 236639992
Conc: 51.65 ng/ml



#4 Heptachlor


R.T.: 4.016 min
Delta R.T.: 0.000 min
Response: 410052631
Conc: 53.90 ng/ml



#5 Aldrin


R.T.: 5.244 min
Delta R.T.: -0.001 min
Response: 248497535
Conc: 51.41 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.299 min
Delta R.T.: 0.000 min
Response: 408622886
Conc: 56.01 ng/ml




#6 beta-BHC

R.T.: 4.499 min
Delta R.T.: 0.000 min
Response: 115113441
Conc: 55.38 ng/ml



#6 beta-BHC


R.T.: 3.963 min
Delta R.T.: 0.000 min
Response: 188521058
Conc: 55.06 ng/ml



#7 delta-BHC


R.T.: 4.745 min
Delta R.T.: 0.000 min
Response: 251716510
Conc: 56.17 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.196 min
Delta R.T.: 0.000 min
Response: 434191743
Conc: 56.37 ng/ml




#8 Heptachlor epoxide

R.T.: 5.664 min
Delta R.T.: -0.001 min
Response: 247977318
Conc: 59.77 ng/ml



#8 Heptachlor epoxide


R.T.: 4.801 min
Delta R.T.: 0.000 min
Response: 356259430
Conc: 53.29 ng/ml



#9 Endosulfan I


R.T.: 6.046 min
Delta R.T.: 0.000 min
Response: 210030023
Conc: 52.02 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.172 min
Delta R.T.: 0.000 min
Response: 319669016
Conc: 44.56 ng/ml




#10 gamma-Chlordane

R.T.: 5.918 min
Delta R.T.: 0.000 min
Response: 274418686
Conc: 62.02 ng/ml



#10 gamma-Chlordane


R.T.: 5.052 min
Delta R.T.: -0.002 min
Response: 371139869
Conc: 52.87 ng/ml



#11 alpha-Chlordane


R.T.: 5.999 min
Delta R.T.: 0.000 min
Response: 227629669
Conc: 51.98 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.117 min
Delta R.T.: -0.002 min
Response: 360421669
Conc: 47.93 ng/ml




#12 4,4'-DDE

R.T.: 6.169 min
Delta R.T.: 0.000 min
Response: 187986628
Conc: 50.70 ng/ml



#12 4,4'-DDE


R.T.: 5.306 min
Delta R.T.: 0.000 min
Response: 336232232
Conc: 52.02 ng/ml



#13 Dieldrin


R.T.: 6.319 min
Delta R.T.: 0.000 min
Response: 207858497
Conc: 49.16 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.436 min
Delta R.T.: 0.000 min
Response: 354178504
Conc: 51.94 ng/ml




#14 Endrin

R.T.: 6.545 min
Delta R.T.: 0.000 min
Response: 159349858
Conc: 51.23 ng/ml



#14 Endrin


R.T.: 5.711 min
Delta R.T.: 0.000 min
Response: 317217062
Conc: 52.03 ng/ml



#15 Endosulfan II


R.T.: 6.758 min
Delta R.T.: 0.000 min
Response: 195283823
Conc: 56.28 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 6.003 min
Delta R.T.: 0.000 min
Response: 286988731
Conc: 48.94 ng/ml




#16 4,4'-DDD

R.T.: 6.678 min
Delta R.T.: 0.000 min
Response: 168585323
Conc: 57.90 ng/ml



#16 4,4'-DDD


R.T.: 5.858 min
Delta R.T.: 0.000 min
Response: 277076635
Conc: 54.02 ng/ml



#17 4,4'-DDT


R.T.: 6.992 min
Delta R.T.: 0.000 min
Response: 140278736
Conc: 46.22 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.111 min
Delta R.T.: -0.002 min
Response: 242599364
Conc: 42.30 ng/ml




#18 Endrin aldehyde

R.T.: 6.886 min
Delta R.T.: 0.000 min
Response: 127067606
Conc: 56.84 ng/ml



#18 Endrin aldehyde


R.T.: 6.181 min
Delta R.T.: 0.000 min
Response: 200563363
Conc: 45.02 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.120 min
Delta R.T.: 0.000 min
Response: 147162779
Conc: 48.11 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.405 min
Delta R.T.: 0.000 min
Response: 270039100
Conc: 48.01 ng/ml




#20 Methoxychlor

R.T.: 7.464 min
Delta R.T.: 0.000 min
Response: 74352715
Conc: 47.20 ng/ml



#20 Methoxychlor


R.T.: 6.683 min
Delta R.T.: -0.002 min
Response: 123249318
Conc: 40.57 ng/ml



#21 Endrin ketone


R.T.: 7.599 min
Delta R.T.: 0.000 min
Response: 156493430
Conc: 47.40 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.909 min
Delta R.T.: 0.000 min
Response: 288787748
Conc: 46.19 ng/ml




#22 Mirex

R.T.: 8.080 min
Delta R.T.: 0.001 min
Response: 127221657
Conc: 45.73 ng/ml



#22 Mirex


R.T.: 7.100 min
Delta R.T.: -0.001 min
Response: 212113580
Conc: 42.69 ng/ml



#24 Chlordane-2


R.T.: 5.244 min
Delta R.T.: 0.028 min
Response: 248497535
Conc: 1269.27 ng/m

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 4.437 min
Delta R.T.: 0.016 min
Response: -1703063
Conc: N.D.




#25 Chlordane-3

R.T.: 5.918 min
Delta R.T.: -0.001 min
Response: 274418686
Conc: 372.47 ng/ml



#25 Chlordane-3


R.T.: 5.052 min
Delta R.T.: -0.003 min
Response: 371139869
Conc: 461.31 ng/ml



#26 Chlordane-4


R.T.: 5.999 min
Delta R.T.: -0.005 min
Response: 227629669
Conc: 253.70 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 5.117 min
Delta R.T.: -0.001 min
Response: 360421669
Conc: 479.65 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.841 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 6.003 min
Delta R.T.: -0.009 min
Response: 286988731
Conc: 1012.48 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.021 min
Delta R.T.: 0.001 min
Response: 127566336
Conc: 45.35 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.995 min
Delta R.T.: -0.001 min
Response: 205052955
Conc: 41.12 ng/ml