

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072221\
 Data File : PL068412.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Jul 2021 00:07
 Operator : AR\AJ
 Sample : M3118-05
 Misc :
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 20210588-SPLP-AMENDED-COM-2

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 23 02:22:39 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071921.M
 Quant Title : GC Extractables
 QLast Update : Tue Jul 20 11:44:21 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.642	5.569	7839800	17629225	18.267	17.276
28)	SA Decachlor...	10.417	11.491	10749998	17153266	19.114	19.230
Target Compounds							
5)	MB Aldrin	0.000	7.566	0	479783	N.D.	0.404 #
10)	B gamma-Chl...	0.000	8.321f	0	776599	N.D.	0.690 #
14)	MA Endrin	0.000	8.994f	0	345332	N.D.	0.386 #
15)	B Endosulfa...	0.000	9.214	0	403339	N.D.	0.445 #
24)	Chlordane-2	0.000	7.566f	0	479783	N.D.	11.532 #
25)	Chlordane-3	0.000	8.321	0	776599	N.D.	5.015 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072221\
Data File : PL068412.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Jul 2021 00:07
Operator : AR\AJ
Sample : M3118-05
Misc :
ALS Vial : 42 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
20210588-SPLP-AMENDED-COM-2

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 23 02:22:39 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071921.M
Quant Title : GC Extractables
QLast Update : Tue Jul 20 11:44:21 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.642 min
Delta R.T.: -0.003 min
Response: 7839800
Conc: 18.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
20210588-SPLP-AMENDED-COM-2




#1 Tetrachloro-m-xylene

R.T.: 5.569 min
Delta R.T.: -0.002 min
Response: 17629225
Conc: 17.28 ng/ml




#5 Aldrin

R.T.: 0.000 min
Exp R.T. : 6.514 min
Response: 0
Conc: N.D.



#5 Aldrin


R.T.: 7.566 min
Delta R.T.: 0.000 min
Response: 479783
Conc: 0.40 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 7.369 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
20210588-SPLP-AMENDED-COM-2




#10 gamma-Chlordane

R.T.: 8.321 min
Delta R.T.: 0.019 min
Response: 776599
Conc: 0.69 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 8.072 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 8.994 min
Delta R.T.: 0.028 min
Response: 345332
Conc: 0.39 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 8.382 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
20210588-SPLP-AMENDED-COM-2




#15 Endosulfan II

R.T.: 9.214 min
Delta R.T.: 0.013 min
Response: 403339
Conc: 0.44 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 6.668 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 7.566 min
Delta R.T.: 0.018 min
Response: 479783
Conc: 11.53 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 7.371 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
20210588-SPLP-AMENDED-COM-2




#25 Chlordane-3

R.T.: 8.321 min
Delta R.T.: 0.015 min
Response: 776599
Conc: 5.01 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.417 min
Delta R.T.: -0.007 min
Response: 10749998
Conc: 19.11 ng/ml



#28 Decachlorobiphenyl

R.T.: 11.491 min
Delta R.T.: -0.002 min
Response: 17153266
Conc: 19.23 ng/ml