

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072223\
 Data File : PL084092.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Jul 2023 12:05
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 20 12:26:46 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071223.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 14 00:03:54 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.477	2.688	102.9E6	50070052	51.431	45.085
28)	SA Decachlor...	9.027	7.871	66605958	52541628	51.170	47.287
Target Compounds							
2)	A alpha-BHC	3.935	3.193	154.0E6	75358577	52.571	46.869
3)	MA gamma-BHC...	4.269	3.524	146.9E6	73162492	52.010	48.111
4)	MA Heptachlor	4.860	3.865	146.3E6	64722258	53.825	54.920
5)	MB Aldrin	5.203	4.145	144.1E6	69402132	50.305	46.028
6)	B beta-BHC	4.468	3.826	63130384	31818801	52.615	48.206
7)	B delta-BHC	4.714	4.054	143.5E6	73236932	53.816	48.417
8)	B Heptachlo...	5.633	4.652	130.9E6	61552350	49.022	47.931
9)	A Endosulfan I	6.019	5.022	113.9E6	57899032	48.095	47.206
10)	B gamma-Chl...	5.890	4.905	125.5E6	63414434	48.603	47.603
11)	B alpha-Chl...	5.970	4.969	123.2E6	63562681	48.449	47.184
12)	B 4,4'-DDE	6.149	5.167	104.3E6	58723383	51.840	47.807
13)	MA Dieldrin	6.296	5.289	116.9E6	63451870	48.933	48.721
14)	MA Endrin	6.525	5.564	93788976	54155373	49.248	49.266
15)	B Endosulfa...	6.745	5.862	92098599	55319716	49.137	48.131
16)	A 4,4'-DDD	6.668	5.726	81894747	49884897	55.766	51.999
17)	MA 4,4'-DDT	6.983	5.977	82534765	50748894	51.753	55.719
18)	B Endrin al...	6.876	6.043	75739153	44842816	51.696	49.884
19)	B Endosulfa...	7.112	6.268	86570695	53541357	50.079	48.717
20)	A Methoxychlor	7.465	6.562	41804113	27956629	53.443	58.335
21)	B Endrin ke...	7.596	6.773	88663460	66147895	50.594	51.195
22)	Mirex	8.072	6.954	70303788	50314455	49.131	49.296
24)	Chlordane-2	5.203f	4.284	144.1E6	155869	180.343	0.368 #
25)	Chlordane-3	5.890	4.905	125.5E6	63414434	35.750	46.251 #
26)	Chlordane-4	5.970	4.969	123.2E6	63562681	30.170	44.366 #
27)	Chlordane-5	0.000	5.862	0	55319716	N.D.	120.550 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072223\
Data File : PL084092.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Jul 2023 12:05
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 20 12:26:46 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071223.M
Quant Title : GC Extractables
QLast Update : Fri Jul 14 00:03:54 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.477 min
Delta R.T.: 0.004 min
Response: 102856223
Conc: 51.43 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.688 min
Delta R.T.: 0.000 min
Response: 50070052
Conc: 45.08 ng/ml




#2 alpha-BHC

R.T.: 3.935 min
Delta R.T.: 0.004 min
Response: 154021843
Conc: 52.57 ng/ml



#2 alpha-BHC


R.T.: 3.193 min
Delta R.T.: 0.000 min
Response: 75358577
Conc: 46.87 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.269 min
Delta R.T.: 0.005 min
Response: 146945016
Conc: 52.01 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.524 min
Delta R.T.: 0.000 min
Response: 73162492
Conc: 48.11 ng/ml




#4 Heptachlor

R.T.: 4.860 min
Delta R.T.: 0.004 min
Response: 146272724
Conc: 53.82 ng/ml



#4 Heptachlor


R.T.: 3.865 min
Delta R.T.: 0.000 min
Response: 64722258
Conc: 54.92 ng/ml



#5 Aldrin


R.T.: 5.203 min
Delta R.T.: 0.005 min
Response: 144083584
Conc: 50.30 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.145 min
Delta R.T.: 0.000 min
Response: 69402132
Conc: 46.03 ng/ml




#6 beta-BHC

R.T.: 4.468 min
Delta R.T.: 0.005 min
Response: 63130384
Conc: 52.62 ng/ml



#6 beta-BHC


R.T.: 3.826 min
Delta R.T.: 0.000 min
Response: 31818801
Conc: 48.21 ng/ml



#7 delta-BHC


R.T.: 4.714 min
Delta R.T.: 0.005 min
Response: 143461916
Conc: 53.82 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.054 min
Delta R.T.: 0.000 min
Response: 73236932
Conc: 48.42 ng/ml




#8 Heptachlor epoxide

R.T.: 5.633 min
Delta R.T.: 0.005 min
Response: 130869458
Conc: 49.02 ng/ml



#8 Heptachlor epoxide


R.T.: 4.652 min
Delta R.T.: 0.000 min
Response: 61552350
Conc: 47.93 ng/ml



#9 Endosulfan I


R.T.: 6.019 min
Delta R.T.: 0.005 min
Response: 113898970
Conc: 48.10 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.022 min
Delta R.T.: 0.000 min
Response: 57899032
Conc: 47.21 ng/ml




#10 gamma-Chlordane

R.T.: 5.890 min
Delta R.T.: 0.004 min
Response: 125488658
Conc: 48.60 ng/ml



#10 gamma-Chlordane


R.T.: 4.905 min
Delta R.T.: 0.000 min
Response: 63414434
Conc: 47.60 ng/ml



#11 alpha-Chlordane


R.T.: 5.970 min
Delta R.T.: 0.005 min
Response: 123159061
Conc: 48.45 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 4.969 min
Delta R.T.: 0.000 min
Response: 63562681
Conc: 47.18 ng/ml




#12 4,4'-DDE

R.T.: 6.149 min
Delta R.T.: 0.005 min
Response: 104301638
Conc: 51.84 ng/ml



#12 4,4'-DDE


R.T.: 5.167 min
Delta R.T.: 0.000 min
Response: 58723383
Conc: 47.81 ng/ml



#13 Dieldrin


R.T.: 6.296 min
Delta R.T.: 0.004 min
Response: 116929469
Conc: 48.93 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.289 min
Delta R.T.: 0.000 min
Response: 63451870
Conc: 48.72 ng/ml




#14 Endrin

R.T.: 6.525 min
Delta R.T.: 0.005 min
Response: 93788976
Conc: 49.25 ng/ml



#14 Endrin


R.T.: 5.564 min
Delta R.T.: 0.000 min
Response: 54155373
Conc: 49.27 ng/ml



#15 Endosulfan II


R.T.: 6.745 min
Delta R.T.: 0.006 min
Response: 92098599
Conc: 49.14 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.862 min
Delta R.T.: 0.000 min
Response: 55319716
Conc: 48.13 ng/ml




#16 4,4'-DDD

R.T.: 6.668 min
Delta R.T.: 0.006 min
Response: 81894747
Conc: 55.77 ng/ml



#16 4,4'-DDD


R.T.: 5.726 min
Delta R.T.: 0.000 min
Response: 49884897
Conc: 52.00 ng/ml



#17 4,4'-DDT


R.T.: 6.983 min
Delta R.T.: 0.005 min
Response: 82534765
Conc: 51.75 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 5.977 min
Delta R.T.: 0.000 min
Response: 50748894
Conc: 55.72 ng/ml




#18 Endrin aldehyde

R.T.: 6.876 min
Delta R.T.: 0.005 min
Response: 75739153
Conc: 51.70 ng/ml



#18 Endrin aldehyde


R.T.: 6.043 min
Delta R.T.: 0.000 min
Response: 44842816
Conc: 49.88 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.112 min
Delta R.T.: 0.005 min
Response: 86570695
Conc: 50.08 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.268 min
Delta R.T.: 0.000 min
Response: 53541357
Conc: 48.72 ng/ml




#20 Methoxychlor

R.T.: 7.465 min
Delta R.T.: 0.005 min
Response: 41804113
Conc: 53.44 ng/ml



#20 Methoxychlor


R.T.: 6.562 min
Delta R.T.: 0.000 min
Response: 27956629
Conc: 58.34 ng/ml



#21 Endrin ketone


R.T.: 7.596 min
Delta R.T.: 0.005 min
Response: 88663460
Conc: 50.59 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.773 min
Delta R.T.: 0.000 min
Response: 66147895
Conc: 51.19 ng/ml




#22 Mirex

R.T.: 8.072 min
Delta R.T.: 0.006 min
Response: 70303788
Conc: 49.13 ng/ml



#22 Mirex


R.T.: 6.954 min
Delta R.T.: 0.000 min
Response: 50314455
Conc: 49.30 ng/ml



#24 Chlordane-2


R.T.: 5.203 min
Delta R.T.: 0.030 min
Response: 144083584
Conc: 180.34 ng/ml

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 4.284 min
Delta R.T.: 0.013 min
Response: 155869
Conc: 0.37 ng/ml




#25 Chlordane-3

R.T.: 5.890 min
Delta R.T.: 0.003 min
Response: 125488658
Conc: 35.75 ng/ml



#25 Chlordane-3


R.T.: 4.905 min
Delta R.T.: 0.000 min
Response: 63414434
Conc: 46.25 ng/ml



#26 Chlordane-4


R.T.: 5.970 min
Delta R.T.: 0.000 min
Response: 123159061
Conc: 30.17 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 4.969 min
Delta R.T.: 0.001 min
Response: 63562681
Conc: 44.37 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.819 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.862 min
Delta R.T.: -0.003 min
Response: 55319716
Conc: 120.55 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.027 min
Delta R.T.: 0.009 min
Response: 66605958
Conc: 51.17 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.871 min
Delta R.T.: 0.000 min
Response: 52541628
Conc: 47.29 ng/ml