

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072225\
 Data File : PL096528.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Jul 2025 19:32
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 23 01:51:54 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 07 15:22:07 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.535	2.828	195.3E6	327.0E6	53.517	56.664
28)	SA Decachlor...	9.017	7.992	136.9E6	250.3E6	48.668	50.201
Target Compounds							
2)	A alpha-BHC	3.983	3.333	283.9E6	495.8E6	55.205	58.788
3)	MA gamma-BHC...	4.311	3.665	270.5E6	457.9E6	54.331	58.135
4)	MA Heptachlor	4.903	4.014	248.1E6	442.6E6	54.155	58.179
5)	MB Aldrin	5.243	4.297	253.0E6	420.7E6	52.337	57.663
6)	B beta-BHC	4.497	3.961	114.8E6	192.5E6	55.219	56.237
7)	B delta-BHC	4.743	4.194	248.1E6	446.0E6	55.373	57.902
8)	B Heptachlo...	5.662	4.799	228.6E6	373.6E6	55.089	55.881
9)	A Endosulfan I	6.044	5.170	207.7E6	343.8E6	51.438	47.922
10)	B gamma-Chl...	5.916	5.051	229.1E6	392.6E6	51.776	55.922
11)	B alpha-Chl...	5.997	5.115	226.2E6	382.7E6	51.654	50.888
12)	B 4,4'-DDE	6.167	5.304	191.0E6	360.6E6	51.526	55.793
13)	MA Dieldrin	6.316	5.435	216.0E6	379.7E6	51.086	55.677
14)	MA Endrin	6.543	5.709	165.9E6	340.4E6	53.341	55.838
15)	B Endosulfa...	6.756	6.001	192.3E6	320.3E6	55.409	54.628
16)	A 4,4'-DDD	6.676	5.856	153.2E6	301.2E6	52.609	58.720
17)	MA 4,4'-DDT	6.990	6.109	158.9E6	306.9E6	52.342	53.509
18)	B Endrin al...	6.884	6.179	130.6E6	243.7E6	58.428	54.717
19)	B Endosulfa...	7.117	6.402	156.3E6	312.4E6	51.084	55.539
20)	A Methoxychlor	7.462	6.681	81583215	161.6E6	51.786	53.181
21)	B Endrin ke...	7.597	6.907	164.2E6	336.6E6	49.719	53.844
22)	Mirex	8.077	7.098	140.3E6	258.1E6	50.424	51.952
24)	Chlordane-2	5.243f	0.000	253.0E6	0	1292.183	N.D. #
25)	Chlordane-3	5.916	5.051	229.1E6	392.6E6	310.959	487.923 #
26)	Chlordane-4	5.997	5.115	226.2E6	382.7E6	252.094	509.284 #
27)	Chlordane-5	0.000	6.001	0	320.3E6	N.D.	1130.118 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072225\
Data File : PL096528.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 22 Jul 2025 19:32
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 23 01:51:54 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
Quant Title : GC Extractables
QLast Update : Mon Jul 07 15:22:07 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.535 min
Delta R.T.: -0.002 min
Response: 195283804
Conc: 53.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.828 min
Delta R.T.: 0.000 min
Response: 327021928
Conc: 56.66 ng/ml




#2 alpha-BHC

R.T.: 3.983 min
Delta R.T.: -0.002 min
Response: 283925600
Conc: 55.20 ng/ml



#2 alpha-BHC


R.T.: 3.333 min
Delta R.T.: -0.001 min
Response: 495840616
Conc: 58.79 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.311 min
Delta R.T.: -0.002 min
Response: 270549292
Conc: 54.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.665 min
Delta R.T.: -0.001 min
Response: 457866108
Conc: 58.14 ng/ml




#4 Heptachlor

R.T.: 4.903 min
Delta R.T.: -0.002 min
Response: 248096180
Conc: 54.16 ng/ml



#4 Heptachlor


R.T.: 4.014 min
Delta R.T.: -0.002 min
Response: 442615218
Conc: 58.18 ng/ml



#5 Aldrin


R.T.: 5.243 min
Delta R.T.: -0.003 min
Response: 252983649
Conc: 52.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.297 min
Delta R.T.: -0.002 min
Response: 420683750
Conc: 57.66 ng/ml




#6 beta-BHC

R.T.: 4.497 min
Delta R.T.: -0.002 min
Response: 114789629
Conc: 55.22 ng/ml



#6 beta-BHC


R.T.: 3.961 min
Delta R.T.: -0.002 min
Response: 192549054
Conc: 56.24 ng/ml



#7 delta-BHC


R.T.: 4.743 min
Delta R.T.: -0.002 min
Response: 248145673
Conc: 55.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.194 min
Delta R.T.: -0.002 min
Response: 445954447
Conc: 57.90 ng/ml




#8 Heptachlor epoxide

R.T.: 5.662 min
Delta R.T.: -0.003 min
Response: 228573470
Conc: 55.09 ng/ml



#8 Heptachlor epoxide


R.T.: 4.799 min
Delta R.T.: -0.001 min
Response: 373557399
Conc: 55.88 ng/ml



#9 Endosulfan I


R.T.: 6.044 min
Delta R.T.: -0.002 min
Response: 207668516
Conc: 51.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.170 min
Delta R.T.: -0.002 min
Response: 343798079
Conc: 47.92 ng/ml




#10 gamma-Chlordane

R.T.: 5.916 min
Delta R.T.: -0.003 min
Response: 229100643
Conc: 51.78 ng/ml



#10 gamma-Chlordane


R.T.: 5.051 min
Delta R.T.: -0.003 min
Response: 392552813
Conc: 55.92 ng/ml



#11 alpha-Chlordane


R.T.: 5.997 min
Delta R.T.: -0.003 min
Response: 226185518
Conc: 51.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.115 min
Delta R.T.: -0.004 min
Response: 382689336
Conc: 50.89 ng/ml




#12 4,4'-DDE

R.T.: 6.167 min
Delta R.T.: -0.003 min
Response: 191030615
Conc: 51.53 ng/ml



#12 4,4'-DDE


R.T.: 5.304 min
Delta R.T.: -0.002 min
Response: 360626070
Conc: 55.79 ng/ml



#13 Dieldrin


R.T.: 6.316 min
Delta R.T.: -0.003 min
Response: 216013415
Conc: 51.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.435 min
Delta R.T.: -0.001 min
Response: 379677300
Conc: 55.68 ng/ml




#14 Endrin

R.T.: 6.543 min
Delta R.T.: -0.002 min
Response: 165901155
Conc: 53.34 ng/ml



#14 Endrin


R.T.: 5.709 min
Delta R.T.: -0.002 min
Response: 340415557
Conc: 55.84 ng/ml



#15 Endosulfan II


R.T.: 6.756 min
Delta R.T.: 0.000 min
Response: 192272624
Conc: 55.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.001 min
Delta R.T.: -0.002 min
Response: 320332458
Conc: 54.63 ng/ml




#16 4,4'-DDD

R.T.: 6.676 min
Delta R.T.: -0.001 min
Response: 153181394
Conc: 52.61 ng/ml



#16 4,4'-DDD


R.T.: 5.856 min
Delta R.T.: -0.002 min
Response: 301158440
Conc: 58.72 ng/ml



#17 4,4'-DDT


R.T.: 6.990 min
Delta R.T.: -0.002 min
Response: 158867470
Conc: 52.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.109 min
Delta R.T.: -0.003 min
Response: 306882232
Conc: 53.51 ng/ml




#18 Endrin aldehyde

R.T.: 6.884 min
Delta R.T.: -0.002 min
Response: 130618488
Conc: 58.43 ng/ml



#18 Endrin aldehyde


R.T.: 6.179 min
Delta R.T.: -0.002 min
Response: 243742556
Conc: 54.72 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.117 min
Delta R.T.: -0.002 min
Response: 156258576
Conc: 51.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.402 min
Delta R.T.: -0.003 min
Response: 312373116
Conc: 55.54 ng/ml




#20 Methoxychlor

R.T.: 7.462 min
Delta R.T.: -0.003 min
Response: 81583215
Conc: 51.79 ng/ml



#20 Methoxychlor


R.T.: 6.681 min
Delta R.T.: -0.003 min
Response: 161551737
Conc: 53.18 ng/ml



#21 Endrin ketone


R.T.: 7.597 min
Delta R.T.: -0.002 min
Response: 164152306
Conc: 49.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.907 min
Delta R.T.: -0.002 min
Response: 336642853
Conc: 53.84 ng/ml




#22 Mirex

R.T.: 8.077 min
Delta R.T.: -0.002 min
Response: 140290589
Conc: 50.42 ng/ml



#22 Mirex


R.T.: 7.098 min
Delta R.T.: -0.003 min
Response: 258106817
Conc: 51.95 ng/ml



#24 Chlordane-2


R.T.: 5.243 min
Delta R.T.: 0.026 min
Response: 252983649
Conc: 1292.18 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.420 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.916 min
Delta R.T.: -0.004 min
Response: 229100643
Conc: 310.96 ng/ml



#25 Chlordane-3


R.T.: 5.051 min
Delta R.T.: -0.004 min
Response: 392552813
Conc: 487.92 ng/ml



#26 Chlordane-4


R.T.: 5.997 min
Delta R.T.: -0.007 min
Response: 226185518
Conc: 252.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.115 min
Delta R.T.: -0.003 min
Response: 382689336
Conc: 509.28 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.841 min
Response: 0
Conc: N.D.



#27 Chlordane-5

R.T.: 6.001 min
Delta R.T.: -0.012 min
Response: 320332458
Conc: 1130.12 ng/ml



#28 Decachlorobiphenyl


R.T.: 9.017 min

Delta R.T.: -0.003 min

Response: 136904909

Conc: 48.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.992 min

Delta R.T.: -0.004 min

Response: 250325130

Conc: 50.20 ng/ml