

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072320\
 Data File : PL060124.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Jul 2020 11:01
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Ankita
 7/24/2020 2:40:21 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 24 01:56:27 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071020.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 10 18:52:06 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.466	4.013	95936918	131.0E6	49.599	49.441
28)	SA Decachlor...	8.223	9.100	71753133	91456712	43.616	43.730
Target Compounds							
2)	A alpha-BHC	3.903	4.402	141.5E6	192.5E6	49.228	49.867
3)	MA gamma-BHC...	4.186	4.688	124.0E6	179.9E6	50.201	49.602
4)	MA Heptachlor	4.489	5.198	111.5E6	167.5E6	49.725	49.805
5)	MB Aldrin	4.737	5.504	96434783	152.2E6	48.871	48.856
6)	B beta-BHC	4.437	4.857	49869807	75518392	48.832	49.951
7)	B delta-BHC	4.641	5.075	110.3E6	159.9E6	49.617	51.326
8)	B Heptachlo...	5.180	5.891	89796068	145.2E6	48.922	53.913
9)	A Endosulfan I	5.519	6.247	81900251	130.3E6	48.684	48.855m
10)	B gamma-Chl...	5.408	6.124	88959156	140.7E6	49.036	49.147m
11)	B alpha-Chl...	5.466	6.197	87519480	140.6E6	48.533	49.179m
12)	B 4,4'-DDE	5.631	6.355	80005315	130.3E6	48.041	48.675
13)	MA Dieldrin	5.762	6.506	84976553	134.2E6	48.158	48.520
14)	MA Endrin	6.019	6.724	73570781	110.8E6	50.544	52.079
15)	B Endosulfa...	6.291	6.932	77766471	117.0E6	46.563	46.579m
16)	A 4,4'-DDD	6.147	6.846	69007359	110.8E6	45.205	48.285
17)	MA 4,4'-DDT	6.388	7.146	64241757	99987588	49.410	50.780
18)	B Endrin al...	6.460	7.057	66137509	103.1E6	46.361	47.487
19)	B Endosulfa...	6.672	7.280	75065620	111.0E6	45.666	47.455
20)	A Methoxychlor	6.934	7.606	37555651	56908916	50.209	50.129
21)	B Endrin ke...	7.161	7.753	88839223	117.8E6	47.337m	45.597
22)	Mirex	7.353	8.209	65744814	83814969	46.212	45.349

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072320\
Data File : PL060124.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Jul 2020 11:01
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampled :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:21 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 24 01:56:27 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071020.M
Quant Title : GC Extractables
QLast Update : Fri Jul 10 18:52:06 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.466 min
Delta R.T.: 0.000 min
Response: 95936918
Conc: 49.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:21 PM




#1 Tetrachloro-m-xylene

R.T.: 4.013 min
Delta R.T.: 0.000 min
Response: 131029388
Conc: 49.44 ng/ml




#2 alpha-BHC

R.T.: 3.903 min
Delta R.T.: 0.000 min
Response: 141496622
Conc: 49.23 ng/ml



#2 alpha-BHC

R.T.: 4.402 min
Delta R.T.: 0.000 min
Response: 192513426
Conc: 49.87 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.186 min
Delta R.T.: 0.000 min
Response: 123976389
Conc: 50.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:21 PM




#3 gamma-BHC (Lindane)

R.T.: 4.688 min
Delta R.T.: 0.000 min
Response: 179904439
Conc: 49.60 ng/ml




#4 Heptachlor

R.T.: 4.489 min
Delta R.T.: -0.001 min
Response: 111520875
Conc: 49.73 ng/ml



#4 Heptachlor

R.T.: 5.198 min
Delta R.T.: 0.000 min
Response: 167548033
Conc: 49.80 ng/ml




#5 Aldrin

R.T.: 4.737 min
Delta R.T.: -0.001 min
Response: 96434783
Conc: 48.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:21 PM




#5 Aldrin

R.T.: 5.504 min
Delta R.T.: 0.000 min
Response: 152174310
Conc: 48.86 ng/ml




#6 beta-BHC

R.T.: 4.437 min
Delta R.T.: 0.000 min
Response: 49869807
Conc: 48.83 ng/ml



#6 beta-BHC

R.T.: 4.857 min
Delta R.T.: 0.000 min
Response: 75518392
Conc: 49.95 ng/ml




#7 delta-BHC

R.T.: 4.641 min
Delta R.T.: -0.001 min
Response: 110301187
Conc: 49.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:21 PM




#7 delta-BHC

R.T.: 5.075 min
Delta R.T.: 0.000 min
Response: 159916582
Conc: 51.33 ng/ml




#8 Heptachlor epoxide

R.T.: 5.180 min
Delta R.T.: -0.002 min
Response: 89796068
Conc: 48.92 ng/ml



#8 Heptachlor epoxide

R.T.: 5.891 min
Delta R.T.: -0.001 min
Response: 145199345
Conc: 53.91 ng/ml




#9 Endosulfan I

R.T.: 5.519 min
Delta R.T.: -0.003 min
Response: 81900251
Conc: 48.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:21 PM




#9 Endosulfan I

R.T.: 6.247 min
Delta R.T.: -0.003 min
Response: 130312159
Conc: 48.86 ng/ml m




#10 gamma-Chlordane

R.T.: 5.408 min
Delta R.T.: -0.002 min
Response: 88959156
Conc: 49.04 ng/ml



#10 gamma-Chlordane

R.T.: 6.124 min
Delta R.T.: -0.003 min
Response: 140736215
Conc: 49.15 ng/ml m




#11 alpha-Chlordane

R.T.: 5.466 min
Delta R.T.: -0.002 min
Response: 87519480
Conc: 48.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:21 PM




#11 alpha-Chlordane

R.T.: 6.197 min
Delta R.T.: -0.003 min
Response: 140616220
Conc: 49.18 ng/ml m




#12 4,4'-DDE

R.T.: 5.631 min
Delta R.T.: -0.003 min
Response: 80005315
Conc: 48.04 ng/ml



#12 4,4'-DDE

R.T.: 6.355 min
Delta R.T.: -0.002 min
Response: 130286601
Conc: 48.67 ng/ml




#13 Dieldrin

R.T.: 5.762 min
Delta R.T.: -0.003 min
Response: 84976553
Conc: 48.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:21 PM




#13 Dieldrin

R.T.: 6.506 min
Delta R.T.: -0.002 min
Response: 134218038
Conc: 48.52 ng/ml




#14 Endrin

R.T.: 6.019 min
Delta R.T.: -0.004 min
Response: 73570781
Conc: 50.54 ng/ml



#14 Endrin

R.T.: 6.724 min
Delta R.T.: -0.002 min
Response: 110829620
Conc: 52.08 ng/ml




#15 Endosulfan II

R.T.: 6.291 min
Delta R.T.: -0.004 min
Response: 77766471
Conc: 46.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:21 PM




#15 Endosulfan II

R.T.: 6.932 min
Delta R.T.: -0.004 min
Response: 116989891
Conc: 46.58 ng/ml m




#16 4,4'-DDD

R.T.: 6.147 min
Delta R.T.: -0.004 min
Response: 69007359
Conc: 45.20 ng/ml



#16 4,4'-DDD

R.T.: 6.846 min
Delta R.T.: -0.003 min
Response: 110837917
Conc: 48.28 ng/ml




#17 4,4'-DDT

R.T.: 6.388 min
Delta R.T.: -0.004 min
Response: 64241757
Conc: 49.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:21 PM




#17 4,4'-DDT

R.T.: 7.146 min
Delta R.T.: -0.003 min
Response: 99987588
Conc: 50.78 ng/ml




#18 Endrin aldehyde

R.T.: 6.460 min
Delta R.T.: -0.004 min
Response: 66137509
Conc: 46.36 ng/ml



#18 Endrin aldehyde

R.T.: 7.057 min
Delta R.T.: -0.003 min
Response: 103135132
Conc: 47.49 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.672 min
Delta R.T.: -0.006 min
Response: 75065620
Conc: 45.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:21 PM




#19 Endosulfan Sulfate

R.T.: 7.280 min
Delta R.T.: -0.003 min
Response: 110993096
Conc: 47.46 ng/ml




#20 Methoxychlor

R.T.: 6.934 min
Delta R.T.: -0.006 min
Response: 37555651
Conc: 50.21 ng/ml



#20 Methoxychlor

R.T.: 7.606 min
Delta R.T.: -0.003 min
Response: 56908916
Conc: 50.13 ng/ml




#21 Endrin ketone

R.T.: 7.161 min
Delta R.T.: -0.007 min
Response: 88839223
Conc: 47.34 ng/ml m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:21 PM




#21 Endrin ketone

R.T.: 7.753 min
Delta R.T.: -0.004 min
Response: 117763262
Conc: 45.60 ng/ml




#22 Mirex

R.T.: 7.353 min
Delta R.T.: -0.006 min
Response: 65744814
Conc: 46.21 ng/ml



#22 Mirex

R.T.: 8.209 min
Delta R.T.: -0.004 min
Response: 83814969
Conc: 45.35 ng/ml




#28 Decachlorobiphenyl

R.T.: 8.223 min
Delta R.T.: -0.008 min
Response: 71753133
Conc: 43.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:21 PM



#28 Decachlorobiphenyl

R.T.: 9.100 min
Delta R.T.: -0.003 min
Response: 91456712
Conc: 43.73 ng/ml