

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072320\
 Data File : PL060143.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Jul 2020 16:21
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Ankita
 7/24/2020 2:40:44 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 24 02:03:04 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071020.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 10 18:52:06 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.465	4.012	96056659	130.4E6	49.661	49.204
28)	SA Decachlor...	8.223	9.100	66394137	86107639	40.359	41.172
Target Compounds							
2)	A alpha-BHC	3.902	4.402	141.6E6	189.4E6	49.269	49.062
3)	MA gamma-BHC...	4.185	4.687	122.9E6	175.9E6	49.757	48.490
4)	MA Heptachlor	4.488	5.198	109.3E6	161.5E6	48.740	48.013
5)	MB Aldrin	4.736	5.504	94883253	146.5E6	48.085	47.025
6)	B beta-BHC	4.436	4.857	49103404	74027820	48.081	48.965
7)	B delta-BHC	4.640	5.074	108.4E6	154.4E6	48.768	49.561
8)	B Heptachlo...	5.180	5.891	88066183	141.6E6	47.979	52.571
9)	A Endosulfan I	5.518	6.249	79186696	126.3E6	47.071	47.354
10)	B gamma-Chl...	5.407	6.125	85957009	133.3E6	47.381	46.553m
11)	B alpha-Chl...	5.465	6.197	84678800	134.1E6	46.958	46.897m
12)	B 4,4'-DDE	5.631	6.356	77420355	120.7E6	46.489	45.103
13)	MA Dieldrin	5.761	6.507	81712171	124.9E6	46.308	45.143
14)	MA Endrin	6.018	6.725	69663096	98208336	47.860	46.148
15)	B Endosulfa...	6.291	6.932	74460290	107.0E6	44.583	42.590m
16)	A 4,4'-DDD	6.146	6.845	66264863	96632977	43.408	42.097m
17)	MA 4,4'-DDT	6.387	7.146	61112083	91142421	47.003	46.287
18)	B Endrin al...	6.459	7.058	63081036	95339608	44.219	43.898
19)	B Endosulfa...	6.671	7.281	70926839	103.4E6	43.148m	44.210
20)	A Methoxychlor	6.933	7.606	34936150	53508013	46.707	47.134
21)	B Endrin ke...	7.161	7.754	83973068	109.1E6	44.744m	42.227
22)	Mirex	7.353	8.210	60603908	78609766	42.599	42.533

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072320\
Data File : PL060143.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Jul 2020 16:21
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:44 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 24 02:03:04 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071020.M
Quant Title : GC Extractables
QLast Update : Fri Jul 10 18:52:06 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.465 min
Delta R.T.: 0.000 min
Response: 96056659
Conc: 49.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:44 PM




#1 Tetrachloro-m-xylene

R.T.: 4.012 min
Delta R.T.: 0.000 min
Response: 130401233
Conc: 49.20 ng/ml




#2 alpha-BHC

R.T.: 3.902 min
Delta R.T.: 0.000 min
Response: 141614385
Conc: 49.27 ng/ml



#2 alpha-BHC

R.T.: 4.402 min
Delta R.T.: 0.000 min
Response: 189408215
Conc: 49.06 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.185 min
Delta R.T.: -0.001 min
Response: 122881265
Conc: 49.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:44 PM




#3 gamma-BHC (Lindane)

R.T.: 4.687 min
Delta R.T.: 0.000 min
Response: 175870219
Conc: 48.49 ng/ml




#4 Heptachlor

R.T.: 4.488 min
Delta R.T.: -0.002 min
Response: 109311084
Conc: 48.74 ng/ml



#4 Heptachlor

R.T.: 5.198 min
Delta R.T.: 0.000 min
Response: 161520846
Conc: 48.01 ng/ml




#5 Aldrin

R.T.: 4.736 min
Delta R.T.: -0.002 min
Response: 94883253
Conc: 48.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:44 PM




#5 Aldrin

R.T.: 5.504 min
Delta R.T.: 0.000 min
Response: 146468730
Conc: 47.02 ng/ml




#6 beta-BHC

R.T.: 4.436 min
Delta R.T.: -0.002 min
Response: 49103404
Conc: 48.08 ng/ml



#6 beta-BHC

R.T.: 4.857 min
Delta R.T.: 0.000 min
Response: 74027820
Conc: 48.97 ng/ml




#7 delta-BHC

R.T.: 4.640 min
Delta R.T.: -0.002 min
Response: 108414025
Conc: 48.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:44 PM




#7 delta-BHC

R.T.: 5.074 min
Delta R.T.: 0.000 min
Response: 154415990
Conc: 49.56 ng/ml




#8 Heptachlor epoxide

R.T.: 5.180 min
Delta R.T.: -0.003 min
Response: 88066183
Conc: 47.98 ng/ml



#8 Heptachlor epoxide

R.T.: 5.891 min
Delta R.T.: 0.000 min
Response: 141585105
Conc: 52.57 ng/ml




#9 Endosulfan I

R.T.: 5.518 min
Delta R.T.: -0.003 min
Response: 79186696
Conc: 47.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:44 PM




#9 Endosulfan I

R.T.: 6.249 min
Delta R.T.: -0.001 min
Response: 126307347
Conc: 47.35 ng/ml




#10 gamma-Chlordane

R.T.: 5.407 min
Delta R.T.: -0.003 min
Response: 85957009
Conc: 47.38 ng/ml



#10 gamma-Chlordane

R.T.: 6.125 min
Delta R.T.: -0.002 min
Response: 133307414
Conc: 46.55 ng/ml m




#11 alpha-Chlordane

R.T.: 5.465 min
Delta R.T.: -0.003 min
Response: 84678800
Conc: 46.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:44 PM




#11 alpha-Chlordane

R.T.: 6.197 min
Delta R.T.: -0.003 min
Response: 134089787
Conc: 46.90 ng/ml m




#12 4,4'-DDE

R.T.: 5.631 min
Delta R.T.: -0.004 min
Response: 77420355
Conc: 46.49 ng/ml



#12 4,4'-DDE

R.T.: 6.356 min
Delta R.T.: -0.002 min
Response: 120724931
Conc: 45.10 ng/ml




#13 Dieldrin

R.T.: 5.761 min
Delta R.T.: -0.004 min
Response: 81712171
Conc: 46.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:44 PM




#13 Dieldrin

R.T.: 6.507 min
Delta R.T.: -0.002 min
Response: 124877113
Conc: 45.14 ng/ml




#14 Endrin

R.T.: 6.018 min
Delta R.T.: -0.004 min
Response: 69663096
Conc: 47.86 ng/ml



#14 Endrin

R.T.: 6.725 min
Delta R.T.: -0.002 min
Response: 98208336
Conc: 46.15 ng/ml




#15 Endosulfan II

R.T.: 6.291 min
Delta R.T.: -0.004 min
Response: 74460290
Conc: 44.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:44 PM




#15 Endosulfan II

R.T.: 6.932 min
Delta R.T.: -0.004 min
Response: 106970904
Conc: 42.59 ng/ml m




#16 4,4'-DDD

R.T.: 6.146 min
Delta R.T.: -0.005 min
Response: 66264863
Conc: 43.41 ng/ml



#16 4,4'-DDD

R.T.: 6.845 min
Delta R.T.: -0.003 min
Response: 96632977
Conc: 42.10 ng/ml m




#17 4,4'-DDT

R.T.: 6.387 min
Delta R.T.: -0.005 min
Response: 61112083
Conc: 47.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:44 PM




#17 4,4'-DDT

R.T.: 7.146 min
Delta R.T.: -0.002 min
Response: 91142421
Conc: 46.29 ng/ml




#18 Endrin aldehyde

R.T.: 6.459 min
Delta R.T.: -0.005 min
Response: 63081036
Conc: 44.22 ng/ml



#18 Endrin aldehyde

R.T.: 7.058 min
Delta R.T.: -0.002 min
Response: 95339608
Conc: 43.90 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.671 min
Delta R.T.: -0.006 min
Response: 70926839
Conc: 43.15 ng/ml m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:44 PM




#19 Endosulfan Sulfate

R.T.: 7.281 min
Delta R.T.: -0.002 min
Response: 103403877
Conc: 44.21 ng/ml




#20 Methoxychlor

R.T.: 6.933 min
Delta R.T.: -0.006 min
Response: 34936150
Conc: 46.71 ng/ml



#20 Methoxychlor

R.T.: 7.606 min
Delta R.T.: -0.002 min
Response: 53508013
Conc: 47.13 ng/ml




#21 Endrin ketone

R.T.: 7.161 min
Delta R.T.: -0.007 min
Response: 83973068
Conc: 44.74 ng/ml m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:44 PM




#21 Endrin ketone

R.T.: 7.754 min
Delta R.T.: -0.003 min
Response: 109058526
Conc: 42.23 ng/ml




#22 Mirex

R.T.: 7.353 min
Delta R.T.: -0.006 min
Response: 60603908
Conc: 42.60 ng/ml



#22 Mirex

R.T.: 8.210 min
Delta R.T.: -0.002 min
Response: 78609766
Conc: 42.53 ng/ml




#28 Decachlorobiphenyl

R.T.: 8.223 min
Delta R.T.: -0.008 min
Response: 66394137
Conc: 40.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Manual Integrations
APPROVED

Ankita
7/24/2020 2:40:44 PM



#28 Decachlorobiphenyl

R.T.: 9.100 min
Delta R.T.: -0.003 min
Response: 86107639
Conc: 41.17 ng/ml