

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072323\
 Data File : PL084113.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Jul 2023 08:58
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 22 03:48:24 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071223.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 14 00:03:54 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.476	2.688	105.8E6	50907188	52.880	45.839
2)	SA Decachlor...	9.025	7.872	67031458	53054947	51.497	47.749
Target Compounds							
2)	A alpha-BHC	3.934	3.193	159.1E6	76772800	54.292	47.748
3)	MA gamma-BHC...	4.268	3.524	151.3E6	74534364	53.541	49.013
4)	MA Heptachlor	4.860	3.866	152.3E6	65568644	56.039	55.638
5)	MB Aldrin	5.203	4.146	151.2E6	70830577	52.798	46.975
6)	B beta-BHC	4.467	3.826	65494597	32387132	54.586	49.067
7)	B delta-BHC	4.713	4.055	149.6E6	74454351	56.123	49.222
8)	B Heptachlo...	5.633	4.653	136.7E6	62494908	51.202	48.665
9)	A Endosulfan I	6.019	5.023	119.8E6	58742081	50.569	47.893
10)	B gamma-Chl...	5.890	4.905	131.4E6	64273517	50.911	48.247
11)	B alpha-Chl...	5.970	4.970	129.4E6	64404479	50.907	47.809
12)	B 4,4'-DDE	6.148	5.168	110.4E6	59630340	54.872	48.545
13)	MA Dieldrin	6.295	5.290	122.6E6	64520266	51.315	49.541
14)	MA Endrin	6.525	5.565	96663642	54538275	50.757	49.614
15)	B Endosulfa...	6.745	5.863	94534969	56270670	50.437	48.959
16)	A 4,4'-DDD	6.667	5.725	83893702	51238712	57.128	53.410
17)	MA 4,4'-DDT	6.983	5.978	82100180	50406179	51.480	55.343
18)	B Endrin al...	6.877	6.045	75655148	45159229	51.638	50.236
19)	B Endosulfa...	7.113	6.269	88545665	54507564	51.221	49.596
20)	A Methoxychlor	7.464	6.562	41419023	27624802	52.951	57.643
21)	B Endrin ke...	7.597	6.774	91231004	67396786	52.059	52.161
22)	Mirex	8.072	6.955	70355101	50752970	49.167	49.725


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072323\
Data File : PL084113.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Jul 2023 08:58
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 22 03:48:24 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071223.M
Quant Title : GC Extractables
QLast Update : Fri Jul 14 00:03:54 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.476 min
Delta R.T.: 0.003 min
Response: 105754179
Conc: 52.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.688 min
Delta R.T.: 0.000 min
Response: 50907188
Conc: 45.84 ng/ml




#2 alpha-BHC

R.T.: 3.934 min
Delta R.T.: 0.003 min
Response: 159064253
Conc: 54.29 ng/ml



#2 alpha-BHC


R.T.: 3.193 min
Delta R.T.: 0.000 min
Response: 76772800
Conc: 47.75 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.268 min
Delta R.T.: 0.004 min
Response: 151272116
Conc: 53.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.524 min
Delta R.T.: 0.000 min
Response: 74534364
Conc: 49.01 ng/ml




#4 Heptachlor

R.T.: 4.860 min
Delta R.T.: 0.004 min
Response: 152289571
Conc: 56.04 ng/ml



#4 Heptachlor


R.T.: 3.866 min
Delta R.T.: 0.000 min
Response: 65568644
Conc: 55.64 ng/ml



#5 Aldrin


R.T.: 5.203 min
Delta R.T.: 0.004 min
Response: 151225978
Conc: 52.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.146 min
Delta R.T.: 0.000 min
Response: 70830577
Conc: 46.97 ng/ml




#6 beta-BHC

R.T.: 4.467 min
Delta R.T.: 0.005 min
Response: 65494597
Conc: 54.59 ng/ml



#6 beta-BHC


R.T.: 3.826 min
Delta R.T.: 0.001 min
Response: 32387132
Conc: 49.07 ng/ml



#7 delta-BHC


R.T.: 4.713 min
Delta R.T.: 0.004 min
Response: 149611076
Conc: 56.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.055 min
Delta R.T.: 0.001 min
Response: 74454351
Conc: 49.22 ng/ml




#8 Heptachlor epoxide

R.T.: 5.633 min
Delta R.T.: 0.005 min
Response: 136689805
Conc: 51.20 ng/ml



#8 Heptachlor epoxide


R.T.: 4.653 min
Delta R.T.: 0.000 min
Response: 62494908
Conc: 48.67 ng/ml



#9 Endosulfan I


R.T.: 6.019 min
Delta R.T.: 0.005 min
Response: 119757610
Conc: 50.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.023 min
Delta R.T.: 0.000 min
Response: 58742081
Conc: 47.89 ng/ml




#10 gamma-Chlordane

R.T.: 5.890 min
Delta R.T.: 0.004 min
Response: 131449553
Conc: 50.91 ng/ml



#10 gamma-Chlordane


R.T.: 4.905 min
Delta R.T.: 0.000 min
Response: 64273517
Conc: 48.25 ng/ml



#11 alpha-Chlordane


R.T.: 5.970 min
Delta R.T.: 0.005 min
Response: 129409585
Conc: 50.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 4.970 min
Delta R.T.: 0.000 min
Response: 64404479
Conc: 47.81 ng/ml




#12 4,4'-DDE

R.T.: 6.148 min
Delta R.T.: 0.004 min
Response: 110401904
Conc: 54.87 ng/ml



#12 4,4'-DDE


R.T.: 5.168 min
Delta R.T.: 0.000 min
Response: 59630340
Conc: 48.54 ng/ml



#13 Dieldrin


R.T.: 6.295 min
Delta R.T.: 0.004 min
Response: 122621359
Conc: 51.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.290 min
Delta R.T.: 0.000 min
Response: 64520266
Conc: 49.54 ng/ml




#14 Endrin

R.T.: 6.525 min
Delta R.T.: 0.005 min
Response: 96663642
Conc: 50.76 ng/ml



#14 Endrin


R.T.: 5.565 min
Delta R.T.: 0.000 min
Response: 54538275
Conc: 49.61 ng/ml



#15 Endosulfan II


R.T.: 6.745 min
Delta R.T.: 0.005 min
Response: 94534969
Conc: 50.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.863 min
Delta R.T.: 0.000 min
Response: 56270670
Conc: 48.96 ng/ml




#16 4,4'-DDD

R.T.: 6.667 min
Delta R.T.: 0.005 min
Response: 83893702
Conc: 57.13 ng/ml



#16 4,4'-DDD


R.T.: 5.725 min
Delta R.T.: 0.000 min
Response: 51238712
Conc: 53.41 ng/ml



#17 4,4'-DDT


R.T.: 6.983 min
Delta R.T.: 0.004 min
Response: 82100180
Conc: 51.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 5.978 min
Delta R.T.: 0.000 min
Response: 50406179
Conc: 55.34 ng/ml




#18 Endrin aldehyde

R.T.: 6.877 min
Delta R.T.: 0.005 min
Response: 75655148
Conc: 51.64 ng/ml



#18 Endrin aldehyde


R.T.: 6.045 min
Delta R.T.: 0.000 min
Response: 45159229
Conc: 50.24 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.113 min
Delta R.T.: 0.006 min
Response: 88545665
Conc: 51.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.269 min
Delta R.T.: 0.000 min
Response: 54507564
Conc: 49.60 ng/ml




#20 Methoxychlor

R.T.: 7.464 min
Delta R.T.: 0.004 min
Response: 41419023
Conc: 52.95 ng/ml



#20 Methoxychlor


R.T.: 6.562 min
Delta R.T.: 0.000 min
Response: 27624802
Conc: 57.64 ng/ml



#21 Endrin ketone


R.T.: 7.597 min
Delta R.T.: 0.006 min
Response: 91231004
Conc: 52.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.774 min
Delta R.T.: 0.000 min
Response: 67396786
Conc: 52.16 ng/ml




#22 Mirex

R.T.: 8.072 min
Delta R.T.: 0.005 min
Response: 70355101
Conc: 49.17 ng/ml



#22 Mirex


R.T.: 6.955 min
Delta R.T.: 0.000 min
Response: 50752970
Conc: 49.73 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.025 min
Delta R.T.: 0.008 min
Response: 67031458
Conc: 51.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.872 min
Delta R.T.: 0.000 min
Response: 53054947
Conc: 47.75 ng/ml