

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072325\
 Data File : PL096549.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Jul 2025 21:17
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 24 06:32:55 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 07 15:22:07 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.536	2.829	202.3E6	326.4E6	55.442	56.548
28)	SA Decachlor...	9.015	7.992	143.1E6	198.3E6	50.857	39.765
Target Compounds							
2)	A alpha-BHC	3.983	3.334	294.9E6	492.3E6	57.346	58.372
3)	MA gamma-BHC...	4.311	3.665	280.0E6	452.0E6	56.226	57.391
4)	MA Heptachlor	4.903	4.014	238.8E6	410.2E6	52.132	53.917
5)	MB Aldrin	5.243	4.298	250.4E6	417.3E6	51.808	57.203
6)	B beta-BHC	4.497	3.962	120.3E6	191.1E6	57.860	55.812
7)	B delta-BHC	4.743	4.195	261.1E6	441.7E6	58.256	57.348
8)	B Heptachlo...	5.662	4.799	225.4E6	368.9E6	54.328	55.191
9)	A Endosulfan I	6.044	5.170	198.6E6	325.9E6	49.182	45.433
10)	B gamma-Chl...	5.916	5.051	229.5E6	376.8E6	51.866	53.673
11)	B alpha-Chl...	5.997	5.115	217.6E6	363.7E6	49.697	48.365
12)	B 4,4'-DDE	6.166	5.304	182.3E6	332.8E6	49.181	51.489
13)	MA Dieldrin	6.316	5.435	201.0E6	348.3E6	47.544	51.074
14)	MA Endrin	6.542	5.709	144.4E6	287.5E6	46.435	47.163
15)	B Endosulfa...	6.755	6.001	170.3E6	277.9E6	49.088	47.388
16)	A 4,4'-DDD	6.675	5.856	149.8E6	272.7E6	51.440	53.169
17)	MA 4,4'-DDT	6.989	6.109	125.1E6	223.4E6	41.223	38.948
18)	B Endrin al...	6.884	6.179	117.7E6	196.8E6	52.640	44.182
19)	B Endosulfa...	7.117	6.403	139.6E6	250.6E6	45.639	44.551
20)	A Methoxychlor	7.461	6.681	81606979	140.8E6	51.801	46.338
21)	B Endrin ke...	7.596	6.906	144.8E6	262.8E6	43.865	42.028
22)	Mirex	8.076	7.097	121.0E6	187.8E6	43.489	37.804
24)	Chlordane-2	5.243f	0.000	250.4E6	0	1279.110	N.D. #
25)	Chlordane-3	5.916	5.051	229.5E6	376.8E6	311.497	468.308 #
26)	Chlordane-4	5.997	5.115	217.6E6	363.7E6	242.542	484.034 #
27)	Chlordane-5	0.000	6.001	0	277.9E6	N.D.	980.343 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072325\
Data File : PL096549.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Jul 2025 21:17
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 24 06:32:55 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
Quant Title : GC Extractables
QLast Update : Mon Jul 07 15:22:07 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.536 min
Delta R.T.: -0.001 min
Response: 202305196
Conc: 55.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.829 min
Delta R.T.: 0.000 min
Response: 326352175
Conc: 56.55 ng/ml




#2 alpha-BHC

R.T.: 3.983 min
Delta R.T.: -0.001 min
Response: 294936154
Conc: 57.35 ng/ml



#2 alpha-BHC


R.T.: 3.334 min
Delta R.T.: 0.000 min
Response: 492326761
Conc: 58.37 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.311 min
Delta R.T.: -0.002 min
Response: 279983742
Conc: 56.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.665 min
Delta R.T.: -0.001 min
Response: 452000291
Conc: 57.39 ng/ml




#4 Heptachlor

R.T.: 4.903 min
Delta R.T.: -0.002 min
Response: 238826517
Conc: 52.13 ng/ml



#4 Heptachlor


R.T.: 4.014 min
Delta R.T.: -0.002 min
Response: 410189410
Conc: 53.92 ng/ml



#5 Aldrin


R.T.: 5.243 min
Delta R.T.: -0.003 min
Response: 250424152
Conc: 51.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.298 min
Delta R.T.: -0.002 min
Response: 417329358
Conc: 57.20 ng/ml




#6 beta-BHC

R.T.: 4.497 min
Delta R.T.: -0.002 min
Response: 120279654
Conc: 57.86 ng/ml



#6 beta-BHC


R.T.: 3.962 min
Delta R.T.: -0.001 min
Response: 191096776
Conc: 55.81 ng/ml



#7 delta-BHC


R.T.: 4.743 min
Delta R.T.: -0.001 min
Response: 261062590
Conc: 58.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.195 min
Delta R.T.: -0.001 min
Response: 441687295
Conc: 57.35 ng/ml




#8 Heptachlor epoxide

R.T.: 5.662 min
Delta R.T.: -0.003 min
Response: 225416085
Conc: 54.33 ng/ml



#8 Heptachlor epoxide


R.T.: 4.799 min
Delta R.T.: -0.001 min
Response: 368949175
Conc: 55.19 ng/ml



#9 Endosulfan I


R.T.: 6.044 min
Delta R.T.: -0.003 min
Response: 198559048
Conc: 49.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.170 min
Delta R.T.: -0.001 min
Response: 325943397
Conc: 45.43 ng/ml




#10 gamma-Chlordane

R.T.: 5.916 min
Delta R.T.: -0.003 min
Response: 229496805
Conc: 51.87 ng/ml



#10 gamma-Chlordane


R.T.: 5.051 min
Delta R.T.: -0.003 min
Response: 376771627
Conc: 53.67 ng/ml



#11 alpha-Chlordane


R.T.: 5.997 min
Delta R.T.: -0.003 min
Response: 217615131
Conc: 49.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.115 min
Delta R.T.: -0.003 min
Response: 363716182
Conc: 48.37 ng/ml




#12 4,4'-DDE

R.T.: 6.166 min
Delta R.T.: -0.003 min
Response: 182336375
Conc: 49.18 ng/ml



#12 4,4'-DDE


R.T.: 5.304 min
Delta R.T.: -0.001 min
Response: 332805709
Conc: 51.49 ng/ml



#13 Dieldrin


R.T.: 6.316 min
Delta R.T.: -0.003 min
Response: 201033504
Conc: 47.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.435 min
Delta R.T.: -0.001 min
Response: 348289470
Conc: 51.07 ng/ml




#14 Endrin

R.T.: 6.542 min
Delta R.T.: -0.003 min
Response: 144423212
Conc: 46.44 ng/ml



#14 Endrin


R.T.: 5.709 min
Delta R.T.: -0.002 min
Response: 287526611
Conc: 47.16 ng/ml



#15 Endosulfan II


R.T.: 6.755 min
Delta R.T.: -0.002 min
Response: 170336239
Conc: 49.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.001 min
Delta R.T.: -0.002 min
Response: 277878538
Conc: 47.39 ng/ml




#16 4,4'-DDD

R.T.: 6.675 min
Delta R.T.: -0.002 min
Response: 149778699
Conc: 51.44 ng/ml



#16 4,4'-DDD


R.T.: 5.856 min
Delta R.T.: -0.002 min
Response: 272688443
Conc: 53.17 ng/ml



#17 4,4'-DDT


R.T.: 6.989 min
Delta R.T.: -0.003 min
Response: 125121403
Conc: 41.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.109 min
Delta R.T.: -0.003 min
Response: 223373623
Conc: 38.95 ng/ml




#18 Endrin aldehyde

R.T.: 6.884 min
Delta R.T.: -0.003 min
Response: 117678593
Conc: 52.64 ng/ml



#18 Endrin aldehyde


R.T.: 6.179 min
Delta R.T.: -0.002 min
Response: 196815357
Conc: 44.18 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.117 min
Delta R.T.: -0.003 min
Response: 139602561
Conc: 45.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.403 min
Delta R.T.: -0.003 min
Response: 250575132
Conc: 44.55 ng/ml




#20 Methoxychlor

R.T.: 7.461 min
Delta R.T.: -0.004 min
Response: 81606979
Conc: 51.80 ng/ml



#20 Methoxychlor


R.T.: 6.681 min
Delta R.T.: -0.004 min
Response: 140764393
Conc: 46.34 ng/ml



#21 Endrin ketone


R.T.: 7.596 min
Delta R.T.: -0.003 min
Response: 144825339
Conc: 43.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.906 min
Delta R.T.: -0.002 min
Response: 262772425
Conc: 42.03 ng/ml




#22 Mirex

R.T.: 8.076 min
Delta R.T.: -0.003 min
Response: 120996226
Conc: 43.49 ng/ml



#22 Mirex


R.T.: 7.097 min
Delta R.T.: -0.004 min
Response: 187816390
Conc: 37.80 ng/ml



#24 Chlordane-2


R.T.: 5.243 min
Delta R.T.: 0.026 min
Response: 250424152
Conc: 1279.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.420 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.916 min
Delta R.T.: -0.004 min
Response: 229496805
Conc: 311.50 ng/ml



#25 Chlordane-3


R.T.: 5.051 min
Delta R.T.: -0.004 min
Response: 376771627
Conc: 468.31 ng/ml



#26 Chlordane-4


R.T.: 5.997 min
Delta R.T.: -0.008 min
Response: 217615131
Conc: 242.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.115 min
Delta R.T.: -0.003 min
Response: 363716182
Conc: 484.03 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.841 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 6.001 min
Delta R.T.: -0.011 min
Response: 277878538
Conc: 980.34 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.015 min
Delta R.T.: -0.005 min
Response: 143064580
Conc: 50.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.992 min
Delta R.T.: -0.005 min
Response: 198289321
Conc: 39.77 ng/ml