

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072523\
 Data File : PL084203.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Jul 2023 21:14
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 26 05:01:47 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071223.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 14 00:03:54 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.476	2.689	96909272	47967760	48.457	43.192
28)	SA Decachlor...	9.023	7.869	66107123	53580441	50.787	48.222
Target Compounds							
2)	A alpha-BHC	3.934	3.193	144.5E6	72642075	49.327	45.179
3)	MA gamma-BHC...	4.268	3.524	137.5E6	70594030	48.660	46.422
4)	MA Heptachlor	4.860	3.865	142.9E6	63170176	52.579	53.603
5)	MB Aldrin	5.203	4.145	143.0E6	67329318	49.928	44.653
6)	B beta-BHC	4.467	3.826	61065416	31074527	50.894	47.078
7)	B delta-BHC	4.714	4.054	141.4E6	71067982	53.048	46.983
8)	B Heptachlo...	5.632	4.652	127.9E6	60144581	47.904	46.835
9)	A Endosulfan I	6.018	5.022	110.6E6	56309829	46.715	45.910
10)	B gamma-Chl...	5.889	4.905	122.4E6	62036262	47.396	46.568
11)	B alpha-Chl...	5.969	4.969	119.9E6	62021393	47.150	46.040
12)	B 4,4'-DDE	6.148	5.167	99610053	57294075	49.508	46.643
13)	MA Dieldrin	6.295	5.289	111.8E6	62093073	46.772	47.678
14)	MA Endrin	6.524	5.564	87225457	53664121	45.801	48.819
15)	B Endosulfa...	6.744	5.861	86748203	54527295	46.283	47.442
16)	A 4,4'-DDD	6.666	5.725	76395424	49902229	52.022	52.017
17)	MA 4,4'-DDT	6.982	5.976	71717922	48009697	44.970	52.712
18)	B Endrin al...	6.875	6.043	70110328	43900426	47.854	48.836
19)	B Endosulfa...	7.111	6.268	81882840	53057520	47.367	48.277
20)	A Methoxychlor	7.463	6.560	36124363	26630777	46.182	55.569
21)	B Endrin ke...	7.595	6.772	84374512	66629077	48.146	51.567
22)	Mirex	8.070	6.954	67654396	50205567	47.279	49.189
23)	Chlordane-1	0.000	3.707f	0	130393	N.D.	0.330 #
24)	Chlordane-2	5.203f	4.260	143.0E6	90238	178.994	0.213 #
25)	Chlordane-3	5.889	4.905	122.4E6	62036262	34.862	45.246 #
26)	Chlordane-4	5.969	4.969	119.9E6	62021393	29.362	43.291 #
27)	Chlordane-5	0.000	5.861	0	54527295	N.D.	118.823 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072523\
Data File : PL084203.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Jul 2023 21:14
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 26 05:01:47 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071223.M
Quant Title : GC Extractables
QLast Update : Fri Jul 14 00:03:54 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.476 min
Delta R.T.: 0.003 min
Response: 96909272
Conc: 48.46 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.689 min
Delta R.T.: 0.000 min
Response: 47967760
Conc: 43.19 ng/ml




#2 alpha-BHC

R.T.: 3.934 min
Delta R.T.: 0.003 min
Response: 144518398
Conc: 49.33 ng/ml



#2 alpha-BHC


R.T.: 3.193 min
Delta R.T.: 0.000 min
Response: 72642075
Conc: 45.18 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.268 min
Delta R.T.: 0.004 min
Response: 137480745
Conc: 48.66 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.524 min
Delta R.T.: 0.000 min
Response: 70594030
Conc: 46.42 ng/ml




#4 Heptachlor

R.T.: 4.860 min
Delta R.T.: 0.004 min
Response: 142887129
Conc: 52.58 ng/ml



#4 Heptachlor


R.T.: 3.865 min
Delta R.T.: 0.000 min
Response: 63170176
Conc: 53.60 ng/ml



#5 Aldrin


R.T.: 5.203 min
Delta R.T.: 0.004 min
Response: 143005475
Conc: 49.93 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.145 min
Delta R.T.: 0.000 min
Response: 67329318
Conc: 44.65 ng/ml




#6 beta-BHC

R.T.: 4.467 min
Delta R.T.: 0.004 min
Response: 61065416
Conc: 50.89 ng/ml



#6 beta-BHC


R.T.: 3.826 min
Delta R.T.: 0.000 min
Response: 31074527
Conc: 47.08 ng/ml



#7 delta-BHC


R.T.: 4.714 min
Delta R.T.: 0.004 min
Response: 141413256
Conc: 53.05 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.054 min
Delta R.T.: 0.000 min
Response: 71067982
Conc: 46.98 ng/ml




#8 Heptachlor epoxide

R.T.: 5.632 min
Delta R.T.: 0.004 min
Response: 127885001
Conc: 47.90 ng/ml



#8 Heptachlor epoxide


R.T.: 4.652 min
Delta R.T.: 0.000 min
Response: 60144581
Conc: 46.83 ng/ml



#9 Endosulfan I


R.T.: 6.018 min
Delta R.T.: 0.004 min
Response: 110630897
Conc: 46.72 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.022 min
Delta R.T.: 0.000 min
Response: 56309829
Conc: 45.91 ng/ml




#10 gamma-Chlordane

R.T.: 5.889 min
Delta R.T.: 0.004 min
Response: 122372679
Conc: 47.40 ng/ml



#10 gamma-Chlordane


R.T.: 4.905 min
Delta R.T.: 0.000 min
Response: 62036262
Conc: 46.57 ng/ml



#11 alpha-Chlordane


R.T.: 5.969 min
Delta R.T.: 0.004 min
Response: 119857558
Conc: 47.15 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 4.969 min
Delta R.T.: 0.000 min
Response: 62021393
Conc: 46.04 ng/ml




#12 4,4'-DDE

R.T.: 6.148 min
Delta R.T.: 0.003 min
Response: 99610053
Conc: 49.51 ng/ml



#12 4,4'-DDE


R.T.: 5.167 min
Delta R.T.: 0.000 min
Response: 57294075
Conc: 46.64 ng/ml



#13 Dieldrin


R.T.: 6.295 min
Delta R.T.: 0.004 min
Response: 111764548
Conc: 46.77 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.289 min
Delta R.T.: 0.000 min
Response: 62093073
Conc: 47.68 ng/ml




#14 Endrin

R.T.: 6.524 min
Delta R.T.: 0.004 min
Response: 87225457
Conc: 45.80 ng/ml



#14 Endrin


R.T.: 5.564 min
Delta R.T.: -0.001 min
Response: 53664121
Conc: 48.82 ng/ml



#15 Endosulfan II


R.T.: 6.744 min
Delta R.T.: 0.005 min
Response: 86748203
Conc: 46.28 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.861 min
Delta R.T.: -0.001 min
Response: 54527295
Conc: 47.44 ng/ml




#16 4,4'-DDD

R.T.: 6.666 min
Delta R.T.: 0.004 min
Response: 76395424
Conc: 52.02 ng/ml



#16 4,4'-DDD


R.T.: 5.725 min
Delta R.T.: 0.000 min
Response: 49902229
Conc: 52.02 ng/ml



#17 4,4'-DDT


R.T.: 6.982 min
Delta R.T.: 0.004 min
Response: 71717922
Conc: 44.97 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 5.976 min
Delta R.T.: 0.000 min
Response: 48009697
Conc: 52.71 ng/ml




#18 Endrin aldehyde

R.T.: 6.875 min
Delta R.T.: 0.003 min
Response: 70110328
Conc: 47.85 ng/ml



#18 Endrin aldehyde


R.T.: 6.043 min
Delta R.T.: -0.001 min
Response: 43900426
Conc: 48.84 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.111 min
Delta R.T.: 0.004 min
Response: 81882840
Conc: 47.37 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.268 min
Delta R.T.: -0.001 min
Response: 53057520
Conc: 48.28 ng/ml




#20 Methoxychlor

R.T.: 7.463 min
Delta R.T.: 0.004 min
Response: 36124363
Conc: 46.18 ng/ml



#20 Methoxychlor


R.T.: 6.560 min
Delta R.T.: -0.002 min
Response: 26630777
Conc: 55.57 ng/ml



#21 Endrin ketone


R.T.: 7.595 min
Delta R.T.: 0.004 min
Response: 84374512
Conc: 48.15 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.772 min
Delta R.T.: -0.001 min
Response: 66629077
Conc: 51.57 ng/ml




#22 Mirex

R.T.: 8.070 min
Delta R.T.: 0.004 min
Response: 67654396
Conc: 47.28 ng/ml



#22 Mirex


R.T.: 6.954 min
Delta R.T.: -0.002 min
Response: 50205567
Conc: 49.19 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.641 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#23 Chlordane-1

R.T.: 3.707 min
Delta R.T.: 0.016 min
Response: 130393
Conc: 0.33 ng/ml




#24 Chlordane-2

R.T.: 5.203 min
Delta R.T.: 0.029 min
Response: 143005475
Conc: 178.99 ng/ml



#24 Chlordane-2


R.T.: 4.260 min
Delta R.T.: -0.012 min
Response: 90238
Conc: 0.21 ng/ml



#25 Chlordane-3


R.T.: 5.889 min
Delta R.T.: 0.003 min
Response: 122372679
Conc: 34.86 ng/ml

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 4.905 min
Delta R.T.: 0.000 min
Response: 62036262
Conc: 45.25 ng/ml




#26 Chlordane-4

R.T.: 5.969 min
Delta R.T.: 0.000 min
Response: 119857558
Conc: 29.36 ng/ml



#26 Chlordane-4


R.T.: 4.969 min
Delta R.T.: 0.000 min
Response: 62021393
Conc: 43.29 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.819 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 5.861 min
Delta R.T.: -0.004 min
Response: 54527295
Conc: 118.82 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.023 min
Delta R.T.: 0.006 min
Response: 66107123
Conc: 50.79 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.869 min
Delta R.T.: -0.002 min
Response: 53580441
Conc: 48.22 ng/ml