

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072619\
 Data File : PL050796.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Jul 2019 09:54
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 26 22:43:51 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 19 01:19:13 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.319	3.928	540.4E6	140.8E6	53.778	49.333
28)	SA Decachlor...	7.978	8.956	546.6E6	138.9E6	53.984	49.109
Target Compounds							
2)	A alpha-BHC	3.746	4.316	904.2E6	208.1E6	53.954	50.447
3)	MA gamma-BHC...	4.021	4.599	842.1E6	195.1E6	54.746	50.380
4)	MA Heptachlor	4.305	5.101	868.4E6	202.5E6	52.926	48.831
5)	MB Aldrin	4.543	5.403	834.0E6	192.5E6	53.834	51.076
6)	B beta-BHC	4.276	4.776	354.2E6	91755915	54.032	53.073
7)	B delta-BHC	4.468	4.989	888.0E6	197.9E6	54.115	51.168
8)	B Heptachlo...	4.978	5.789	787.1E6	183.8E6	53.276	48.065
9)	A Endosulfan I	5.309	6.144	758.9E6	172.6E6	52.183	50.200
10)	B gamma-Chl...	5.201	6.023	825.1E6	187.5E6	52.279	50.744
11)	B alpha-Chl...	5.257	6.095	798.7E6	185.2E6	52.353	50.524
12)	B 4,4'-DDE	5.424	6.255	798.0E6	184.1E6	53.253	51.082
13)	MA Dieldrin	5.547	6.400	816.3E6	179.5E6	52.674	50.697
14)	MA Endrin	5.799	6.618	682.0E6	138.5E6	46.327	44.662
15)	B Endosulfa...	6.075	6.829	715.9E6	158.1E6	51.151	49.715
16)	A 4,4'-DDD	5.934	6.746	664.6E6	139.5E6	55.462	52.395
17)	MA 4,4'-DDT	6.168	7.042	592.2E6	126.0E6	47.814	46.663
18)	B Endrin al...	6.242	6.954	591.9E6	120.0E6	51.310	44.166
19)	B Endosulfa...	6.453	7.176	645.4E6	145.6E6	50.665	50.401
20)	A Methoxychlor	6.713	7.503	284.5E6	67003293	45.599	45.665
21)	B Endrin ke...	6.934	7.645	731.1E6	159.0E6	53.455	54.985
22)	Mirex	7.107	8.093	490.5E6	116.2E6	50.029	50.576
24)	Chlordane-2	0.000	5.403f	0	192.5E6	N.D.	1638.724 #
25)	Chlordane-3	5.201	6.023	825.1E6	187.5E6	589.473	389.854 #
26)	Chlordane-4	5.257	6.095	798.7E6	185.2E6	605.539	318.771 #
27)	Chlordane-5	6.075	0.000	715.9E6	0	1409.347	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072619\
Data File : PL050796.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Jul 2019 09:54
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 26 22:43:51 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
Quant Title : GC Extractables
QLast Update : Fri Jul 19 01:19:13 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.319 min
Delta R.T.: 0.001 min
Response: 540354720
Conc: 53.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.928 min
Delta R.T.: -0.002 min
Response: 140758274
Conc: 49.33 ng/ml




#2 alpha-BHC

R.T.: 3.746 min
Delta R.T.: 0.000 min
Response: 904152404
Conc: 53.95 ng/ml



#2 alpha-BHC


R.T.: 4.316 min
Delta R.T.: -0.002 min
Response: 208143961
Conc: 50.45 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.021 min
Delta R.T.: 0.000 min
Response: 842092836
Conc: 54.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.599 min
Delta R.T.: -0.002 min
Response: 195131444
Conc: 50.38 ng/ml




#4 Heptachlor

R.T.: 4.305 min
Delta R.T.: 0.000 min
Response: 868409016
Conc: 52.93 ng/ml



#4 Heptachlor


R.T.: 5.101 min
Delta R.T.: -0.003 min
Response: 202486838
Conc: 48.83 ng/ml



#5 Aldrin


R.T.: 4.543 min
Delta R.T.: 0.000 min
Response: 833976858
Conc: 53.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.403 min
Delta R.T.: -0.003 min
Response: 192472207
Conc: 51.08 ng/ml




#6 beta-BHC

R.T.: 4.276 min
Delta R.T.: 0.000 min
Response: 354222688
Conc: 54.03 ng/ml



#6 beta-BHC


R.T.: 4.776 min
Delta R.T.: -0.002 min
Response: 91755915
Conc: 53.07 ng/ml



#7 delta-BHC


R.T.: 4.468 min
Delta R.T.: 0.000 min
Response: 887963317
Conc: 54.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.989 min
Delta R.T.: -0.003 min
Response: 197898751
Conc: 51.17 ng/ml




#8 Heptachlor epoxide

R.T.: 4.978 min
Delta R.T.: 0.000 min
Response: 787077496
Conc: 53.28 ng/ml



#8 Heptachlor epoxide


R.T.: 5.789 min
Delta R.T.: -0.003 min
Response: 183839905
Conc: 48.06 ng/ml



#9 Endosulfan I


R.T.: 5.309 min
Delta R.T.: 0.000 min
Response: 758937624
Conc: 52.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.144 min
Delta R.T.: -0.003 min
Response: 172633475
Conc: 50.20 ng/ml




#10 gamma-Chlordane

R.T.: 5.201 min
Delta R.T.: 0.000 min
Response: 825136319
Conc: 52.28 ng/ml



#10 gamma-Chlordane


R.T.: 6.023 min
Delta R.T.: -0.003 min
Response: 187511862
Conc: 50.74 ng/ml



#11 alpha-Chlordane


R.T.: 5.257 min
Delta R.T.: 0.000 min
Response: 798693357
Conc: 52.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.095 min
Delta R.T.: -0.003 min
Response: 185180107
Conc: 50.52 ng/ml




#12 4,4'-DDE

R.T.: 5.424 min
Delta R.T.: 0.000 min
Response: 798047670
Conc: 53.25 ng/ml



#12 4,4'-DDE


R.T.: 6.255 min
Delta R.T.: -0.003 min
Response: 184068672
Conc: 51.08 ng/ml



#13 Dieldrin


R.T.: 5.547 min
Delta R.T.: -0.001 min
Response: 816281497
Conc: 52.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.400 min
Delta R.T.: -0.003 min
Response: 179525035
Conc: 50.70 ng/ml




#14 Endrin

R.T.: 5.799 min
Delta R.T.: -0.002 min
Response: 681954782
Conc: 46.33 ng/ml



#14 Endrin


R.T.: 6.618 min
Delta R.T.: -0.004 min
Response: 138517180
Conc: 44.66 ng/ml



#15 Endosulfan II


R.T.: 6.075 min
Delta R.T.: -0.001 min
Response: 715859745
Conc: 51.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.829 min
Delta R.T.: -0.004 min
Response: 158051918
Conc: 49.71 ng/ml




#16 4,4'-DDD

R.T.: 5.934 min
Delta R.T.: 0.000 min
Response: 664648612
Conc: 55.46 ng/ml



#16 4,4'-DDD


R.T.: 6.746 min
Delta R.T.: -0.003 min
Response: 139522644
Conc: 52.40 ng/ml



#17 4,4'-DDT


R.T.: 6.168 min
Delta R.T.: -0.001 min
Response: 592215987
Conc: 47.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.042 min
Delta R.T.: -0.004 min
Response: 125970494
Conc: 46.66 ng/ml




#18 Endrin aldehyde

R.T.: 6.242 min
Delta R.T.: -0.001 min
Response: 591933462
Conc: 51.31 ng/ml



#18 Endrin aldehyde


R.T.: 6.954 min
Delta R.T.: -0.003 min
Response: 120027031
Conc: 44.17 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.453 min
Delta R.T.: -0.001 min
Response: 645447753
Conc: 50.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.176 min
Delta R.T.: -0.004 min
Response: 145571694
Conc: 50.40 ng/ml




#20 Methoxychlor

R.T.: 6.713 min
Delta R.T.: -0.001 min
Response: 284487914
Conc: 45.60 ng/ml



#20 Methoxychlor


R.T.: 7.503 min
Delta R.T.: -0.004 min
Response: 67003293
Conc: 45.67 ng/ml



#21 Endrin ketone


R.T.: 6.934 min
Delta R.T.: -0.001 min
Response: 731125384
Conc: 53.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.645 min
Delta R.T.: -0.003 min
Response: 158976311
Conc: 54.98 ng/ml




#22 Mirex

R.T.: 7.107 min
Delta R.T.: -0.002 min
Response: 490503316
Conc: 50.03 ng/ml



#22 Mirex


R.T.: 8.093 min
Delta R.T.: -0.005 min
Response: 116174116
Conc: 50.58 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.647 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.403 min
Delta R.T.: 0.019 min
Response: 192472207
Conc: 1638.72 ng/ml




#25 Chlordane-3

R.T.: 5.201 min
Delta R.T.: -0.002 min
Response: 825136319
Conc: 589.47 ng/ml



#25 Chlordane-3


R.T.: 6.023 min
Delta R.T.: -0.003 min
Response: 187511862
Conc: 389.85 ng/ml



#26 Chlordane-4


R.T.: 5.257 min
Delta R.T.: 0.000 min
Response: 798693357
Conc: 605.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.095 min
Delta R.T.: -0.006 min
Response: 185180107
Conc: 318.77 ng/ml




#27 Chlordane-5

R.T.: 6.075 min
Delta R.T.: -0.004 min
Response: 715859745
Conc: 1409.35 ng/ml



#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.902 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl


R.T.: 7.978 min

Delta R.T.: -0.002 min

Response: 546609950

Conc: 53.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.956 min

Delta R.T.: -0.005 min

Response: 138875507

Conc: 49.11 ng/ml