

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072718\
 Data File : PL038656.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Jul 2018 14:03
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 27 22:46:57 2018
 Quant Method : Z:\PESTPCBSRV\HPCHEM1\ECD_L\methods\PL071318.M
 Quant Title : GC Extractables
 QLast Update : Sat Jul 14 00:12:12 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.324	3.927	350.3E6	136.3E6	47.041	51.940
28)	SA Decachlor...	7.993	8.935	330.3E6	116.8E6	43.543	47.789
Target Compounds							
2)	A alpha-BHC	3.754	4.307	589.3E6	216.8E6	49.872	56.020
3)	MA gamma-BHC...	4.030	4.586	525.5E6	194.4E6	50.127	53.825
4)	MA Heptachlor	4.313	5.096	524.2E6	190.4E6	49.277	59.567
5)	MB Aldrin	4.552	5.399	527.3E6	177.6E6	50.378	57.562
6)	B beta-BHC	4.284	4.749	240.2E6	88474138	50.894	58.326
7)	B delta-BHC	4.478	4.963	560.3E6	193.2E6	51.618	58.264
8)	B Heptachlo...	4.989	5.778	479.7E6	163.7E6	50.881	57.602
9)	A Endosulfan I	5.320	6.131	451.5E6	140.4E6	52.198	54.588
10)	B gamma-Chl...	5.211	6.011	506.1E6	158.7E6	51.202	54.724
11)	B alpha-Chl...	5.268	6.084	484.9E6	156.6E6	51.228	54.648
12)	B 4,4'-DDE	5.437	6.240	499.3E6	147.3E6	52.076	55.083
13)	MA Dieldrin	5.559	6.385	418.5E6	148.3E6	43.548	54.492 #
14)	MA Endrin	5.812	6.599	432.6E6	127.3E6	49.795	53.287
15)	B Endosulfa...	6.087	6.803	412.6E6	126.8E6	52.023	52.806
16)	A 4,4'-DDD	5.948	6.722	398.9E6	114.8E6	54.382	53.656
17)	MA 4,4'-DDT	6.182	7.021	349.1E6	104.6E6	46.993	49.049
18)	B Endrin al...	6.256	6.925	331.4E6	107.4E6	52.037	55.048
19)	B Endosulfa...	6.466	7.147	393.5E6	119.2E6	52.095	54.690
20)	A Methoxychlor	6.730	7.476	184.3E6	59721665	47.913	52.449
21)	B Endrin ke...	6.949	7.612	414.1E6	121.5E6	52.780	50.965
23)	Chlordane-1	4.199	4.963	5701472	193.2E6	16.466	1667.501 #
24)	Chlordane-2	0.000	5.399	0	177.6E6	N.D.	1483.500 #
25)	Chlordane-3	5.211	6.011	506.1E6	158.7E6	435.030	388.963
26)	Chlordane-4	5.268	6.084	484.9E6	156.6E6	461.210	318.805 #
27)	Chlordane-5	5.948	6.925	398.9E6	107.4E6	2491.226	1199.148 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072718\
 Data File : PL038656.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Jul 2018 14:03
 Operator : AJ\SJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 27 22:46:57 2018
 Quant Method : Z:\PESTPCBSRV\HPCHEM1\ECD_L\methods\PL071318.M
 Quant Title : GC Extractables
 QLast Update : Sat Jul 14 00:12:12 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.324 min
Delta R.T.: -0.005 min
Response: 350284459
Conc: 47.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.927 min
Delta R.T.: -0.002 min
Response: 136339553
Conc: 51.94 ng/ml




#2 alpha-BHC

R.T.: 3.754 min
Delta R.T.: -0.005 min
Response: 589261162
Conc: 49.87 ng/ml



#2 alpha-BHC


R.T.: 4.307 min
Delta R.T.: -0.002 min
Response: 216804167
Conc: 56.02 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.030 min
Delta R.T.: -0.005 min
Response: 525525354
Conc: 50.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.586 min
Delta R.T.: -0.002 min
Response: 194402977
Conc: 53.82 ng/ml




#4 Heptachlor

R.T.: 4.313 min
Delta R.T.: -0.006 min
Response: 524175737
Conc: 49.28 ng/ml



#4 Heptachlor


R.T.: 5.096 min
Delta R.T.: -0.003 min
Response: 190389448
Conc: 59.57 ng/ml



#5 Aldrin


R.T.: 4.552 min
Delta R.T.: -0.007 min
Response: 527318718
Conc: 50.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.399 min
Delta R.T.: -0.003 min
Response: 177649243
Conc: 57.56 ng/ml




#6 beta-BHC

R.T.: 4.284 min
Delta R.T.: -0.005 min
Response: 240235737
Conc: 50.89 ng/ml



#6 beta-BHC


R.T.: 4.749 min
Delta R.T.: -0.001 min
Response: 88474138
Conc: 58.33 ng/ml



#7 delta-BHC


R.T.: 4.478 min
Delta R.T.: -0.006 min
Response: 560266769
Conc: 51.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.963 min
Delta R.T.: -0.002 min
Response: 193238219
Conc: 58.26 ng/ml




#8 Heptachlor epoxide

R.T.: 4.989 min
Delta R.T.: -0.007 min
Response: 479728236
Conc: 50.88 ng/ml



#8 Heptachlor epoxide


R.T.: 5.778 min
Delta R.T.: -0.003 min
Response: 163699584
Conc: 57.60 ng/ml



#9 Endosulfan I


R.T.: 5.320 min
Delta R.T.: -0.007 min
Response: 451497258
Conc: 52.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.131 min
Delta R.T.: -0.002 min
Response: 140388079
Conc: 54.59 ng/ml




#10 gamma-Chlordane

R.T.: 5.211 min
Delta R.T.: -0.008 min
Response: 506084000
Conc: 51.20 ng/ml



#10 gamma-Chlordane


R.T.: 6.011 min
Delta R.T.: -0.002 min
Response: 158658021
Conc: 54.72 ng/ml



#11 alpha-Chlordane


R.T.: 5.268 min
Delta R.T.: -0.007 min
Response: 484908211
Conc: 51.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.084 min
Delta R.T.: -0.002 min
Response: 156633189
Conc: 54.65 ng/ml




#12 4,4'-DDE

R.T.: 5.437 min
Delta R.T.: -0.008 min
Response: 499299859
Conc: 52.08 ng/ml



#12 4,4'-DDE


R.T.: 6.240 min
Delta R.T.: -0.002 min
Response: 147295925
Conc: 55.08 ng/ml



#13 Dieldrin


R.T.: 5.559 min
Delta R.T.: -0.007 min
Response: 418504321
Conc: 43.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.385 min
Delta R.T.: -0.002 min
Response: 148313870
Conc: 54.49 ng/ml




#14 Endrin

R.T.: 5.812 min
Delta R.T.: -0.009 min
Response: 432639478
Conc: 49.80 ng/ml



#14 Endrin


R.T.: 6.599 min
Delta R.T.: -0.002 min
Response: 127255987
Conc: 53.29 ng/ml



#15 Endosulfan II


R.T.: 6.087 min
Delta R.T.: -0.009 min
Response: 412550060
Conc: 52.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.803 min
Delta R.T.: -0.003 min
Response: 126807876
Conc: 52.81 ng/ml




#16 4,4'-DDD

R.T.: 5.948 min
Delta R.T.: -0.009 min
Response: 398927979
Conc: 54.38 ng/ml



#16 4,4'-DDD


R.T.: 6.722 min
Delta R.T.: -0.003 min
Response: 114845617
Conc: 53.66 ng/ml



#17 4,4'-DDT


R.T.: 6.182 min
Delta R.T.: -0.009 min
Response: 349098455
Conc: 46.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.021 min
Delta R.T.: -0.003 min
Response: 104574666
Conc: 49.05 ng/ml




#18 Endrin aldehyde

R.T.: 6.256 min
Delta R.T.: -0.009 min
Response: 331353716
Conc: 52.04 ng/ml



#18 Endrin aldehyde


R.T.: 6.925 min
Delta R.T.: -0.002 min
Response: 107419099
Conc: 55.05 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.466 min
Delta R.T.: -0.009 min
Response: 393488718
Conc: 52.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.147 min
Delta R.T.: -0.002 min
Response: 119212358
Conc: 54.69 ng/ml




#20 Methoxychlor

R.T.: 6.730 min
Delta R.T.: -0.009 min
Response: 184345979
Conc: 47.91 ng/ml



#20 Methoxychlor


R.T.: 7.476 min
Delta R.T.: -0.002 min
Response: 59721665
Conc: 52.45 ng/ml



#21 Endrin ketone


R.T.: 6.949 min
Delta R.T.: -0.009 min
Response: 414105091
Conc: 52.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.612 min
Delta R.T.: -0.001 min
Response: 121477170
Conc: 50.97 ng/ml




#23 Chlordane-1

R.T.: 4.199 min
Delta R.T.: 0.030 min
Response: 5701472
Conc: 16.47 ng/ml



#23 Chlordane-1


R.T.: 4.963 min
Delta R.T.: 0.050 min
Response: 193238219
Conc: 1667.50 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.663 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.399 min
Delta R.T.: 0.024 min
Response: 177649243
Conc: 1483.50 ng/ml




#25 Chlordane-3

R.T.: 5.211 min
Delta R.T.: -0.008 min
Response: 506084000
Conc: 435.03 ng/ml



#25 Chlordane-3


R.T.: 6.011 min
Delta R.T.: -0.001 min
Response: 158658021
Conc: 388.96 ng/ml



#26 Chlordane-4


R.T.: 5.268 min
Delta R.T.: -0.007 min
Response: 484908211
Conc: 461.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.084 min
Delta R.T.: -0.004 min
Response: 156633189
Conc: 318.80 ng/ml




#27 Chlordane-5

R.T.: 5.948 min
Delta R.T.: 0.065 min
Response: 398927979
Conc: 2491.23 ng/ml



#27 Chlordane-5


R.T.: 6.925 min
Delta R.T.: 0.044 min
Response: 107419099
Conc: 1199.15 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.993 min
Delta R.T.: -0.011 min
Response: 330312513
Conc: 43.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.935 min
Delta R.T.: -0.003 min
Response: 116818153
Conc: 47.79 ng/ml