

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072721\
 Data File : PL068512.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Jul 2021 18:16
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 28 02:41:12 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071921.M
 Quant Title : GC Extractables
 QLast Update : Tue Jul 20 11:44:21 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.641	5.568	23801227	55080729	55.457	53.978
28)	SA Decachlor...	10.416	11.490	25841616	45208178	45.947	50.682
Target Compounds							
2)	A alpha-BHC	5.348	6.148	33041762	74291383	56.444	54.641
3)	MA gamma-BHC...	5.771	6.544	31672043	68234410	55.717	52.886
4)	MA Heptachlor	6.183	7.194	32392920	65269306	53.145	50.079
5)	MB Aldrin	6.509	7.565	30963647	61950715	55.100	52.214
6)	B beta-BHC	6.150	6.797	16068351	33723089	54.912	47.735
7)	B delta-BHC	6.412	7.064	31471671	63769824	56.328	52.048
8)	B Heptachlo...	7.085	8.031	29974250	58080053	53.954	51.370
9)	A Endosulfan I	7.488	8.437	28127842	51569642	53.245	50.088
10)	B gamma-Chl...	7.363	8.300	30733075	57070302	53.563	50.675
11)	B alpha-Chl...	7.433	8.382	30419793	56075205	52.964	49.858
12)	B 4,4'-DDE	7.647	8.568	27094645	51097866	53.768	49.582
13)	MA Dieldrin	7.775	8.726	28690857	52637742	53.301	49.628
14)	MA Endrin	8.066	8.966	25671849	42049786	51.334	47.027
15)	B Endosulfa...	8.376	9.198	24726821	43632350	50.084	48.138
16)	A 4,4'-DDD	8.232	9.107	23945081	43837475	53.606	51.484
17)	MA 4,4'-DDT	8.494	9.425	22440766	39672696	44.739	42.033
18)	B Endrin al...	8.564	9.333	19680504	34247797	49.681	47.519
19)	B Endosulfa...	8.796	9.570	26031399	43227233	49.539	48.005
20)	A Methoxychlor	9.088	9.910	13240490	21030686	42.328	41.396
21)	B Endrin ke...	9.314	10.069	29123338	48711765	49.185	48.842
22)	Mirex	9.504	10.537	23956898	37108823	48.513	47.967



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072721\
Data File : PL068512.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Jul 2021 18:16
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 28 02:41:12 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071921.M
Quant Title : GC Extractables
QLast Update : Tue Jul 20 11:44:21 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.641 min
Delta R.T.: -0.004 min
Response: 23801227
Conc: 55.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 5.568 min
Delta R.T.: -0.003 min
Response: 55080729
Conc: 53.98 ng/ml




#2 alpha-BHC

R.T.: 5.348 min
Delta R.T.: -0.005 min
Response: 33041762
Conc: 56.44 ng/ml



#2 alpha-BHC


R.T.: 6.148 min
Delta R.T.: -0.002 min
Response: 74291383
Conc: 54.64 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.771 min
Delta R.T.: -0.004 min
Response: 31672043
Conc: 55.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 6.544 min
Delta R.T.: -0.002 min
Response: 68234410
Conc: 52.89 ng/ml




#4 Heptachlor

R.T.: 6.183 min
Delta R.T.: -0.005 min
Response: 32392920
Conc: 53.15 ng/ml



#4 Heptachlor


R.T.: 7.194 min
Delta R.T.: -0.001 min
Response: 65269306
Conc: 50.08 ng/ml



#5 Aldrin


R.T.: 6.509 min
Delta R.T.: -0.005 min
Response: 30963647
Conc: 55.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 7.565 min
Delta R.T.: -0.002 min
Response: 61950715
Conc: 52.21 ng/ml




#6 beta-BHC

R.T.: 6.150 min
Delta R.T.: -0.005 min
Response: 16068351
Conc: 54.91 ng/ml



#6 beta-BHC


R.T.: 6.797 min
Delta R.T.: -0.002 min
Response: 33723089
Conc: 47.74 ng/ml



#7 delta-BHC


R.T.: 6.412 min
Delta R.T.: -0.004 min
Response: 31471671
Conc: 56.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 7.064 min
Delta R.T.: 0.000 min
Response: 63769824
Conc: 52.05 ng/ml




#8 Heptachlor epoxide

R.T.: 7.085 min
Delta R.T.: -0.006 min
Response: 29974250
Conc: 53.95 ng/ml



#8 Heptachlor epoxide


R.T.: 8.031 min
Delta R.T.: -0.003 min
Response: 58080053
Conc: 51.37 ng/ml



#9 Endosulfan I


R.T.: 7.488 min
Delta R.T.: -0.006 min
Response: 28127842
Conc: 53.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 8.437 min
Delta R.T.: -0.002 min
Response: 51569642
Conc: 50.09 ng/ml




#10 gamma-Chlordane

R.T.: 7.363 min
Delta R.T.: -0.006 min
Response: 30733075
Conc: 53.56 ng/ml



#10 gamma-Chlordane


R.T.: 8.300 min
Delta R.T.: -0.002 min
Response: 57070302
Conc: 50.67 ng/ml



#11 alpha-Chlordane


R.T.: 7.433 min
Delta R.T.: -0.006 min
Response: 30419793
Conc: 52.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 8.382 min
Delta R.T.: -0.002 min
Response: 56075205
Conc: 49.86 ng/ml




#12 4,4'-DDE

R.T.: 7.647 min
Delta R.T.: -0.006 min
Response: 27094645
Conc: 53.77 ng/ml



#12 4,4'-DDE


R.T.: 8.568 min
Delta R.T.: -0.002 min
Response: 51097866
Conc: 49.58 ng/ml



#13 Dieldrin


R.T.: 7.775 min
Delta R.T.: -0.006 min
Response: 28690857
Conc: 53.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 8.726 min
Delta R.T.: -0.002 min
Response: 52637742
Conc: 49.63 ng/ml




#14 Endrin

R.T.: 8.066 min
Delta R.T.: -0.007 min
Response: 25671849
Conc: 51.33 ng/ml



#14 Endrin


R.T.: 8.966 min
Delta R.T.: 0.000 min
Response: 42049786
Conc: 47.03 ng/ml



#15 Endosulfan II


R.T.: 8.376 min
Delta R.T.: -0.006 min
Response: 24726821
Conc: 50.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 9.198 min
Delta R.T.: -0.002 min
Response: 43632350
Conc: 48.14 ng/ml




#16 4,4'-DDD

R.T.: 8.232 min
Delta R.T.: -0.007 min
Response: 23945081
Conc: 53.61 ng/ml



#16 4,4'-DDD


R.T.: 9.107 min
Delta R.T.: 0.000 min
Response: 43837475
Conc: 51.48 ng/ml



#17 4,4'-DDT


R.T.: 8.494 min
Delta R.T.: -0.007 min
Response: 22440766
Conc: 44.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 9.425 min
Delta R.T.: -0.002 min
Response: 39672696
Conc: 42.03 ng/ml




#18 Endrin aldehyde

R.T.: 8.564 min
Delta R.T.: -0.007 min
Response: 19680504
Conc: 49.68 ng/ml



#18 Endrin aldehyde


R.T.: 9.333 min
Delta R.T.: -0.003 min
Response: 34247797
Conc: 47.52 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.796 min
Delta R.T.: -0.005 min
Response: 26031399
Conc: 49.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 9.570 min
Delta R.T.: -0.002 min
Response: 43227233
Conc: 48.00 ng/ml




#20 Methoxychlor

R.T.: 9.088 min
Delta R.T.: -0.008 min
Response: 13240490
Conc: 42.33 ng/ml



#20 Methoxychlor


R.T.: 9.910 min
Delta R.T.: -0.002 min
Response: 21030686
Conc: 41.40 ng/ml



#21 Endrin ketone


R.T.: 9.314 min
Delta R.T.: -0.006 min
Response: 29123338
Conc: 49.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 10.069 min
Delta R.T.: -0.002 min
Response: 48711765
Conc: 48.84 ng/ml




#22 Mirex

R.T.: 9.504 min
Delta R.T.: -0.007 min
Response: 23956898
Conc: 48.51 ng/ml



#22 Mirex


R.T.: 10.537 min
Delta R.T.: -0.003 min
Response: 37108823
Conc: 47.97 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.416 min
Delta R.T.: -0.008 min
Response: 25841616
Conc: 45.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 11.490 min
Delta R.T.: -0.002 min
Response: 45208178
Conc: 50.68 ng/ml