

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072920\
 Data File : PL060313.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 29 Jul 2020 08:53
 Operator : DD\AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 29 13:07:39 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071020.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 10 18:52:06 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
----------	------	------	--------	--------	-------	-------

System Monitoring Compounds

Target Compounds						
2) A	alpha-BHC	3.922f	0.000	2679104	0	0.932 N.D. #
4) MA	Heptachlor	0.000	5.203	0	6574369	N.D. 1.954 #
6) B	beta-BHC	4.407f	0.000	644102	0	0.631 N.D. #
8) B	Heptachlo...	0.000	5.886	0	12344778	N.D. 4.584 #
9) A	Endosulfan I	5.504f	0.000	220412	0	0.131 N.D. #
10) B	gamma-Chl...	5.401	6.129	93509	1658855	0.052 0.579 #
14) MA	Endrin	6.020	0.000	887668	0	0.610 N.D. #
15) B	Endosulfa...	6.303	0.000	488214	0	0.292 N.D. #
17) MA	4,4'-DDT	6.375f	0.000	673554	0	0.518 N.D. #
18) B	Endrin al...	6.476	0.000	373348	0	0.262 N.D. #
19) B	Endosulfa...	6.655f	0.000	656567	0	0.399 N.D. #
24)	Chlordane-2	4.822f	0.000	1940950	0	30.655 N.D. #
25)	Chlordane-3	5.401	6.129	93509	1658855	0.553 4.287 #
27)	Chlordane-5	6.303	0.000	488214	0	8.604 N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072920\
Data File : PL060313.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 Jul 2020 08:53
Operator : DD\AJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 29 13:07:39 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071020.M
Quant Title : GC Extractables
QLast Update : Fri Jul 10 18:52:06 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 0.000 min
Exp R.T. : 3.466 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 0.000 min
Exp R.T. : 4.012 min
Response: 0
Conc: N.D.




#2 alpha-BHC

R.T.: 3.922 min
Delta R.T.: 0.019 min
Response: 2679104
Conc: 0.93 ng/ml



#2 alpha-BHC


R.T.: 0.000 min
Exp R.T. : 4.402 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 0.000 min
Exp R.T.: 4.490 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#4 Heptachlor

R.T.: 5.203 min
Delta R.T.: 0.004 min
Response: 6574369
Conc: 1.95 ng/ml




#6 beta-BHC

R.T.: 4.407 min
Delta R.T.: -0.030 min
Response: 644102
Conc: 0.63 ng/ml



#6 beta-BHC


R.T.: 0.000 min
Exp R.T.: 4.857 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 5.183 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#8 Heptachlor epoxide

R.T.: 5.886 min
Delta R.T.: -0.007 min
Response: 12344778
Conc: 4.58 ng/ml




#9 Endosulfan I

R.T.: 5.504 min
Delta R.T.: -0.018 min
Response: 220412
Conc: 0.13 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 6.250 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 5.401 min
Delta R.T.: -0.009 min
Response: 93509
Conc: 0.05 ng/ml

Instrument :
ECD_L
ClientSampleId :




#10 gamma-Chlordane

R.T.: 6.129 min
Delta R.T.: 0.002 min
Response: 1658855
Conc: 0.58 ng/ml




#14 Endrin

R.T.: 6.020 min
Delta R.T.: -0.003 min
Response: 887668
Conc: 0.61 ng/ml



#14 Endrin


R.T.: 0.000 min
Exp R.T.: 6.727 min
Response: 0
Conc: N.D.



#15 Endosulfan II


R.T.: 6.303 min
Delta R.T.: 0.007 min
Response: 488214
Conc: 0.29 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T. : 6.936 min
Response: 0
Conc: N.D.




#17 4,4'-DDT

R.T.: 6.375 min
Delta R.T.: -0.017 min
Response: 673554
Conc: 0.52 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T. : 7.149 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 6.476 min
Delta R.T.: 0.012 min
Response: 373348
Conc: 0.26 ng/ml

Instrument :
ECD_L
ClientSampleId :




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T. : 7.060 min
Response: 0
Conc: N.D.




#19 Endosulfan Sulfate

R.T.: 6.655 min
Delta R.T.: -0.022 min
Response: 656567
Conc: 0.40 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T. : 7.284 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.822 min
Delta R.T.: -0.018 min
Response: 1940950
Conc: 30.66 ng/ml

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 5.479 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.401 min
Delta R.T.: -0.010 min
Response: 93509
Conc: 0.55 ng/ml



#25 Chlordane-3


R.T.: 6.129 min
Delta R.T.: 0.000 min
Response: 1658855
Conc: 4.29 ng/ml



#27 Chlordane-5


R.T.: 6.303 min
Delta R.T.: -0.003 min
Response: 488214
Conc: 8.60 ng/ml

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 7.010 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 0.000 min
Exp R.T. : 8.231 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 0.000 min
Exp R.T. : 9.103 min
Response: 0
Conc: N.D.