

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072921\
 Data File : PL068554.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 29 Jul 2021 15:09
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 30 01:20:22 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071921.M
 Quant Title : GC Extractables
 QLast Update : Tue Jul 20 11:44:21 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.643	5.572	9083061	20052221	21.164	19.651
28)	SA Decachlor...	10.419	11.497	11370715	18038871	20.217	20.223
Target Compounds							
8)	B Heptachlo...	0.000	8.040	0	39453	N.D.	0.035 #
9)	A Endosulfan I	0.000	8.419f	0	41769	N.D.	0.041 #
13)	MA Dieldrin	0.000	8.728	0	155294	N.D.	0.146 #
14)	MA Endrin	0.000	8.986f	0	61419	N.D.	0.069 #
15)	B Endosulfa...	0.000	9.220f	0	393484	N.D.	0.434 #
17)	MA 4,4'-DDT	0.000	9.456f	0	51116	N.D.	0.054 #
18)	B Endrin al...	0.000	9.349	0	23075	N.D.	0.032 #
19)	B Endosulfa...	0.000	9.568	0	15363	N.D.	0.017 #
20)	A Methoxychlor	0.000	9.918	0	391282	N.D.	0.770 #
23)	Chlordane-1	0.000	6.973f	0	291370	N.D.	7.193 #
26)	Chlordane-4	0.000	8.419f	0	41769	N.D.	0.223 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL072921\
Data File : PL068554.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 Jul 2021 15:09
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 30 01:20:22 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071921.M
Quant Title : GC Extractables
QLast Update : Tue Jul 20 11:44:21 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.643 min
Delta R.T.: -0.002 min
Response: 9083061
Conc: 21.16 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 5.572 min
Delta R.T.: 0.001 min
Response: 20052221
Conc: 19.65 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T. : 7.091 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 8.040 min
Delta R.T.: 0.006 min
Response: 39453
Conc: 0.03 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 7.494 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 8.419 min
Delta R.T.: -0.020 min
Response: 41769
Conc: 0.04 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T.: 7.781 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 8.728 min
Delta R.T.: 0.000 min
Response: 155294
Conc: 0.15 ng/ml



#14 Endrin


R.T.: 0.000 min
Exp R.T.: 8.072 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#14 Endrin

R.T.: 8.986 min
Delta R.T.: 0.020 min
Response: 61419
Conc: 0.07 ng/ml




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T.: 8.382 min
Response: 0
Conc: N.D.



#15 Endosulfan II


R.T.: 9.220 min
Delta R.T.: 0.019 min
Response: 393484
Conc: 0.43 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 8.501 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 9.456 min
Delta R.T.: 0.029 min
Response: 51116
Conc: 0.05 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T.: 8.571 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 9.349 min
Delta R.T.: 0.013 min
Response: 23075
Conc: 0.03 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T. : 8.801 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 9.568 min
Delta R.T.: -0.004 min
Response: 15363
Conc: 0.02 ng/ml




#20 Methoxychlor

R.T.: 0.000 min
Exp R.T. : 9.096 min
Response: 0
Conc: N.D.



#20 Methoxychlor


R.T.: 9.918 min
Delta R.T.: 0.005 min
Response: 391282
Conc: 0.77 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 5.978 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#23 Chlordane-1

R.T.: 6.973 min
Delta R.T.: 0.016 min
Response: 291370
Conc: 7.19 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T.: 7.440 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 8.419 min
Delta R.T.: 0.030 min
Response: 41769
Conc: 0.22 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.419 min
Delta R.T.: -0.005 min
Response: 11370715
Conc: 20.22 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 11.497 min
Delta R.T.: 0.005 min
Response: 18038871
Conc: 20.22 ng/ml