

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL073020\
 Data File : PL060340.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 29 Jul 2020 18:35
 Operator : DD\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 30 03:55:35 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL073020.M
 Quant Title : GC Extractables
 QLast Update : Thu Jul 30 03:55:17 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.465	4.013	94581740	126.9E6	50.000	50.000
28)	SA Decachlor...	8.223	9.096	71638472	85951457	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.902	4.402	140.2E6	187.2E6	50.000	50.000
3)	MA gamma-BHC...	4.186	4.687	122.5E6	175.0E6	50.000	50.000
4)	MA Heptachlor	4.488	5.198	111.8E6	162.1E6	50.000	50.000
5)	MB Aldrin	4.736	5.504	95546022	147.6E6	50.000	50.000
6)	B beta-BHC	4.437	4.858	48402331	72400021	50.000	50.000
7)	B delta-BHC	4.641	5.075	109.9E6	127.8E6	50.000	50.000
8)	B Heptachlo...	5.180	5.891	90065997	120.1E6	50.000	50.000
9)	A Endosulfan I	5.518	6.249	80268335	128.0E6	50.000	50.000
10)	B gamma-Chl...	5.407	6.126	86483450	135.2E6	50.000	50.000
11)	B alpha-Chl...	5.465	6.199	85961028	138.6E6	50.000	50.000
12)	B 4,4'-DDE	5.630	6.356	81089806	126.6E6	50.000	50.000
13)	MA Dieldrin	5.761	6.506	85319737	130.4E6	50.000	50.000
14)	MA Endrin	6.018	6.725	80006841	111.8E6	50.000	50.000
15)	B Endosulfa...	6.291	6.934	79481072	111.4E6	50.000	50.000
16)	A 4,4'-DDD	6.146	6.847	68944403	99272162	50.000	50.000
17)	MA 4,4'-DDT	6.386	7.147	68042072	97650250	50.000	50.000
18)	B Endrin al...	6.459	7.058	67132295	94800092	50.000	50.000
19)	B Endosulfa...	6.672	7.282	75247362	103.9E6	50.000	50.000
20)	A Methoxychlor	6.933	7.605	39700336	54649552	50.000	50.000
21)	B Endrin ke...	7.162	7.753	81552428	105.3E6	50.000	50.000
22)	Mirex	7.353	8.210	63720218	74738942	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL073020\
Data File : PL060340.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 Jul 2020 18:35
Operator : DD\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 30 03:55:35 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL073020.M
Quant Title : GC Extractables
QLast Update : Thu Jul 30 03:55:17 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.465 min
Delta R.T.: 0.000 min
Response: 94581740
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 4.013 min
Delta R.T.: 0.000 min
Response: 126881603
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.902 min
Delta R.T.: 0.000 min
Response: 140224002
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.402 min
Delta R.T.: 0.000 min
Response: 187223255
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.186 min
Delta R.T.: 0.000 min
Response: 122508879
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.687 min
Delta R.T.: 0.000 min
Response: 174970399
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.488 min
Delta R.T.: 0.000 min
Response: 111783225
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.198 min
Delta R.T.: 0.000 min
Response: 162129628
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.736 min
Delta R.T.: 0.000 min
Response: 95546022
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 5.504 min
Delta R.T.: 0.000 min
Response: 147558624
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.437 min
Delta R.T.: 0.000 min
Response: 48402331
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.858 min
Delta R.T.: 0.000 min
Response: 72400021
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.641 min
Delta R.T.: 0.000 min
Response: 109940276
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.075 min
Delta R.T.: 0.000 min
Response: 127846963
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.180 min
Delta R.T.: 0.000 min
Response: 90065997
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.891 min
Delta R.T.: 0.000 min
Response: 120116835
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.518 min
Delta R.T.: 0.000 min
Response: 80268335
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.249 min
Delta R.T.: 0.000 min
Response: 128043429
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.407 min
Delta R.T.: 0.000 min
Response: 86483450
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.126 min
Delta R.T.: 0.000 min
Response: 135248392
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.465 min
Delta R.T.: 0.000 min
Response: 85961028
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 6.199 min
Delta R.T.: 0.000 min
Response: 138647033
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.630 min
Delta R.T.: 0.000 min
Response: 81089806
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.356 min
Delta R.T.: 0.000 min
Response: 126592190
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.761 min
Delta R.T.: 0.000 min
Response: 85319737
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.506 min
Delta R.T.: 0.000 min
Response: 130399572
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.018 min
Delta R.T.: 0.000 min
Response: 80006841
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.725 min
Delta R.T.: 0.000 min
Response: 111790867
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.291 min
Delta R.T.: 0.000 min
Response: 79481072
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 6.934 min
Delta R.T.: 0.000 min
Response: 111401857
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.146 min
Delta R.T.: 0.000 min
Response: 68944403
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.847 min
Delta R.T.: 0.000 min
Response: 99272162
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.386 min
Delta R.T.: 0.000 min
Response: 68042072
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#17 4,4'-DDT

R.T.: 7.147 min
Delta R.T.: 0.000 min
Response: 97650250
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.459 min
Delta R.T.: 0.000 min
Response: 67132295
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.058 min
Delta R.T.: 0.000 min
Response: 94800092
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.672 min
Delta R.T.: 0.000 min
Response: 75247362
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#19 Endosulfan Sulfate

R.T.: 7.282 min
Delta R.T.: 0.000 min
Response: 103929651
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.933 min
Delta R.T.: 0.000 min
Response: 39700336
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.605 min
Delta R.T.: 0.000 min
Response: 54649552
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.162 min
Delta R.T.: 0.000 min
Response: 81552428
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.753 min
Delta R.T.: 0.000 min
Response: 105336980
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.353 min
Delta R.T.: 0.000 min
Response: 63720218
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.210 min
Delta R.T.: 0.000 min
Response: 74738942
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.223 min
Delta R.T.: 0.000 min
Response: 71638472
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 9.096 min
Delta R.T.: 0.000 min
Response: 85951457
Conc: 50.00 ng/ml